# InRoads to HEC RAS Labs Dataset
# Before You Begin Instructions

Program Information:

The following document details the steps required to load the InRoads to HEC RAS Labs Dataset to your computer.

1. Double Click the **InRoads to HEC RAS Labs Dataset** link and a **File Download** dialog box will appear:

2. Click the **Save** button to save the Executable to your hard drive. (Please be patient. It may take a minute for the download to begin).

3. A **Save As** dialog box will appear.

4. Browse to a location on your hard drive such as the Desktop and click the **Save** button.

5. A **Download complete** dialog box will appear:

6. Click the **Close** button.

7. Browse to the location where you saved the **'InRoads to HEC RAS Labs.exec'**
    Executable. After downloading the **'InRoads to HEC RAS Labs.exec'** to your computer
    – the file named **'InRoads to HEC RAS Labs.exec'** must be <u>renamed</u> to remove the **'c'**
    in the **.exec** extension. The **'c'** extension is added merely as a work around in order to
    make the files available on SharePoint which does not allow **.exe** files.

8. Double click the **InRoads to HEC RAS Labs.exe** file and a **WinZip Self Extractor**
    dialog box appears:

9. **Accept the <u>default</u> install location**. Then click the **Unzip** button and the following
    message will appear informing you that 18 file(s) were unzipped successfully:

10. Click **OK**

11. Then click **Close** to close out of the **WinZip Self Extractor** dialog box.

12. This will load the **InRoads to HEC RAS Labs** into the proper folder on the hard drive.
    These **InRoads to HEC RAS Labs** Dataset files will be used in association with the
    InRoads to HEC RAS for Bridge Hydraulics Lab (Training Material). The Training
    Material will inform the user of the requisite steps to utilize the **InRoads to HEC RAS
    Labs** Dataset.