

NPE Status Report

07-10-19

| <u>NPE#</u> | <u>Manufacturer</u> | <u>Product Name</u> | <u>Description</u> | <u>Estimated Time for Lab/Field Evaluation</u> | <u>Contact Info</u> | <u>Fee Paid</u> | <u>Status / Progress Report</u> | <u>Comments</u> | <u>Date Received</u> |
|-------------|-----------------------------|--|--|--|--|-----------------|---------------------------------|-----------------|----------------------|
| 1906-3 | Aerix Industries | Aerlite | Foaming agent used for production of Low Density Cellular Concrete (LDCC) | | | | New | | 5/29/2019 |
| 1906-2 | Next Polymers | Next Soundwall | The NEXT Soundwall PVC-UVPROTECT - REFLECT has been developed over the past 8 years in order to meet the highest standards of the industries. | | | | New | | 5/29/2019 |
| 1906-1 | Noflood, Inc. | Noflood | Storm Drain Filters | | | | New | | 4/28/2019 |
| 1905-4 | Owens Corning | Surface - Ext | Forta surface-EXT is an alkali and acid resistant glass fiber specifically designed to extend the life of slurry surfacing pavement applications. | | | | New | | 4/27/2019 |
| 1905-3 | Tokyo Rope USA | Carbon Fiber Composite Cable | CFCC Is Carbon Fiber Composite Cable. CFCC consists of PAN (Polyacetylonitrile) based continuous carbon fiber with epoxy resins used as a binding material. | | | | New | | 4/27/2019 |
| 1905-2 | Gregory Industries, Inc. | Truck Trailer Mounted Attenuator - 200(TTMA-200) | The TTMA-200 is a Truck Trailer Mounted Attenuator that passed all MASH Test level 3 requirements. Designed for use in mobile and stationary work zones. | | | | New | | 4/25/2019 |
| 1905-1 | Nouryon ,Inc. | Levasil CB25A | Levasil CB25A is a colloidal silica additive for concrete mixes (a supplementary cementitious material) | | | | New | | 4/20/2019 |
| 1903-2 | Cortina Safety Products | TraiBlazer XL Vertical Panels/ Part Number 03-768-DG | Vertical Panel / Diamond Grade Sheeting 15 lbs - 20 lbs - 30 lbs Rubber Base | | Office of Construction-Todd Wood- twood@dot.ga.gov | | Not a New Product | | 10/18/2018 |
| 1903-1 | Thermacote, Inc. | Thermacote | Thermacote is a single component, spray applied, waterborn acrylic coating for weatherization, corrosion resistance, anti-slip and overall sustainability improvements to the substrate to which applied. | | Office of Maintenance- Rodney Way- rway@dot.ga.gov | | Field Test | | 3/11/2019 |
| 1902-2 | Sprayroq, Inc. | SprayWall | SprayWall is spray-applied polyurethane lining that reinstates structural integrity of the substrate with a flexural modulus of greater than 735,000. It provides infiltration control and chemical resistant barrier on a quick return to | | Office of Maintenance- Rodney Way- rway@dot.ga.gov | | Field Test | | 2/11/2019 |
| 1902-1 | Saferoads | HV2 Longitudinal Barrier | HV2 Safety Barrier is a free standing temporary longitudinal barrier system successfully crush tested to MASH TL-3 and TL-4. | | Office of Construction-Todd Wood- twood@dot.ga.gov | | Not a New Product | | 1/16/2019 |
| 1901-1 | NEPTCO, A Chase Corporation | TRACE-SAFE | High strength water blocked tracer wire | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | | Field Test | | 1/16/2019 |
| 1812-6 | Piedmont Precast | Forix | Forix is a concrete precast modular retaining wall system, large in size yet economical in weight. | | Office of Bridge Design-Steve gaston-sgaston@dot.ga.gov | | Action Pending | | 1/8/2019 |
| 1812-5 | Allen Block Corporation | AB Fence System | The AB Fence is a mortarless concrete block fencing system. Dry-Cast Concrete blocks are stacked in a post and panel configuration. | | Office of Bridge Design-Steve gaston-sgaston@dot.ga.gov | | Action Pending | | 1/22/2018 |
| 1812-4 | American Pipeliners, Inc. | Premier Pipe USA CIPP | Cut down on infiltration and flow capacity in pipes. | | | | Accepted | | 12/8/2018 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|---------|--------------------------------|---|---|--|---|---------------------------------|-------------------|-------------------------------|-----------|
| 1812-3 | ePave, LLC | ePave | ePave primary use is as a surface coating (Pavement preservation product) on asphalt and concrete pavements. It could also be used on bike lanes and decorative surfaces. | | Office of Materials and Testing- Peter Wu-pwu@dot.ga.gov | \$500 Check Received 4/27/19 | Field Test | | 12/6/2018 |
| 1812-2 | Russell Standard-Hammaker East | JASA HP Cold Patch | Pothole and surface distress patching | | | | Not a new product | | 12/4/2018 |
| 1812-1 | AIMS International | LifeRail | Stainless Steel Reinforced FRP MASH TL -4 retrofit bridge rail | | | | No Application | | 12/4/2018 |
| 1809-2 | Ruregold S.R.L. | X Mesh Gold | Provides additional flexural, Shear or compressive strength to concrete structural elements, Supplements reinforcing steel. For example, in refurbishment projects, compensates cross section loss of corroded steel. | | Bridge and Structural Design- Clayton Bennett- clbennett@dot.ga.gov | | Action Pending | | 9/10/2018 |
| 1809-1 | SPIG Industry, LLC | SPIG Gating End Terminal (SGET) | The SGET is a gating guardrail end terminal system in which an impact upon the head causes the head to move down the guardrail and dissipate the energy of the impact. | | Office of Design Policy and Support Holly Cross-hcross@dot.ga.gov | | Action Pending | | 9/27/2018 |
| 1808-5 | Zydex Industries | Zycotherm SP | Used as an Anti-Strip, Compaction Aid, WMA, High Polymer designs, High RAP/RAS. | | Office of Materials and Testing- Peter Wu-pwu@dot.ga.gov | | No Application | Product was a quality product | 8/1/2018 |
| 1808-4 | EJ | 41326211, 41326311, 41326411 | Cast Iron Rings/Frames | | Office of Design Policy and Support Holly Cross-hcross@dot.ga.gov | | Field Test | | 8/1/2018 |
| 1808-3 | EJ | V-1327 Cover with Bass Logo and EPIC | Cast Iron Manhole Cover | | Office of Design Policy and Support Holly Cross-hcross@dot.ga.gov | | Field Test | | 8/1/2018 |
| 1808-2 | EJ | Storm Surge | Cast Iron manhole ring and cover. Cover has a lockable arm to catch in the frame when storm surge tries to dislodge the cover. | | Office of Design Policy and Support Holly Cross-hcross@dot.ga.gov | | Field Test | | 8/1/2018 |
| 1808-1 | EJ | Composite Frame and Cover | Used in areas where manholes are frequently inspected. Composite covers are much lighter than iron and easier to handle. | | Office of Design Policy and Support Holly Cross-hcross@dot.ga.gov | | Action Pending | | 8/1/2018 |
| 1807-3 | Composite Access Products | Molded Fiberglass Reinforced Thermo-Plastic | Reduces theft for recycle metal; reduces infiltration & inflow, Lightweight, and corrosion resistant. | | Office of Design Policy and Support Holly Cross-hcross@dot.ga.gov | | Action Pending | | 6/27/2018 |
| 1807-2 | MH Corbin | Surface Scan | The Surface Scan is a vehicle-mounted mobile weather sensor. It measures road surface temperature, air temperature, relative humidity, and dewpoint. | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | | Field Test | | 6/26/2018 |
| 1807-1 | MH Corbin | Connect:ITS | Roadside system controller used to gather, analyze, and communicate information in real-time to multiple sensors (including 3rd party sensors) | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | | Field Test | | 6/26/2018 |
| 1806-1 | Dura-Line | MicroDucts and Future Path | MicroTechnology is a term given to the practice of reducing the structure size in outside plant infrastructure. MicroDucts are small conduits (from 0.2" OD to 0.9 OD) developed as a solution to house fiber cables that were smaller in | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | | Field Test | | 5/21/2018 |
| 1805-11 | North America Traffic, Inc. | PTL 2.4X | PTL2.4X Portable traffic signal conforms to NEMA TS-2 standards as well as 2009 MUTCD and can be towed in tandem. | | Office of Construction-Todd Wood- wood@dot.ga.gov | | Not a New Product | | 5/14/2018 |
| 1805-10 | North America Traffic, Inc. | PTL2.4LD | The PTL2.4LD is a light duty, dual head traffic signal ideal for short-term traffic control. The unit is powered by 8 deep-cycle batteries with 99 watts of solar assist providing autonomy up to 14 days without solar assist. | | Office of Construction-Todd Wood- wood@dot.ga.gov | | Not a New Product | | 5/8/2018 |
| 1805-9 | E-Chem, LLC | EPC-Overlay | 100% Solids solvent free, moisture insensitive, high performance, multi-purpose epoxy polymer concrete overlay system (3/4" - 10" cross sections) this is an alternative to polyester concrete overlays | | Bridge and Structural Design- Clayton Bennett- clbennett@dot.ga.gov | | Field Test | | 5/18/2018 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|--|---|--|--|----------|-------------------|--|-----------|
| 1805-8 | Ennis Paint, Inc. | Stimsonite Model 201 Lens Cradle with C40 Replaceable Lens | Polycarbonate cradle casting which is attached to a replaceable prismatic retroreflector for reflecting light from a single or opposite direction. | | Office of Materials and Testing- Rick Douds-rdouds@dot.ga.gov | | Field Test | | 5/19/2018 |
| 1805-7 | Martin Asphalt Company | Flexible GTR Bituminous Marker Adhesive | Hot melt flexible bituminous marker adhesive, modified with polymers and ground Tire Rubber | | Office of Materials and Testing-- rdouds@dot.ga.gov | | Field Test | | 5/11/2018 |
| 1805-6 | Creative Pultrusion, Inc. | Superloc Fiberglass Reinforced Polymer (FRP) Sheet Piling | Superloc Composite Sheet Pile System, a FRP composite system, is manufactured by the pultrusion process and is designed and manufactured to provide a solution for deteriorated waterfront structures subjected to the | | Office of Materials and Testing- Adebola Adedokun-aadedokun@dot.ga.gov | | Action Pending | | 5/7/2018 |
| 1805-5 | Creative Pultrusion, Inc. | Superpile Fiberglass Reinforced Polymer Pipe Piles | Superpile Composite Pipe Pile is manufactured with electrical grade fiberglass and high impact, high strength polyurethane resin. The combination of the advanced resin and high strength glass produces a | | Office of Materials and Testing- Adebola Adedokun-aadedokun@dot.ga.gov | | Action Pending | | 5/7/2018 |
| 1805-4 | Flex Connection Inc. dba JOINT | Calder Repair Couplings | Flexible rubber coupling for connecting drainage and sewer pipe of different sizes and materials. | | | | Not a New Product | | 4/19/2018 |
| 1805-3 | Flex Connection, Inc. dba JOINT | Tap-N-Tee Saddle | Service lateral for linking building's sewer laterals to mainline sewer pipe. Thick EPDM rubber connects onto pipe wall. | | | | Not a New Product | | 4/19/2018 |
| 1805-2 | CTS Cement Manufacturing | Komponent | Komponent is an expansive CSA-cement based additive that is combined with local ASTM C150 Type I, II, IV, or V portland cement to create shrinkage-compensating concrete, Low shrinkage concrete and non-shrink grout material. | | Office of Materials and Testing- Gary Wood-gwood@dot.ga.gov | | Field Test | | 4/16/2018 |
| 1805-1 | CreteDefender, Inc. | CreteDefender P2 ("Permanent Protection") | CreteDefender P2 is a water-carried concrete treatment that chemically reacts with the free lime in concrete to penetrate the pore and capillary structure. | | Office of Materials and Testing- Rick Douds-rdouds@dot.ga.gov | | Lab Test | | 4/30/2018 |
| 1804-7 | Carolina Composite Structures | Dyna - Wall | Dyna-Wall is made from a proprietary Advanced Composite Material (ACM) which is similar to concrete without the sand or gravel aggregates. | | Office of Bridge Design-Donn Digamon-ddigamon@dot.ga.gov | | Action Pending | | 4/25/2018 |
| 1804-6 | Professional Pavement Products, Inc. | RediWeld | The RediPave Modular Median™ is assembled with modular unit that are both durable and manageable. Each module is manufactured with a composite of long-wearing recycled rubber that is fuel and weather resistant. | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | | Field Test | | 2/27/2018 |
| 1804-5 | Concrete Moisture Solutions, Inc. | Barrier One | Porosity inhibitor, Certified Shrinkage Reducer, Certified Corrosion Inhibitor, Certified ASR Inhibitor, Sodium Silicate Free, VOC Free, Creates Impermeable Concrete, Increases Strength, and Promotes Long Term Hydration. | | Office of Materials and Testing- Rick Douds-rdouds@dot.ga.gov | | Lab Test | | 4/5/2018 |
| 1804-4 | GCP Applied Technologies | Verifi In-transit Concrete Management | Verifi is an On-board technology to manage concrete quality. Sensors and control are mounted on the ready mix concrete truck to measure, manage and record concrete properties. | | | Complete | No Application | | 4/1/2018 |
| 1804-3 | IFS Coatings, Inc. | Pureflex Green | Pureflex Green is a fusion bonded epoxy powder coating. | | Office of Materials and Testing- Rick Douds-rdouds@dot.ga.gov | | MEETS SPECS | | 4/2/2018 |
| 1804-2 | Helix Steel - Twisted Steel Micro Rebar Steel | Helix Steel | The unique, twisted design of Helix allows for efficient tensile stress re-distribution with the concrete prior to concrete cracking. | | Office of Materials and Testing- Gary Woods-gwood@dot.ga.gov | | Field Test | | 3/9/2018 |
| 1804-1 | Standard Cement Materials Inc. | Geocast with Reliner MSP | Geopolymer Cement mortar for sanitary and storm sewer infrastructure repair. | | Office of Maintenance- Rick Douds- rdouds@dot.ga.gov | | Accepted | | 3/21/2018 |
| 1803-2 | Digiwest, Inc. | BlueMAC | Roadside Bluetooth MAC address collection probes for traffic studies. | | Office of Transportation Data- Nzemeke Simonia-Nsimonia@dot.ga.gov | | Field Test | | 3/7/2018 |
| 1803-1 | O-Dowel, Inc. | O-Dowel | A high strength galvanized coated carbon steel tubular dowel with end caps that prevents the intrusion of concrete during the paving process and prevents interlock of the dowel to the concrete after curing. | | Office of Materials and Testing-lan Rish-irish@dot.ga.gov | | Field Test | | 3/13/2018 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|--|---|--|---|--|----------------------|--|------------|
| 1802-5 | Luciol Systems Company, LLC | Luciol Systems Bidirectional Linear Delineation A.D. | Luciol System Bidirectional Linear Delineation A.D. help reduce lane departure accidents (or ROR) on high crash highway locations. | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | | Withdrawn/ No Action | | 2/2/2018 |
| 1802-4 | Kwik Bond Polymers, LLC | PPC-1121 | PPC-1121 (Polyester Polymer Concrete) is a composite system made up of aggregate and polyester resin binder, with a High Molecular Weight Methacrylate (HMWM) primer. It is use for bridge preservation and rehabilitation. | | Bridge and Structural Design- Clayton Bennett- clbennett@dot.ga.gov | | Field Test | | 2/13/2018 |
| 1802-3 | GreenFlow Distribution Inc. | CLENZ-O2-CRETE | Clenz-O-Crete is a scientifically formulated masonry surface cleaner and restorer.it was designd to work with mother nature to clean and restore masonry surface without pressure washing. | | Complete | | Allow the Use | | 2/20/2018 |
| 1802-2 | Enersphere Communications LLC | ePole | ePole is an integrated small cell site solution that includes a modular and hollow composite pole manufactured for Enersphere under contract by Highland industries. | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | | Field Test | | 2/15/2018 |
| 1802-1 | Commercial Metal Company (CMC South Carlina) | ChromX (9100, 4100 & 2100) | ChromX 9100 & 4100 reinforcing bar are uncoated corrosion resistant reinforcement (crr) and ChromX 9100, 4100 & 2100 are high strength rebars | | Bridge and Structural Design- Clayton Bennett- clbennett@dot.ga.gov | | Action Pending | | 2/6/2018 |
| 1712-6 | TanCate Geosynthetics Americas | Mirafi MPM30 | Mirafi MPM30 paving mat is a pavement interlayer designed to crete a moisture barrier, retard reflective cracking and stand up to high -temperature hot-mix designs. | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Action Pending | | 12/13/2018 |
| 1712-5 | TanCate Geosynthetics Americas | Mirafi MPM50 | Mirafi MPG50 paving mat is a pavement interlayer designed to crete a moisture barrier, retard reflective cracking and stand up to high -temperature hot-mix designs. | | Office of Materials and Testing- Sheila Hines- shines@dot.ga.gov | | Action Pending | | 12/18/2017 |
| 1712-4 | TanCate Geosynthetics Americas | Mirafi MPG100 | Mirafi MPG100 is a glass filament reinforced paving composite comprised of fiberglass filament yarn incorporated into a nonwoven polypropylene paving fabric. | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Action Pending | | 12/4/2018 |
| 1712-3 | Five Star Products Inc. | Fluid Grout 100 | Fluid Grout 100 is the industry's leading cement -based, nonmatellic, non-shrink fluid grout for supporting machinery and equipment. | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Action Pending | | 12/13/2018 |
| 1712-2 | Five Star Products Inc. | Special Grout 400 | Special Grout 400 is a cement based non metallic, non shrink, Fluid grout specifically for grouting of cables and tendons corrosion protection. | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Action Pending | | 12/13/2017 |
| 1712-1 | AW Cook Cement Products, Inc. | PCS Performance Cement solutions. | Portland cement based overlay for concrete and asphalt roadways and shoulders. | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Action Pending | | 2/20/2018 |
| 1711-1 | Aggrow Wattle Tech, LLC | Aggrow Wattle | Polyester outer mesh filled with certified weed seed free and certified sustainable grown giant Miscanthus filter media. | | Complete | | No Application | | 2/26/2018 |
| 1710-2 | Five Star Products Inc. | Rapid Surface Repair Easy Mix | Rapid Surface Repair Easy Mix is a self-leveling, low viscosity, two -part liquid polyurethane-hybrid polymer. When supplemented with its proprietary blended aggregate, this product is used to repair and rehabilitate concrete and asphaltic | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Action Pending | | |
| 1710-1 | Five Star Products Inc. | Rapid Surface Repair Easy Mix | Rapid Surface Repair Easy Mix is a self-leveling, low viscosity, two -part liquid polyurethane-hybrid polymer. When supplemented with its proprietary blended aggregate, this product is used to repair and rehabilitate concrete and asphaltic | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | No Application | | 2/26/2018 |
| 1709-3 | Watson Bowman Acme | "Wabo® FS Bridge Seal" | Wabo®FS Bridge Seal is a pre-compressed, silicone coated, self-expanding foam bridge joint system. | | Bridge and Structural Design- Clayton Bennett- clbennett@dot.ga.gov | | Field Test | Special Provision 449 addresses this type of joint filler. | 9/25/2017 |
| 1709-2 | Sky Sight Imaging North America | "SSI UAV Fleet and Management Program" | Unmanned aerial vehicle (UAV) leasing, training & maintenance service | | Complete | | Withdrawn/ No Action | | 9/20/2017 |
| 1709-1 | GAF Materials, LLC | "StreetBond SB150 Pavement Coating" | StreetBond® SB150 Pavement Coating is a two-component advanced waterborne epoxy-modified acrylic coating specifically designed for application on textured (stamped) or non-textured (flat) asphalt pavements and also may be installed on | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Field Test | | 9/13/2017 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|-------------------------------|---|---|--|---------------------------------|---------------------|--------------------------------------|-----------|
| 1708-4 | Verdegro | "Blade TMA" | BLADE is a Truck Mounted Attenuator (TMA) that passed all MASH Test Level 3 testing. It is the highest safety level TMA available on the market, and with its modular aluminum design, it is easy and cost effective to repair. | | Office of Design Policy- Frank Flanders- flanders@dot.ga.gov | | Allow the use | Special Provision 150 contains TMAs. | 8/21/2017 |
| 1708-3 | Reline America, Inc. | "Alpha Liner" | ECR 100 fiberglass and resin, encapsulated and spirally wound, environmentally friendly and small footprint | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Field Test | | 8/21/2017 |
| 1708-2 | Gregory Industries, Inc. | "Safety Roller Barrier (SRB)" | All steel direct driven MASH TL4 longitudinal and median guardrail system. It is comprised of steel horizontal rail elements attached to tubular posts which have EVA energy dampening rollers. | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Action Pending | | 8/18/2017 |
| 1708-1 | Gregory Industries, Inc. | "Guardian 5 (G5)" | All Steel direct driven MASH TL5 longitudinal and median guardrail system. It is comprised of W-beam and Thrie beam shaped rail elements and uses a C channel posts and connected with special steel blockouts. | | Complete | | Rejected | | 8/18/2017 |
| 1707-1 | Pagel Spezial-Benton GMBH & Co KG | "Pagel V1/50 NonShrink Grout" | Non Shrink self leveling grout, high flow ability, up to 90 minutes. Pumpable and easy to pour – even at low temps. Frost & deicing-salt resistant, waterproof, widely resistant to oil & petroleum. | | Office of Construction-Todd Wood-twood@dot.ga.gov | | Pending | | 7/21/2017 |
| 1706-6 | CSL Silicones Inc. | "SI-COAT 532 AG Remarkable" | Suitable for use in applications where a surface needs to be protected from graffiti, as most marking media can easily be removed from the coated surface with water. SI-COAT is suitable for use over metal, concrete, brick, stone, wood, fiberglass and pre- | | Office of Maintenance-Michael Keene-mkeene@dot.ga.gov | 500\$ Check Received on 9/28/17 | Accepted | | 7/14/2017 |
| 1706-5 | CSL Silicones Inc. | SI-COAT 528 AG Remarkable | Suitable for use in applications where a surface needs to be protected from graffiti, as most marking media can easily be removed from the coated surface with water. SI-COAT is suitable for use over metal, concrete, brick, stone, wood, fiberglass and pre- | | Office of Maintenance-Michael Keene-mkeene@dot.ga.gov | 500\$ Check Received on 9/28/17 | Accepted | | 7/14/2017 |
| 1706-4 | Whitaker Contracting Corporation | | High Density Mineral Bond is a pavement preservation product that utilizes a unique composition of materials that helps protect paved surfaces from oxidation. It preserves the native asphalt binder and seals the existing pavement from water intrusion. It | | Office of Materials and Testing- Sheila Hines- shines@dot.ga.gov | | Withdrawn/No Action | | 6/1/2017 |
| 1706-3 | Coatings International, LLC | "Forever Bond" | Forever Bond is a two-component, aromatic polyurea spray elastomer. This 100% Non VOC, plural spray system provides an abrasive and chemical resistant, monolithic membrane which will cure in seconds. High film builds can be achieved in a single | | Office of Maintenance- Michael Keene- mkeene@dot.ga.gov | | Action Pending | | 6/1/2017 |
| 1706-2 | Wicktek, Inc. | "DensiCrete" | Zero VOC deep penetrating concrete sealer. Sodium silicate in water with proprietary wetting and dispersion agents that allow DensiCrete to penetrate deeply and react with the free calcium to form calcium silicate and evacuates foreign materials to surface. | | | | Action Pending | | 6/1/2017 |
| 1706-1 | Thermion | "Safrax TH604" | Pedestrian & Vehicular Nonskid. Applied with the twin wire are spray process. | | Complete | | Allow to use | | 6/5/2017 |
| 1705-6 | SolaRight Wireless Lighting | "UniBrac tm " | "UniBrac tm " is a universal mounting bracket for the SolaRight internally illuminated raised pavement marker (IIRPM) Model YHYS. | | | | Field Test | | 5/17/2017 |
| 1705-5 | Envirotx | "CBSMS-1S (E-Gard)" | "CBSMS-1S (E-Gard)" - Emulsion of water, liquid asphalt, petroleum resins, maltenses, distillate and emulsifiers. | | | | Action Pending | | 5/17/2017 |
| 1705-4 | Rpm Belgium/Vandex Group/Alteco Polymer Systems | "MATACRYL(@WPM" | MATACRYL(@WPM" is a multi-layers Polyurethane Methyl Methacrylate bridge deck waterproofing membrane. It can be applied on steel and concrete structures | " | " | | Action Pending | | 5/17/2017 |
| 1705-3 | Premier Construction Products Group | "ShoreFlex" | "ShoreFlex" - Vegetated - Concrete Block Erosion Control Mat Geogrid fully encapsulated in concrete blocks. | | | | Action Pending | | 5/1/2017 |
| 1705-2 | AXI-SHIELD UK Ltd | "AXI-SHIELD" | "AXI-SHIELD" is a rapid deployment screen that is erected to prevent "Rubbernecking" from onlookers at the scene of an accident. The system blocks the view of drivers passing by and therefore reduces the likelihood of | | | | Action Pending | | 5/5/2017 |
| 1705-1 | Carsonite Composites | 12" AccoustaShield | "12" AccoustaShield" The structural plank components of the Carsonite Sound Barrier shall be constructed on a durable, UV resistant, continuous glass fiber reinforced, flame retardant, thermosetting composite material | | | | Field Test | | 5/1/2017 |
| 1704-8 | Pile Dynamics | "Squid" | "Squid" The SQUID system is a new technology for quantitatively assessing the quality of the bottom surface of bored pile or drilled shaft. It measures both the thickness of soft material or debris on top of the bearing strata and | | | | Action Pending | | 4/11/2017 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-----------------------------|---|---|--|---|---------------------------------|-------------------------|---|------------|
| 1704-7 | Crown Technology, LLC | "Thermoplastic Marker Adhesive" | "Thermoplastic Marker Adhesive" for adhesive raised pavement markers to the roadway. | | | | Lab Test and Field Test | | 4/11/2017 |
| 1704-6 | Minova | "Carbothix" | "Carbothix" is an instantly thickening, fast curing two-component silicate resin. | | | | Action Pending | | 4/10/2017 |
| 1704-5 | Minova | "Carbopur/Carbopur WF/Carbopur WFA" | "Carbopur/Carbopur WF/Carbopur WFA" Extremely fast reacting, two-component injection resin according to EN 12 71510, CFC-free and halogen-free, for sealing and consolidation in water-bearing strata and against water. | | | | Action Pending | | 4/10/2017 |
| 1704-4 | Minova | "Tekcrete Fast" | "Tekcrete Fast" is a specially designed, ultra-rapid hardening, high performance dry process shotcrete for use in conventional, dry-process shotcrete equipment. It is the only product in the market that develops | | | | Action Pending | | 4/7/2017 |
| 1704-3 | American Wick Drain | "Site Drain Strip 6000" Geocomposite Strip Drain | "Site Drain Strip 6000" Geocomposite Strip Drain. Geocomposite with HIPS formed core fully wrapped in nonwoven filter fabric. | | | | Action Pending | | 4/6/2017 |
| 1704-2 | Momar, Inc. | "Resinator" | "Resinator" Water-proof road and soil enhancer. A concentrated blend of unique, asphaltene-free resins that thrive under the stresses that shear other chemistries. Non-leaching, will not run off of treated areas or move through | | | | Allow the Use | | 4/6/2017 |
| 1704-1 | ILSCO | "StreetWise" | "StreetWise" A series of overmolded connectors able to interconnect in various configurations for street lighting applications. Suitable for direct-burial and submersion (up to 6 ft) | | Complete | | Allow to use | | 4/6/2017 |
| 1701-4 | EJ | "Ductile Iron GDOT 5001 M Frame and Grate" | "Ductile Iron GDOT 5001 M Frame and Grate" | | Office of Design Policy- Todd Wood - twood@dot.ga.gov | 500\$ Check Received on 2/18/17 | Accepted | (3) 5001Ms were placed on Tuesday 11.21.17. Pictures of the installation are in the file. | 1/27/2017 |
| 1701-3 | Rockingham Precast | "T-LOK" | "T-LOK" is a combination of 5/8" ASTM706 weldable rebar as well as A36 1/2" thick plate and 4" x 4" tube steel. | | | | Action Pending | | 1/17/2017 |
| 1701-2 | Flame Seal Products, inc. | "FS-PG Perimeter Guard" | "FS-PG Perimeter Guard" is a Proprietary Fire Retardant Powder that is designed for dilution in water and applied directly to the vegetation surrounding the areas requiring protection. | | Complete | | No Application | Sent File copy to GA Forestry Commission | 1/17/2017 |
| 1701-1 | Frey Manufacturing Corp | "Pedestrian Crosswalk Pedestal" | "Pedestrian Crosswalk Pedestal" is a product used to mount pedestrian buttons on a stand-alone pushbutton station | | | | Action Pending | | 1/3/2017 |
| 1612-1 | Frey Manufacturing Corp | "Pedestrian Crosswalk Pedestal" | "Pedestrian Crosswalk Pedestal" is a product used to mount pedestrian buttons on a stand-alone pushbutton station | | | | Action Pending | | 1/3/2017 |
| 1611-4 | Acrypave Manufacturing | "Tuffseal" | "Tuffseal" - is a Portland-based Polymer Micro-Overlay(PMO) which is primarily used as a pavement preservation material. | | | | Action Pending | | 12/21/2016 |
| 1611-3 | Rootwell Products | "ROOTWELL PRO-318" | "ROOTWELL PRO-318" Tree Product/ Vertically installed sub surface device that provides ground level access for air, water, and nutrients to have immediate availability to the tree root mass. | | | | Action Pending | | 11/7/2016 |
| 1611-2 | Brentwood Inc. | "StormTank M" | StormTank M- underground stormwater storage for infiltration, detention, and re-use application. | | | | Action Pending | | 11/3/2016 |
| 1611-1 | The Irwin-Hodson Company | "Circluar Disc" | Circluar Disc- Highway Delineator for steel post or mounted on barrier(with steel bracket). | | Office of Bridge Design-Steve gaston-sgaston@dot.ga.gov | | Action Pending | | 11/1/2016 |
| 1610-5 | Elevate Infrastructure, LLC | "Elevate Precast Counterfort Retaining Wall System" | "Elevate Precast Counterfort Retaining Wall System" This innovative patent-pending precast counterfort system is designed to support future embankment consisting of existing clay/soil backfill. | | Office of Bridge Design-Steve gaston-sgaston@dot.ga.gov | | Project to Project | | 10/19/2016 |
| 1610-4 | Cantsink Manufacturing | "Helical Pile & Helical Anchor" | "Helical Pile & Helical Anchor" a steel anchor/pile consisting of a lead section with helix and optional extensions | | | | Action Pending | | 10/12/2016 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|--|--|--|----------|--|---------------------|--|------------|
| 1610-3 | SolaRight Wireless Lighting | "Internally Illuminate3d Recessed Pavement Marker(IIRPM) Model YHYS" | "Internally Illuminate3d Recessed Pavement Marker(IIRPM) Model YHYS" is ideal for providing improved driver reaction time, with up to 1/2 mile visibility, alerting drivers in discerning road geometry and related roadway barriers. | | Complete | | Project to Project | | 10/11/2016 |
| 1610-2 | SolaRight Wireless Lighting | "Internally Illuminated Recessed Pavement Marker (IIRPM) Model YHDD1" | "Internally Illuminated Recessed Pavement Marker (IIRPM) Model YHDD1" is ideal for providing improved driver reaction time,with up to 1/2 mile visibility, alerting drivers in discerning road geometry on darkened rural roadways and | | Complete | | Project to Project | | 10/11/2016 |
| 1610-1 | Gepco | "Paving Mats" | "Paving Mats" wet-laid nonwoven fabrics made with fiberglass, polyester fiber, and binder | | Complete | | No Application | | 10/11/2016 |
| 1609-2 | Magnolia Advanced Materials, Inc. | "MagnoMembrane" | "MagnoMembrane" polyurea is a 100% solids, VOC-free, highly resilient super polymer designed to protect concrete and steel structures under the harshest of weathering conditions through unsurpassed physical properties. | | | | New | | 9/19/2016 |
| 1609-1 | PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS | "Island Alert Curb Reflector" | "Island Alert Curb Reflector" is durable UV stable Polyurethane provides continuous ribbon of reflectivity, simple installation to match curvature. | | | | Action Pending | | 9/6/2016 |
| 1608-4 | Transpo Industries Inc | "Color-Safe" | A methyl methacrylate resin based material that is manufactured in specified colors or without color pigments. | | | | Action Pending | | 8/3/2016 |
| 1608-3 | Migma Systems, Inc | "MigmaWalktime" | A pedestrian detector at intersection crossings for pedestrian Walktime extension and ped call canceling. As long as slower walking pedestrians such as visually impaired, senior citizens, wheel chaired, etc. are still in the | | | | Field Test | | 8/2/2016 |
| 1608-2 | Migma Systems, Inc | "MigmaIntersection" | An outdoor passive pedestrian detector at intersection crossings for automated locator tone triggering and pushbutton actuation. The locator tone can be muted until pedestrians are with 12 feet from the signal pole. ABS and | | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | Field Test | | 8/2/2016 |
| 1608-1 | Migma Systems, Inc | "MigmaMidblock" | A sophisticated pedestrian detector at midblock crossings for automated RRFb actuation to alert the approaching vehicle drivers about the pedestrians who are about to enter the crosswalk. | | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | Action Pending | | 8/2/2016 |
| 1607-5 | Molenaar Betonindustrie B.V. | "MoClip Trio, MoClip #5+ Trio with Wire, MoStek Trio, MoNoClip, MoNoClip #5+ | The products are concrete spacers used to space the rebar in precast concrete and cast in place concrete in a specific distance from the casting form | | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | Action Pending | | 7/26/2016 |
| 1607-4 | The Colas Group | "Wattway" | The world's first photovoltaic (solar) road surface, patented in France by Colas, a world leader in the construction and maintenance of transportation infrastructure. Wattway is installed by adhesive directly onto pavement, and | | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | Field Test | Field Test location - I -85 West Point VIC at West Point to be installed week of | 7/26/2016 |
| 1607-3 | WheelRight Ltd. | "Pneumatic Tyre Monitoring System" | The equipment is a roll-over system for the automatic measurement of tire pressure and tread depth on pneumatically inflated vehicle tyres. It measures the pressure and tread depth for each tire on a moving vehicle or | | | Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov | Field Test | Field Test location - I -85 West Point VIC at West Point to be installed week of | 7/26/2016 |
| 1607-2 | US Reflector | "Opti-Curb" | OptiCURB 360° omni directional optical curb markers. | | | Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov | Withdrawn/No Action | | 7/26/2016 |
| 1607-1 | Traffic Sign Solutions Inc. | "Internally Illuminated Bollard" | A flexible, high visibility illuminated traffic delineator capable of withstanding repeated impacts, and able to reform while remaining illuminated. | | | Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov | Field Test | | 7/20/2016 |
| 1606-1 | V Global, Inc. | "Copper Lock Door" | Copper Theft Prevention Device. Replacement door for a streetlight transformer base. Its unique feature is an integrated locking mechanism to prevent unauthorized removal. No modification is required to the current | | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | Field Test | | 6/1/2016 |
| 1605-1 | Phocrete Corporation | "Phocrete HC" | Phocrete HC with MALP + Technology is a fiber-reinforced cementitious material designed for horizontal and form-and-pour concrete repairs. | | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | Accepted | Waiting on Independent lab test results to be submitted for OPL 27-11-10-16 | 5/10/2016 |
| 1604-8 | Tensar International Corporation | "TriAx TX 130S Geogrid" | A product manufactured in Georgia, whose function is to stabilize the unbound aggregate layer of a roadway section, via lateral confinement of the aggregate. TriAx is manufactured from punched polypropylene, which is then | | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | Field Test | | 4/29/2016 |
| 1604-7 | Shur-Tite Products | SHUR-TITE Concrete Traffic Barrier "Cup Mount" Delineator | SHUR-TITE CTB Mount Delineator is a field proven 8' or 17" tall impact resistant recycled composite material delieator from mounting on concrete traffic barriers. | | | | | | |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---|--|--|---|---------------------------------|---------------------|---|------------|
| 1604-6 | Shur-Tite Products | "SHUR-TITE Concrete Traffic Barrier Cup Mount" Delineator (Item SC1408/SC1417)" | A field proven, 8" or 17" tall, impact resistant recycled composite material delineator for mounting on concrete traffic barriers. | | Complete | | No Application | | 4/28/2016 |
| 1604-8 | Shur-Tite Products | "Shur-Curb Traffic Separator (Item SF0200) " | Shur-Curb Traffic Separator utilizes our proved Shur-Flex Sq2Rd Insert; a sturdy, non-metallic, one component piece that holds up to the rigors of roadway abuse. The curb is made from a proven, durable thermoplastic. | | Office of Materials and Testing- Reggie Murph-rmurph@dot.ga.gov | \$500 Check Received 9/6/2016 | Withdraw/No Action | | 4/28/2016 |
| 1604-5 | Southern Manufacturing and Fabrication | "ITS Commander" | Remote Power Management system, designed to improve system reliability. Promptly sends signals of any abnormalities thus allowing routine monitoring and providing ability to remotely control outlets to reboot equipment. | | Complete | | Allow the Use | Field test installed 11-07-16. Monitor for one year. (11-07-17) | 3/11/2019 |
| 1604-4 | Allureglow USA | "Allureglow USA Dual Technology/Road Signage" | Photoluminescent and Retro-Reflective Road Signage. | | Complete | | Withdrawn/No Action | Withdrawn/No Action per Larry Barnes 10-19-16 | 4/4/2016 |
| 1604-3 | Allureglow USA | "Allureglow USA Dual Tech Stop Sign" | Photoluminescent and Retro-Reflective Signage. | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | \$500 Check Received 10/11/2016 | No Application | | 4/4/2016 |
| 1604-2 | Allureglow USA | "Allureglow USA AA-6585-LM-WG Paint" | 100% Acrylic Photoluminescent Waterbased White Daytime/Green Glow Line Marking Paint. | | Complete | | No Application | | 4/4/2016 |
| 1604-1 | Allureglow USA | "Allureglow USA AA-6585-LM-SY Paint " | 100% Acrylic Photoluminescent Waterbased Yellow Line Marking Paint. | | Complete | | No Application | | 4/4/2016 |
| 1603-1 | Sun Bright Coatings | "Skunk Rust tm" | Skunk Rust is a water-based, electrochemical, product that removes soluble salts and reacts with ferric oxide to produce an abrasion resistant and electrically inert surface. | | | | Field Test | | 3/1/2016 |
| 1601-9 | Synten Technical Fabrics, Inc. | "STF P12" | "STF P12" - STF P12 geogrid is composed of polypropylene resin which is extruded into a stable geogrid structure. STF P12 geogrid is inert to biological degradation and resistant to naturally encountered chemicals. | | | | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | 1/21/2016 |
| 1601-8 | Synten Technical Fabrics, Inc. | "SF12" | A biaxial geogrid composed of high molecular weight, high tenacity multifilament polyester yarns, woven into a stable network placed under tension. The high strength polyester yarns are PVC coated and are inert to biological degradation and are resistant to naturally encountered chemicals, alkalis and acids. | | Office of Maintenance-Michael Keene-mkeene@dot.ga.gov | \$500 Check Received 6/17/16 | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | 1/21/2016 |
| 1601-7 | Synten Technical Fabrics, Inc. | "TF120" | TF120 is a biaxial geogrid composed of high molecular weight, high tenacity multifilament polyester yarns, woven into a stable network placed under tension. The high strength polyester yarns are PVC coated and are inert to biological degradation and are resistant to naturally encountered chemicals, alkalis and acids. | | Office of Materials and Testing- Reggie Murph-rmurph@dot.ga.gov | | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | 1/21/2016 |
| 1601-6 | Huesker | "Fornit 30" | Knitted geogrid, polymer coated. | | Office of Materials and Testing- Reggie Murph-rmurph@dot.ga.gov | | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | 1/21/2016 |
| 1601-5 | Huesker | "Fornit 20/20" | Knitted geogrid, polymer coated. | | Office of Materials and Testing- Reggie Murph-rmurph@dot.ga.gov | | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | 1/21/2016 |
| 1601-4 | Tensor International Corporation | "TriAx TX160 Geogrid" | TriAx TX160 geogrid is a product manufactured in Georgia, whose function is to stabilize the unbound aggregate layer of a roadway section, via lateral confinement of the aggregate. TriAx TX160 is manufactured from punched | | Office of Materials and Testing- Reggie Murph-rmurph@dot.ga.gov | | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | 1/21/2016 |
| 1601-3 | TenCate Geosynthetics | "Mirafi® RS280i" | When superior performance, flexibility and versatility are necessary, Mirafi® RS280i geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade stabilization for road | | Office of Materials and Testing- Reggie Murph-rmurph@dot.ga.gov | | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | 1/21/2016 |
| 1601-2 | TenCate Geosynthetics | "Mirafi® RS380i" | When superior performance, flexibility and versatility are necessary, Mirafi® RS380i geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade stabilization for road | | Office of Materials and Testing- Reggie Murph-rmurph@dot.ga.gov | | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | 1/21/2016 |
| 1601-1 | TenCate Geosynthetics | "Mirafi® RS580i" | When superior performance, flexibility and versatility are necessary, Mirafi® RS580i geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade stabilization for road | | Office of Materials and Testing- Reggie Murph-rmurph@dot.ga.gov | | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | 12/30/2015 |
| 1512-2 | TenCate Geosynthetics | TenCate Mirafi Rsi-Series | When superior performance, flexibility and versatility are necessary, Mirafi® RS580i geosynthetics make the difference for varying application needs including: base course reinforcement and subgrade stabilization for road | | Office of Materials and Testing- Reggie Murph-rmurph@dot.ga.gov | | Field Test | Geogrid Study Project - M003308, Carroll Co. - I-20 | |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---|--|--|--|-------------------------------|-------------------------|---|------------|
| 1512-1 | Unique Paving Materials Corp. | "UNIQUE® High Performance Fast Set Mortar" | A blend of hydraulic cement, graded silica sand and performance-enhancing additives. | | Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov | | Field Test | | 12/22/2015 |
| 1511-2 | Master Dowel | "Master Dowel" | Fiberglass reinforced (FRP) dowels and steel (306) dowel bar baskets. | | Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov | | Rejected | | 11/18/2015 |
| 1511-1 | Castek, Inc. (A Transpo Industries Company) | "T-17 MMA Polymer Concrete Patching Material" | T-17 is a 100% reactive, rapid setting, solvent-free methacrylate (MMA) polymer concrete system that can be used as a repair for patching, grouting and structural repairs. | | Office of Maintenance-Michael Keene-mkeene@dot.ga.gov | \$500 Check Received 4/5/16 | Field Test | Field test - 04-18-16 I-75 @ Frey Road SB Bridge deck. Monitor for one year. | 11/18/2015 |
| 1510-6 | Trinity Highway Products, LLC | "SQR-LOC Perforated Traffic Post" | Perforated square steel sign posts. | | Complete | | Not a New Product | | 10/20/2015 |
| 1510-5 | Tensar International Corporation | "TriAx Geogrid" | TriAx geogrid is a product manufactured in Georgia, whose function is to stabilize the unbound aggregate layer of a roadway section, via lateral confinement of the aggregate. TriAx is manufactured from punched | | Office of Bridge Maintenance-Clayton Bennett-cbennett@dot.ga.gov | \$500 Check Received 3/8/16 | Field Test | | 10/19/2015 |
| 1510-4 | Durant | "Stat-A-Flex" | Two part polyester resin sealant formulated for encapsulating and sealing electrical signal wire in any road surface. | | Complete | | Field Test | Field test installed on 07-12-16. Monitor for one year. (07-12-17) | 10/16/2015 |
| 1510-3 | AG-Green (Gainesville Waste and Recycling) | "AG-Blend" | Organic compost. | | Office of Materials and Testing-Reggie Murph-rmurph@dot.ga.gov | \$500 Check Received 9/6/2016 | Rejected | | 10/1/2015 |
| 1510-2 | JMB SEALANTS, LLC | "P-SEAL" | P-SEAL is a non-flammable, non-toxic, non-acid sealer that internally strengthens and waterproofs cementitious materials. P-SEAL reduces vapor emissions for application of surface coatings such as polyurea, epoxy | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | \$500 check received 12/30/15 | No Application | | 10/1/2015 |
| 1510-1 | Profile Products LLC | "ProGanics™ Biotic Soil Media™ (BSM™)" | ProGanics is a hydraulically applied product that is designed as an alternative to topsoil to accelerate development of depleted soils/substrates with low organic matter, low nutrient levels and limited biological activity. This | | Complete | | Allow the Use | | 10/1/2015 |
| 1509-2 | OMNTEC Mfg. Inc. | "OMNTEC" | Fuel Inventory, Leak Detection, Overfill and Control solution. | | Complete | | No Application | | 9/25/2015 |
| 1509-1 | Nomaco | "Nomaflex" | Nomaflex is a semi-rigid expansion joint filler for concrete construction, made with closed-cell polypropylene foam that provides superior moisture resistance and compression recovery as compared to asphalt impregnated | | Complete | | Accepted | Company called 09-21-16 | 9/21/2015 |
| 1508-1 | eNdoto Corp. | "R US Reflector" | High power prismatic reflectors available in 4 different profiles. Round, rectangle, trapazoid, and narrow rectangle. | | Complete | | Withdrawn/No Action | Wait one year. Withdrawn/No action 12-4-16 | 8/18/2015 |
| 1507-3 | Blue Earth EPS | "UPS Stealth" | Blue Earth provides battery back up systems lead acid free 98% efficient. | | Complete | | Project to Project | \$500 Check Received 11/16/15 | 7/17/2015 |
| 1507-2 | K&K Systems, Inc. | "MSAS MUTCD Sign Alert System" | Sign Alert Systems are designed to warn drivers of approaching signs, to enhance the visibility of signs in inclement weather conditions, and increase road safety. With Sign Alert's ultra-bright LEDs, drivers are cautioned in | | Office of Materials and Testing - Brad Young-byoung@dot.ga.gov | | Field Test | Wrong Way and Do Not Enter to be installed on I-85 SB HOV lane at Lindberg to | 7/17/2015 |
| 1507-3 | Ecoturf Midwest Inc. | "Ecoduty Degradable Stakes" | 100% Oxo-Biodegradable Stakes in sizes of 4" and 6". | | Complete | | Withdraw/No Action | If no contact by 11-15-16, Withdraw/No Action Per Todd Weed 10-12-16 | 7/2/2015 |
| 1507-1 | Ecoturf Midwest Inc. | Ecoduty Degradable Stakes | Ecoduty stakes are used to anchor erosion blankets, turf, protective covers, landscape fabrics, jute matting and netting | | Complete | | Withdrawn/ | | 11/15/2016 |
| 1506-3 | Tvilight B.V. (also DBA Citismart Solutions) | "Tvilight B.V." | Tvilight's has invented a solution what provides "Light on Demand" based on sensor technology. When there is no human presence detected, the light will dim to a pre-defined level. But when there is human presence detected, the | | Office of Traffic Operations-Keith Murphy-kmurphy@dot.ga.gov | \$500 check received 09-27-16 | Withdrawn/No Action | Withdrawn/No Action per Larry Barnes 10-19-16 | 6/22/2015 |
| 1506-2 | EdenCrete Industries Inc. | "EdenCrete 500" | EdenCrete 500 is a Carbon Nanotube enriched liquid additive that increases the strength and durability of concrete thereby improving its resistance to shrinkage, failures resulting from compressive and flexural forces, and | | | | Lab Test and Field Test | CSNHS-M003-00 (308) Carroll County Waiting to install the field test at this | 6/17/2015 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-------------------------------------|--|---|--|--|--|---------------------|---|-----------|
| 1506-2 | EdenCrete Industries Inc. | "EdenCrete 500" | EdenCrete 500 is a Carbon Nanotube enriched liquid additive that increases the strength and durability of concrete thereby improving its resistance to shrinkage, failures resulting from compressive and flexural forces, and | | | | Allow the Use | Allow the use for 24 hour accelerated strength concrete. See OPL #14 | 6/17/2015 |
| 1506-1 | Aqua Patch Road Materials LLC | "Aqua Patch" | Water activated cold mix asphalt. Performance is equivalent to hot mix asphalt. Use in winter or rain. Easy to use...just add water. | | Office of Materials and Testing-Peter Wu-pwu@dot.ga.gov; Office of Maintenance-Larry Barnes- | | Accepted | Field Test installed 3-29-16 SR 42 - Clayton County North of I-285 | 6/16/2015 |
| 1505-5 | Prism Lighting Services, LLC | "Prism Lighting Services, LLC" | One person can raise the PIL with metal halide lamp (1000W equivalent to 95000 lm of brightness) to a height of up to 4.5 meters (15 feet), without using a metallic structure, in order to allow illumination over a vast area, in | | Complete | | Allow the Use | | 5/27/2015 |
| 1505-4 | Flex Connection, Inc. D.B.A. Joints | "TAP-N-TEE SADDLE" | The TAP-N-TEE SADDLE by JOINTS COUPLINGS, provides an economical lateral pipe connection that links wastewater and storm-water services to mains | | Complete | \$500.00 check received 10-05-15 | No Application | | 5/15/2015 |
| 1505-3 | Copperhill Industries | "#172 Granulated Copper Slag" | High density granulated copper slag, black in color, 100% - 1/4", 50% - 12 mesh. | | Complete | | Withdrawn | | 5/5/2015 |
| 1505-2 | Copperhill Industries | "#503 Mineral Slag" | Low density mineral wool slag. | | Complete | | Withdrawn | | 5/5/2015 |
| 1505-1 | Copperhill Industries | "#173 Hard Copper Slag" | High density, extremely durable copper slag, any size spec from 3" down. | | Complete | | Withdrawn | | 5/5/2015 |
| 1504-9 | Crown Technology, LLC | "Crown UFO's Wet Reflective/Audible Striping System" | Wet reflective and/or audible highway striping consisting of GDOT spec thermoplastic and regularly spaced raised reflectors and glass beads bonded together in a single pass application | | | | Field Test | Field Test installed 08-16-16 I-285 East at Jonesboro Road Exit Ramp | Apr-15 |
| 1504-8 | Electrotechnics Corporation | "ELTEC (a.k.a) Rectangular Rapid Flashing Beacon (RRFB)" | Pedestrian crossing (warning) system-solar powered. | | Complete | | Accepted | | Apr-15 |
| 1504-7 | Silt Saver | "Silt Saver TLW10/15/22 Weighted Sediment Retention Log" | A weighted Sediment Retention Log. The outside sleeve is made of the Silt Saver® high visibility, high flow material, which is utilized on the other Silt | | Office of Materials and Testing-Rick Douds-rdouds@dot.ga.gov | | Accepted | | Apr-15 |
| 1504-6 | Silt Saver | "Silt Saver LPS600A DOT/HF" | The Frame & Filter, as presented, is 16" high, 42" wide, and 42" Long. It has the same design as the current Silt Saver Frame & Filter (R100A & S200A). The frame & filter is made utilizing the same materials as the currently | | Complete | | Withdrawn | The Committee will reconsider the subject product after GSWCC approval. | Oct-15 |
| 1504-5 | Silt Saver | "Silt Saver LPR500A DOT/HF" | The Frame & Filter, as presented, is 16" high, 30" wide, and 46" long. It has the same design as the current Silt Saver Frame & Filter (R100A & S200A). The frame & filter is made utilizing the same materials as the currently | | Complete | | Withdrawn | The Committee will reconsider the subject product after GSWCC approval. | Apr-15 |
| 1504-4 | EJ | "Self Level" | Two-piece cast iron frame designed to "float" and settle with either P.C.C. or A.C.C. pavement. | | Complete | \$1000 Check Received for 1504-5 and 6 | Rejected | | Apr-15 |
| 1504-3 | EJ | "Auctile Iron GDOT 5001 M Frame and Grate" | Hinged ductile iron frame and grate assembly to replace current 5001 M specification. | | Complete | \$1000 Check Received for 1504-5 and 6 | Withdrawn/No Action | | Apr-15 |
| 1504-2 | EJ | "Fiber Reinforced Polymer GDOT 5001 M Grate" | Fiber reinforced polymer drainage grate. | | Complete | | Rejected | | Apr-15 |
| 1504-1 | Convergent Connectivity Technology | "Convergent Connectivity Technology" | 14 gauge 2 conductor stranded tinned copper, shielded with an overall jacket. | | Office of Design Policy and Support Beau Quarles-bquarles@dot.ga.gov | | No Application | | Apr-15 |
| 1503-2 | Watershed Geosynthetics, LLC | "HydroTurf™" | A turf reinforced concrete revetment system designed to provide armoring of hydraulic structures against high velocities & shear stresses. | | Complete | | Withdrawn | The Committee will reconsider the subject product after GSWCC approval. | Mar-15 |
| 1503-1 | NUCOR STEEL MARION, INC. | "NU-GUARD-31 GUARDRAIL BARRIER SYSTEM" | A 31" roadway barrier system consisting of steel components, including metal beam guardrail, u-channel posts, and connection hardware. | | Complete | | No Application | | Mar-15 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---|--|--|----------|---|--------------------|---|--------|
| 1502-3 | URETEK USA, Inc. | "URETEK Deep Injection Process" | Method for increasing the bearing capacity of foundation soils for built structures, including roadway pavements and airport runways, using lightweight, expanding structural polymers. | | Complete | | Project to Project | | Feb-15 |
| 1502-2 | Wireless Technology Inc. | "Sidewinder H.264 HD30" | The Sidewinder camera has 360° continuous rotation in both the pan and tilt axes. The entire standard camera housing is IP66/IP67 rated. | | Complete | | Accepted | | Feb-15 |
| 1502-3 | TAPCO | "BlinkerRadar" | Speed sensor driver feedback sign. | | Complete | | Withdraw | | Feb-15 |
| 1502-1 | TAPCO (Traffic and Parking Control Company, Inc. | BlinkerRadar | Speed sensor driver feedback sign. | | Complete | | withdrawn | | |
| 1501-1 | Purus Plastics GmbH/Purus North America | "Ecoraster" | Ecoraster is a ground reinforcement and stabilization product with many cross industry utilizations. | | Complete | No Application | Project to Project | | Jan-15 |
| 1412-4 | EcoStrate SFS Inc. | "EcoStrate Traffic 025" | EcoStrate Traffic 025 Products are for substrate and signs applications that are used on a highway system or other areas regulated with the Department of Transportation. | | Complete | | No Application | | Dec-14 |
| 1412-3 | Five Star Products | "Structural Concrete V/O" | Five Star Structural Concrete® V/O is a high strength, rapid setting, one component, permanent concrete repair material for vertical and overhead structural repairs. | | Complete | | Not a New Product | | Dec-14 |
| 1412-4 | LockDown, Inc. | "LockOut" | Device designed to secure in-ground hand holes (vaults). The device fits existing lids with very little modification to the lid and can be easily installed. New enclosures may be ordered from several mfgs. with LockOut ready lids. | | Complete | | Withdraw/No Action | | Dec-14 |
| 1412-3 | LockDown, Inc. | "LightpoleLock" | Device designed to secure hand holes on lighting poles. The device fits any existing cover with very little modification to the cover and can be easily installed. The device fits hand holes in bases and in poles. | | Complete | Office of Materials and Testing-Jay Page-jpage@dot.ga.gov ; Office of Materials and Testing-Peter Wu- | Withdraw/No Action | | Dec-14 |
| 1412-2 | LockDown Inc. | | | | Complete | | | | |
| 1412-1 | LockDown Inc. | | | | Complete | | | | |
| 1411-1 | SRT M10 | | | | Complete | | | | |
| 1411-2 | X-LITE | | | | Complete | | | | |
| 1411-1 | QUADGUARD ELITE M10 | | | | Complete | | | | |
| 1411-3 | Sherwin-Williams (Memphis and Baltimore) | "TM2560 Durable High Build WB Traffic Paint - White" | Fast Drying Durable High Build Waterborne Traffic Paint. | | Complete | | Accepted | \$500 Check Rec'd 3-30-15 | Nov-14 |
| 1411-2 | Sherwin-Williams (Memphis and Baltimore) | "TM2561 Durable High Build WB Traffic Paint - Yellow" | Fast Drying Durable High Build Waterborne Traffic Paint. | | Complete | | Accepted | \$500 Check Rec'd 3-30-15 | Nov-14 |
| 1411-1 | SNF Inc. | "Aquasorb KB" | Superabsorbent anionic polyacrylamide polymer. It is a crosslinked copolymer of acrylamide and potassium acrylate that is water insoluble. | | Complete | | Allow the Use | | Nov-14 |
| 1410-1 | Imerys Carbonates | "ImerFill 3, ImerFill 15, ImerFill 25" | ImerFill products are finely ground, white calcitic marble/limestone products. These products are crushed, ground and sized to the designated specifications. The size specifications have been chosen to particle pack. | | Complete | | No Application | Response due by Feb. 2015 -- Cross reference with NPE # 0906-1 "ImerFill" | Oct-14 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---|---|--|----------|---|--|--|--------|
| 1408-2 | Synteen & Luckenhaus Textile Technologies GmbH | "STARGrid G-PS100 (paving grid)" | Woven fiberglass yarns into a high strength grid, coated with a bitumen adhesive, and used in asphalt overlay projects. | | Complete | | Withdrawn/No Action | Updating NPE Process to include a Bond / Guarantee for field test site replacement if | Aug-14 |
| 1408-1 | Applied Construction Solutions, LLC | "ProForm" | A petroleum base release agent which prevents build up on form surfaces. | | Complete | | Accepted | | Aug-14 |
| 1407-1 | SW FeeSaver dba SW Products | "The Marlee Float™ Skimmer" | Skimmer/surface drain for use in temporary sediment basins and permanent BMPs. | | Complete | | Accepted | | Jul-14 |
| 1406-6 | Arizona Chemical, LLC | "Sylvaroad™ RP 1000" | A liquid additive with high flash point (>250°C) specifically produced from a refined natural product to return binder properties of aged asphalt binder and mix. | | Complete | | Looking for Pilot field test - Lab testing mix | \$500 Check Rec'd 9-17-14 Project # _____ | Jun-14 |
| 1406-5 | Crafco, Inc. | "HP Concrete Cold Patch" | Used for repairing potholes, spalls, cracks and other confined voids and distresses over 1" wide and greater than 1/2" deep. | | Complete | | Not a New Product | | Jun-14 |
| 1406-4 | Crafco, Inc. | "Matrix 501" | Pre-measured, pre-packaged hot applied bridge expansion joint system. | | Complete | Office of Materials and Testing - Sheila Hines - shines@dot.ga.gov Office of Materials and Testing - | Withdrawn/No Action | Awaiting Fee _____ Project # _____ Approx. Date Set | Jun-14 |
| 1406-3 | Crafco, Inc. | "Mastic One" | Hot applied, pourable, aggregate filled, polymer modified asphalt pavement repair mastic. | | Complete | | Accepted | | Jun-14 |
| 1406-2 | Allureglow USA, LLC | "Allureglow Dual Technology Road Marking System" | Photoluminescent & Retro-Reflective Road Line Marking System Comprised of Photoluminescent Paints and Super High Reflective Spheres. | | Complete | | No Application | Awaiting Fee _____ Project # _____ Approx. Date Set | Jun-14 |
| 1406-1 | DowAksa Carbon Wrap | "Carbon Wrap Systems" | Externally bonded fiber reinforced polymer system intended for repair and strengthening of reinforced and pre-stressed highway bridge structures. | | Complete | | Accepted | | Jun-14 |
| 1405-1 | Alloway Stamping/Stamfield Tags LLC | "Stanfield Tags LLC" | Valve tags designed to safely identify equipment with an a-frame backing, finger and wire control balls in lieu of other attachment accessories enabling operator to rotate tag with easier accessibility as well as reduce likelihood of | | Complete | | Allow the use | | May-14 |
| 1404-5 | Potters Industries | "ULTRAGUARD" | A safety barrier line marking system. The intent of this system is to safely and efficiently apply 6-inch wide reflective paint lines on a vertical surface such as concrete bridge wall, Jersey barrier / K-rail traffic dividers, temporary | | Complete | | No application | | Apr-14 |
| 1404-4 | Neenah Foundry Company | "R-8450 4 Dia Removable Bollard" | Removable Steel Pipe Bollard with Cast Iron Sleeve and Bolted Locking System | | Complete | | Project to Project | | Apr-14 |
| 1404-3 | Sprayroq, Inc. | "SprayWall" | A two part polyurethane resin chemistry that can be applied for corrosion protection or structural rehabilitation of underground infrastructure. | | Complete | | No Application | | Apr-14 |
| 1404-2 | Transpo Industries, Inc. | "Break-Safe®" | Omni-directional breakaway sign support. | | Complete | | No Application | Requesting there be more than one category for all products. -- Follow up with email to subject | Apr-14 |
| 1404-1 | Watson Bowman Acme | "Wabo®H Seal" | Wabo®H Seal is a pre-compressed flexible expansion joint seal manufactured from open-cell polyether urethane foam with a factory applied traffic grade silicone membrane coating designed to provide protection against moisture and water intrusion on | | Complete | | Accepted | Looking for Field Test location. | Apr-14 |
| 1403-1 | The D. S. Brown Company | "V-Seal 300 and V-Seal 400 Expansion Joint Systems" | Preformed, extruded EPDM seal that can be bonded to concrete, steel or elastomeric concrete with a quick-setting epoxy. | | Complete | | Accepted | | Mar-14 |
| 1402-3 | TAPCO | "DirecTime™ " | A unit that controls two way communication solution for controlling and monitoring traffic control devices. | | Complete | | Project to Project | for applications of controlling and monitoring traffic control devices. | Feb-14 |
| 1402-2 | Versilis Inc. | "SwiftGate™" | Arrow units to help change lanes on the interstate. | | Complete | | No Application | for automated lane closure applications. | Feb-14 |

NPE Status Report

07-10-19

| | | | | | | | | | | |
|--------|--------------------------------------|---------------------------------------|--|--------------------|----------|---|--------------------------------|---|---|--------|
| 1402-1 | Cushion & Barrier LLC | "Dragnet™ " | vehical Arresting Barrier for Work Zones | | Complete | | Project to Project | | Feb-14 | |
| 1401-3 | IronMan Engineering LLC | "Hand Hole Cover" | Light poles | | Complete | | Not a New Product | For light structure hand hole cover applications. To be determined by Maintenance. | Jan-14 | |
| 1401-2 | Solar Bright Limited | "Solar Bright Limited" | Black ice reflective pavement marker (rpm) unit | | Complete | | No application | Awaiting for MUTCD field test request approval to proceed with further recommendation. | Jan-14 | |
| 1401-1 | Professional Pavement Products, Inc. | "Median-Alert" | Black and yellow curb enhancer to help delination. | | Complete | | Allow the use | Fee Rec'd 4/17/14 -- Field test installed Victor to send details | Jan. 14 | |
| 1312-4 | Erosion Supply Company, Raleigh, NC | "ESC Skimmer" | A sediment pond surface skimmer that reduces the sediment leaving a pond by draining the water from the surface on the pond. | | Complete | | Accepted | Per GSWCC Erosion and Sediment Manual | Dec-13 | |
| 1312-3 | Onward Chemicals Pvt Ltd | Fibrex™ | Wire fibers to be used in concrete. | | Complete | | No Application | | Dec-13 | |
| 1312-2 | Silt-Saver, Inc. | "Pipe Stopper" | Product to be placed in Pipe inlets to stop sediment form leaving construction site. | Fee / See Comments | Complete | | Allow the Use | For Application of Silt Control Gate (Retrofitting - Rt) -- GSWCC Comments | Dec-13 | |
| 1312-1 | Soil Retention Products, Inc. | Drivable Grass® | A permeable, plantable, flexible concrete pavement system for parking lots, fire access, culvert outlets, walking paths, and access easements. | | Complete | | No Application | for applications of fire access lanes, parking lots, maintenance yards, access easements, utility | Dec-13 | |
| 1311-5 | Silt-Saver, Inc. | "Staged Release Silt Fence (SRSF)" | Silt fence with different stage flow fencing that is black and yellow green. | | Complete | | Rejected | For Application of fabric check dam (Cd-F), diversion berm (D1), silt fence type C (Sd1-C). | Nov-13 | |
| 1311-4 | Plastic Safety Systems, Inc. | "RoadQuake™" | Temporary Portable Rumble Strip & RoadQuake 2-Folding Temporary Portable Rumble Strip" | | Complete | | Approved | | Nov-13 | |
| 1311-3 | Geveko ITS | "LED-MARK" | LED marking for high risk locations. Self charging system that is ultra think with combination of LED colors, solid or flash patterns. | | Complete | | No application | | Nov-13 | |
| 1311-2 | SES America, Inc. | "M5000" | Series of small size Dynamic Message Sign specifically designed for toll indicators and travel time. | | Complete | | Not a New Product | On QPL 48-1 | Nov-13 | |
| 1311-1 | Cryzal | "MEGALUX" | Long life luminous roadway markers -- Wired or solar powered options | | Complete | | No application | | Nov-13 | |
| 1310-6 | Quantum Polymer Composites, LLC | "Ecorphalt" | Asphalt polymer modified. | Fee / See Comments | Complete | | Lab Test and Field Test | Follow up with Peter Wu/Sheila Hines. Per Sheila still looking for a site | Oct-13 | |
| 1310-5 | Owens Corning | "TruPave Engineered Paving Mat" | Roadway underlayment fabric | Fee / See Comments | Complete | | Withdrawn/No Action | | Oct-13 | |
| 1310-4 | Trinity Highway Products, LLC | "SYTP (Steel Yielding Terminal Post)" | Retrofit" Product is a steel post with an HDPE spacer to replace wood posts in tube sleeves for energy absorbing guardrail end treatment. | | | Office of Materials and Testing- Peter Wu-pwu@dot.ga.gov, Office of Materials and Testing, Sheila | Jan-00 | No Application | Check emails from Tom Cox -- Beau to Check this product. | Oct-13 |
| 1310-5 | Transpo Industries | "Transpo T-18 MMA" | Polymer Concrete Overlay System | Fee / See Comments | Complete | | Withdraw/No Action | Review Section 519 -- might have field test location -- Clayton Bennett | Oct-13 | |
| 1310-4 | Transpo Industries | "T-17 MMA" | Polymer Concrete Patching Material | | Complete | | Withdraw/No Action | | Oct-13 | |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|--|--|--------------------|----------|----|---------------------|--|--------|
| 1310-3 | Transpo Industries | "Transpo T-48" | Epoxy Polymer Overlay System | Fee / See Comments | Complete | | Withdraw/No Action | Review Section 519 -- might have field test location -- Clayton Bennett | Oct-13 |
| 1310-3 | Transpo Industries, Inc. | Transpo T-18 MMA Polymer Concrete Overlay System | Premium quality, two-componet, rapid setting, MMA based, elastic wear surface for restoring bridge decks and concrete pavements. | | | | | | |
| 1310-2 | Transpo Industries, Inc. | T-17 MMA Polymer Concrete Patching Material | T-17 is a 100% reactive, rapid setting, solvent-free methacrylate (MMA) polyaer concrete system that can be used as a repair for patching, grouting, and structural repairs. | | | | | | |
| 1310-1 | Transpo Industries, Inc. | T-48 Epoxy Polymer Concrete Patching Material | Premium quality, two-componet, rapid setting, epoxy based, elastic, low modulus wear surface for restoring bridge decks and concrete pavements. | | | | | | |
| 1309-3 | Armtec | "Durisol" | Sound Barrier (Wall) -- Single and double sided absorptive concrete noise barrier post and panel system. | | Complete | | Rejected | As an absorptive sound wall. Durability Test on the Wood/Concrete outer layer --?? | Sep-13 |
| 1309-2 | Cree, Inc. | "Cree XSP Series" | LED Luminaire for lighting roadways, streets, freeways, and alleyways. | | Complete | | Not a new product | Brent Story / Bo Quarles / Walter Taylor -- Meet GDOT Specification * * | Sep-13 |
| 1309-1 | Cree, Inc. | "Cree LEDway Series" | LED Luninaire for Lighting roadways, streets, freeways, and alleyways. | | Complete | | Not a new product | Brent Story / Bo Quarles / Walter Taylor -- Meet GDOT Specification * * | Sep-13 |
| 1307-5 | OTW Safety | "MB42x72 JSS LCD" | Longitudinal Channelizing Device / barrier that is blow molded HDPE plastic -- Type 1 barricades | -- | Complete | | Withdrawn/No Action | Request list of Conditions this product will be an alternate to, Due to no response from | Jul-13 |
| 1307-4 | OTW Safety | "MB42x45 LCD" | Longitudinal channelizing device / barrier that is blow molded HDPE plastic - type 1 or 2 barricades | -- | Complete | | Withdrawn/No Action | Request list of Conditions this product will be an alternate to, Due to no response from | Jul-13 |
| 1307-3 | Five Star Products | "Five Star Centri-Cast®" | Pipe Repair Mortar | Fee / See Comments | Complete | | Accepted | Fee Paid -- Need pipe requirements needed from Manufacturer. -- Follow up with | Jul-13 |
| 1307-2 | Belgard Hardscapes/Georgia Masonry Supply | "Eco-Holland™" | Brick paving system to allow for roadway drainage for rapid water dispersement | -- | Complete | | No Application | In process of Indemnity Agreement on Encroachment -- Meg Pirkle -- Follow up with | Jul-13 |
| 1307-3 | Transpo | "Color-Safe™ " | MMA used for crosswalks | Fee / See Comments | Complete | | Withdraw/No Action | Fee Rec'd Oct. 2013 -- Looking for Field Test Site | Jul-13 |
| 1307-1 | Transpo Industries, Inc. | Color Safe | Colar-Safe is a methyl methacrylate resin based material that is manufactured in specified color or without color pigments. | | Complete | | Withdrawn/No Action | | |
| 1306-4 | Profect LLC | "Profect 360, Profect 180, Profect " | Reflective sheeting that is placed in front of the sign post | -- | Complete | -- | Allow the Use | | Jun-13 |
| 1306-3 | OTW Safety | "OTW Safety Model MB350" | Plastic and steel-reinforced barrier provides positive protection for worker pedestrians and bicyclists during road construction. Barrier line redirects a vehicle in the event of a crash, and also minimizes injuries to | -- | Complete | | Accepted | | Jun-13 |
| 1306-2 | Stopaq BV (part of Berry Plastics Corporation) | "Stopaq" "Polyken VE" | The Stopaq coating system for this application is the "Stopaz EZ or Basecoat" which provides the anti-corrosion protection together with an appropriate mechanical protection. Used for rehabilitation and new | See Comments | Complete | -- | No Application | | Jun-13 |
| 1306-1 | Philpott Rubber | "Cloth Inserted Abutment Rubber" | Cloth Inserted Neoprene Sheeting | -- | Complete | -- | No Application | | Jun-13 |
| 1305-2 | The Reinforced Earth Company | "GeoMega" | A MSE retaining wall used square precast concrete facial panels and a geosynthetic strip (GeoStrap) soil reinforcement. | -- | Complete | | Project to Project | | May-13 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|------------------------------------|--|--|------------------------|----------|----|---------------------|--|--------|
| 1305-1 | Irwin Hodson Company | "Barrier Traffic Reflector" | Highway reflector for one-way or two-way traffic. Series offers 4 sizes from 5" tall to 11" tall x 4" wide. Is a delineator for concrete barrier or guardrail post. Is made of aluminum substrate with 3m's DG-4000 reflective sheeting. | -- | Complete | -- | Accepted | on Guardrail Post | May-13 |
| 1304-3 | Millerbernd Manufacturing, Inc. | "Millerbond Paint Application System" | Millerbond (Aliphatic Polyurea) Paint - High Performance Paint Application System | -- | Complete | -- | Accepted | as alternate to Powder Coat Cover over Gazonized Steel Surfaces | Apr-13 |
| 1304-2 | Leddar Tech, Inc. | "D-TEC" | LED based stopbar detector able to detect vehicles (cars, trucks, buses, etc.), motorcycles and bikes. | -- | Complete | -- | Not a New Product | GDOT Spec 925 - Needs to be submitted for QPL 78-6 | Apr-13 |
| 1304-1 | BioDirt, Inc. | "Upgrade" | Upgrade is a unique liquid fertilizer containing quick and slow release nitrogen, phosphorus, and potassium. Upgrade also contains a proprietary blend of products that aid in root establishment and seed germination. | Fee / See Comments | Complete | -- | Project to Project | State GDOT Agronomist to review field test site in Sept. 2014 | Apr-13 |
| 1303-3 | Natina Products, LLC | "Natina Steel" | Environmentally safe solution that contains natural oxidizers and soft, buffered organic acids. When applied to galvanized surfaces, Natina Steel reacts with the zinc. In the galvanizing to create a rustic brown/weathered | Fee / See Comments | Complete | -- | Project to Project | Special Provision 641 & 859 -- Used on Project in Gordon County | Mar-13 |
| 1303-2 | SSL, LLC | "MSE Plus Wire Walls" | MSE Plus™ Wire Walls: Mechanically stabilized earth retaining walls with a welded wire mesh face sheet and welded wire mesh soil reinforcement. | -- | Complete | | Project to Project | -- Temporary | Mar-13 |
| 1303-1 | SSL, LLC | "MSE Plus Panel Walls" | MSE Plus™ Wire Walls: Mechanically stabilized earth retaining walls with precast concrete panel facing (5'x5', 5'x6', 5'x10' and 5'x12') with a welded wire mesh soil reinforcement. | -- | Complete | | Rejected | Pending research on Cal. TRANS wall failure | Mar-13 |
| 1302-3 | Evolucia Inc. | "SCH - Small LED Cobra Head Luminaire" | High efficient LED cobra-head with aimed optics. | -- | Complete | -- | Accepted | -- | Feb-13 |
| 1302-2 | Wyndisor Lighting, LLC | "Vee-Lite" | US made LED semi cutoffwall-pack utilizing remote phosphor technology. Options include 17, 25, 33 and 66 watt options with lumen output ranging from 1,700 to 5,600. Rated life of 100,000 hours with a 7-year warranty on | -- | Complete | -- | Accepted | -- | Feb-13 |
| 1302-1 | Active Minerals International, LLC | "ACTI-GEL 208" | A highly purified hydrous magnesium aluminum silicate made from a patented process that creates pure, uniformly sized, red-shaped mineral particles. Acti-Gel is an inert mineral that doesn't break down and is a high | Nov-13 | Complete | -- | No application | | Jan-13 |
| 1301-2 | RJ Watson, Inc. | "Polytron Elastomeric Concrete" | Poly-Tron is a fast-setting, low-viscosity, waterproof, moisture-insensitive, 100% solids, modified polyurethane elastomeric concrete material. It consists of three components which include a resin (Part A), hardener (Part B) and | Fee / See Comments | Complete | -- | Withdrawn/No Action | Awaiting Lab/Field Test Fee -- Due to no response from manufacturer since January | Jan-13 |
| 1301-1 | Easi-Set Industries | "J-J Hooks" | J-J Hooks is a precast concrete barrier that is used for roadside safety and traffic redirection for temporary and sometimes permanent conditions at bridges and approaches to bridges or cuts in the roadway during construction | -- | Complete | | Not a New Product | -- | Jan-13 |
| 1211-1 | Aldis, Inc. | "GridSmart®" | Vehicle video tracking and detection system with optional data collection and reporting module. | Nov-13 | Complete | | Accepted | | Nov-12 |
| 1210-3 | Hien Electric Industries LTD. | "Spiral Hanger" | Solar powered road safety marker. | -- | Complete | -- | No Application | -- | Oct-12 |
| 1210-2 | Barrier Systems, Inc. | "Orion" | The Orion portable steel barrier is a longitudinal barrier tested to NCHRP Report 350 Test Level 3. It is comprised of standard three beam and w-beam panels with internal support frames. | -- | Complete | | Not a New Product | -- | Jul-10 |
| 1210-1 | PennzSuppress Corp. | "PennzSuppress" | PennzSuppress is a uniquely formulated, patented, trademarked, well established nationally & internationally product line. - Very effective dust control agent for treatment of aggregates, soils and ores. - It is sold in a | Company / See Comments | Complete | -- | Withdrawn/No Action | Awaiting on Company to supply requested information. -- Due to no response from manufacturer | Jun-10 |
| 1210-1 | PennzSuppress Corp. | "PennzSuppress" | PennzSuppress is a uniquely formulated, patented, trademarked, well established nationally & internationally product line. - Very effective dust control agent for treatment of aggregates, soils and ores. - It is sold in a | -- | Complete | -- | Allow the Use | as an alternate to water for dust control | May-10 |
| 1209-2 | Tellabs | "Passive Optical Network" | Tellabs 1100 series Optical LAN equipment is used for providing layer 2 LAN connectivity for devices such as video cameras, VOIP phones and RF video connections. This ITU-T G.984 standards based technology is deployed in | -- | Complete | -- | Withdrawn/No Action | -- | Apr-09 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|--|---|--------------------|--|----|---------------------|--|--------|
| 1209-1 | Solar Cap Lighting (Infinity Inc.) | "YH-DD1 Solar Roadway Marker" | Solar powered road safety marker. | -- | Complete | -- | No Application | | Mar-09 |
| 1206-7 | Bekaert | "Dramix" | Hooked end steel fibers. These fibers are utilized to reinforce concrete applications such as pavements, shotcrete (soil nailing), and precast (Pipes). | Fee / See Comments | Complete | -- | Withdrawn/No Action | Waiting on Company to proceed with Field Test / Awaiting Lab/Field Test Fee -- Due to no | Feb-06 |
| 1206-6 | Milliken Company | "Milliken Concrete Cloth" | a concrete Cloth that is flexible, cement impregnated fabric that hardens when hydrated to form a thin, durable, water and fire resistant layer. | -- | Complete | -- | Project to Project | As an alternate to concrete slope paving | Jan-06 |
| 1206-5 | R.E.L.L. Corporation | "Type III Solid Manhole Riser" | Manhole Riser or Steel Manhole Adjusting ring. | -- | Complete | -- | Rejected | -- | Sep-09 |
| 1206-4 | R.E.L.L. Corporation | "Type II Solid Manhole Riser" | Manhole Riser or Steel Manhole Adjusting ring. | -- | Complete | -- | Rejected | -- | Aug-09 |
| 1206-3 | Innovative Applied Solutions | "IAS Water Quality Skimmer" | IAS Water Quality Skimmer is an erosion and sediment control skimmer designed to drain the downstream surface water from sediment traps and basins. | -- | Complete | -- | Accepted | Per GSWCC Book Page ## | Jul-09 |
| 1206-2 | Paveway Systems, Inc. | "Paveway Systems, Inc." | Decorative asphalt or concrete overlay broadcast aggregate system -- for crosswalks | Fee / See Comments | Complete | -- | Allow the use | Looking for field test site -- Field test site installed in Aug. 2014 in Statesboro, GA | Jun-09 |
| 1206-1 | Kraton Polymers US, LLC manufactures the SBS polymers used | "Highly Modified Asphalt" - HiMA, not a trademark, this is just our terminology" | Highly Modified Asphalt or HiMA is simply that - an SBS-modified asphalt binder with substantially higher than standard polymer content, typically 7-8% SBS. It can be produced by an BMA supplier. Kraton Polymers offers SBS. | Nov-14 | Complete | -- | Second Field Test | Field test project to be installed in Jesup, GA in Sept. 2013 Still monitoring per Sheila 08-16- | May-09 |
| 1205-6 | Lightstream, LP | "Streamliner UV CIPP Light Cured Liner" | Streamliner UV CIPP Light Cured Liner | -- | Complete | -- | Withdrawn/No Action | -- | Apr-08 |
| 1205-5 | TAPCO Traffic & Parking Control Company, Inc. | "RRFB-XL" | RRFB System features large 3"x7" LED that exceed PHWA standards. Provide greater conspicuity. When activated, the SAE J595 certified LED arrays flash an FHWA alternating wig-wag pattern. | Fee / See Comments | Office of Materials and Testing-Sheila Hines-shines@dot.ga.gov | -- | Accepted | Awaiting Lab/Field Test Fee | Mar-08 |
| 1205-4 | American Green Technology/YuanMing Lighting | "American Green Technology" | (LED Street Lighting) | -- | Complete | -- | Accepted | -- | Feb-08 |
| 1205-3 | Electro-Matic Products, Inc. | "Electro-Matic LED Lighting Solutions" | Solid State Lighting - LED Street Lighting | -- | Complete | -- | Accepted | -- | Jan-08 |
| 1205-2 | Ultraliner, Inc. | Ultraliner PVC Alloy Pipeliner" | Ultraliner PVC Alloy Pipeliner is designed to functionally and structurally rehabilitate buried conduits without excavation. The pipeliner is pre-manufactured in the factory, then thermoformed against the inside wall of the | -- | Complete | -- | Not a new product | -- | Dec-07 |
| 1205-1 | Licensed by Earth Reinforcement Technologies, Inc. | "Gravix *Green*" | Gravity earth retaining wall system using precast concrete. | -- | Complete | -- | Accepted | -- | Nov-07 |
| 1204-1 | Surtreat Holding LLC | "SURTREAT™ TPS II" | Proprietary chemical formulation (SURTREAT TPS II) A multi-phase, inorganic, surface applied corrosion inhibitor for use on typical (3000-5000 psi) hardened concrete. It will protect reinforcing steel in concrete from | Fee / See Comments | Complete | -- | Withdrawn/No Action | Awaiting Lab/Field Test Fee. Awaiting Company to supply requested information. Deadline | Oct-06 |
| 1203-3 | GERRYRIGS LLC | "Culvert Inlet Protection Device (CIPD)" | CIPD is a baffle and grate assembly designed to mount at the inlet of a culvert or drain, and to reduce or eliminate culvert blockage by sediment. | See Comments | Complete | -- | Withdrawn | -- | Sep-05 |
| 1203-2 | TAPCO | "BlinkerBeacon™ Solar LED Beacons" | Solar powered LED Beacon w/TAPCO patented Autobright LED intensity management system. | -- | Complete | -- | Allow the Use | -- | Aug-05 |
| 1203-1 | DSI Corp. | "iBind" | Composition of mineral porcelante and activating agent or amorphous silica. | -- | Complete | -- | Withdrawn/No Action | -- | Jul-05 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-------------------------------------|--|---|------------------------|--|----|---|--|--------|
| 1202-3 | Green Techniques LLC | "Soil Defender" | Soil Defender is a biodegradable friendly "GREEN" liquid chemistry to control soil erosion without use of matting, blankets or hydromulch in sheet flow applications. | -- | Complete | | Withdrawn | | Jun-04 |
| 1202-2 | AP/M PERMAFORM | "CentriPipe™" | CentriPipe™ (Centrifugally Cast Concrete Pipe) is a cost-effective, NO DIG solution for the structural lining of both corrugated metal and reinforced concrete culverts and large diameter utility applications. Centri-Cast™ | -- | Complete | | Accepted | | May-04 |
| 1202-1 | POLY-CARB, INC. | "POLY-CARB's MARK-55.9" | POLY-CARB's MARK-55.9 | | Complete | | Rejected | | Apr-04 |
| 1201-3 | Premier Construction Products Group | "PREVent-C shrinkage-reducing admixture" | PREVent-C admixture is a specially formulated powder that provides dual functionality to prevent cracking or curling caused by shrinkage. PREVent -C can reduce shrinkage induced cracking by as much as 90 to 100%. | | Complete | | Allow the use | | Mar-03 |
| 1201-3 | Premier Construction Products Group | "PREVent-C shrinkage-reducing admixture" | PREVent-C admixture is a specially formulated powder that provides dual functionality to prevent cracking or curling caused by shrinkage. PREVent -C can reduce shrinkage induced cracking by as much as 90 to 100%. | | Complete | | Field Test | Looking for Specialized Field Test Location | Feb-03 |
| 1201-2 | LightGuard Systems, Inc. | Smart Crosswalk™ Systems *Green* | Smart Crosswalk™ Systems *Green* | -- | Complete | | Project to Project | | Jan-03 |
| 1201-1 | DuPont Powder Coatings USA | "Nap-Gard Green Rebar 7-2750" | Fusion bonded epoxy powder coating. | -- | Office of Bridge Maintenance- Clayton Bennett- cbennett@dot.ga.gov | | Not a New Product | | Jan-03 |
| 1112-3 | Hubbell Lenoir City, Inc. | "Polycast® FP 1200 Trench Drain" | Polycast® FP 1200 Trench Drain is the ideal solution for high volume flow situations such as airports, roadways, and seaports. Designed with the installer in mind, this revolutionary design incorporates full 360 degree | -- | Complete | -- | Accepted | for non-traffic bearing applications | Dec-13 |
| 1112-2 | TenCate Geosynthetics North America | "Mirafi®PGM-G4" | Stone matrix asphalt. | See Comments Nov. 2021 | Complete | -- | Field Test - Note date last spoken too. Field Test Severa | Looking for 2" Overlay Field Test Site for 2 Yr. Evaluation. Current Evaluation Due for I-75 Field | Nov-13 |
| 1112-1 | The Fort Miller Co., Inc. | "Super-Slab®" | Super-Slab® is a precast version of cast-in-place concrete pavement that is shipped to the jobsite and placed in position on a precisely graded subgrade matching the slab surface geometry. Standard dowel bars and tie bars join | Nov-14 | Complete | -- | Project to Project | Waived - Field Test in Progress - Need recommendation for this product for final approval -- Per | Oct-13 |
| 1110-4 | Willamette Valley Company | "POLYQuik FastPatch MD/GC" | A very fast setting polyurethane based expansion joint material with 25% movement capability. | -- | Office of Materials and Testing- Sheila Hines-shines@dot.ga.gov | | Not a new product | | Sep-11 |
| 1110-4 | Willamette Valley Company | "EJC-25" | A very fast setting polyurethane based expansion joint material with 25% movement capability. | See Comments | Complete | | Withdrawn/No Action | Changed Product to EJC-50 June 2013 Looking for test site. Progress Report Due Nov. 14. | Aug-11 |
| 1110-3 | Impact Recovery Systems, Inc. | "Tuff Curb XLP" | A high performance traffic separator curb with spring activated uprights available in a wide variety of designs. | -- | Complete | -- | No Application | | Jul-11 |
| 1110-2 | MHT Lighting | "Induction Type Street Light" | Induction light technology | -- | Complete | | Accepted | | Jun-11 |
| 1110-1 | Tapco | "ITS Blinker Signs" | Solar powered, wireless communication intelligent warning LED enhanced sign system. | -- | Complete | -- | Project to Project | | May-11 |
| 1109-2 | Rausch Electronics USA, LLC | "Quick-Lock Point Pipe Repair System" | Quick Lock is a strictly mechanical point repair system for the inside repair of pipes. No resin is used! Application range is from 6-inch to 32-inch pipe diameter. For each individual pipe diameter, a specific sleeve diameter must | -- | Complete | -- | Project to Project | | Apr-10 |
| 1109-1 | Barrier Systems, Inc. | "Raptor" | The Raptor is a unique safety device designed to reduce the severity of errant vehicle impacts with utility poles and trees. The Raptor has been tested to NCHRP 350 Test Level 1 as a non-redirective crash cushion. The | -- | Complete | -- | Accepted | | Mar-10 |
| 1108-6 | Block USA, Georgia Division | "Allan Block Fence" | A mortarless concrete block fencing system. Dry cast block is stacked in a post and panel configuration. | -- | Complete | -- | Accepted | | Feb-09 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|------------------------------|---|---|--------------|----------|----|---------------------|--|--------|
| 1108-5 | Sika Corporation | "Sikatard 440" | Sikatard 440 is a new hydration controlling admixture to control the hydration of cement. The use of Sikatard 440 allows the concrete producer to stabilize concrete mixes for long periods without negatively affecting concrete. | -- | Complete | -- | Not a new product | -- | Jan-09 |
| 1108-4 | Enventiv, Inc. | "GuideLine™ " | Temporary Paint | -- | Complete | -- | Rejected | Failed Field Test | Dec-08 |
| 1108-3 | GeoHay, LLC | "GeoHay" | 12"-18" height with standard and high density recycled carpet fiber padding. Lengths available from 4-6ft. | See Comments | Complete | -- | No Application | Reopened per company request to proceed with "Rock Check Dam" application field test. Will | Nov-08 |
| 1108-3 | GeoHay, LLC | "GeoHay" | 12"-18" height with standard and high density recycled carpet fiber padding. Lengths available from 4-6ft. | -- | Complete | -- | Accepted | as an alternate to sediment barrier, hay bale check dam, and inlet sediment trap | Oct-08 |
| 1108-2 | Hamilton Kent LLC | "Lifespan System" | The Lifespan System is specifically designed to eliminate unwanted flows at the cover and chimney areas of manholes and deliver a longer service life for the structure. Lifespan is made of ultra high performance elastomers. The | -- | Complete | -- | Rejected | -- | Sep-08 |
| 1108-1 | Meter-Treater dba MTI Surge | "MTI" | MTI | Nov-13 | Complete | -- | No Application | -- | Aug-08 |
| 1107-5 | GMI Composites, Inc. | "Fiberglass Frame & Cover" | "Fiberglass Frame & Cover" | -- | Complete | -- | Rejected | Failed Field Test on Frontage Road | Jul-07 |
| 1107-4 | Cold Mix Manufacturing Corp. | "Greenpatch" | "Greenpatch" | -- | Complete | -- | Not a new product | -- | Jun-07 |
| 1107-3 | 3M Company | "3M Scotch-Weld HoldFast 70" | "3M Scotch-Weld HoldFast 70" | -- | Complete | -- | Accepted | -- | May-07 |
| 1107-2 | GeoTree Technologies | "GeoSpray™ Geopolymer Nano-Ceramic Mortar" | "GeoSpray™ Geopolymer Nano-Ceramic Mortar" -- IPR Contractor installer and process called Eco-Cast | -- | Complete | -- | Accepted | -- | Apr-07 |
| 1107-1 | FORTA Corporation | "FORTA-FI" | FORTA-FI is a fiber-reinforcement additive for asphalt, consisting of a blend of Aramid and Polyolefin fibers. | See Comments | Complete | -- | Accepted | 2013 Installation cancelled due to Contractor Equipment Concerns. Looking for new | Mar-07 |
| 1105-1 | BASF Corporation | "Rheomac 300D" | "Rheomac 300D" admixture is an integral crystalline capillary waterproofing admixture for concrete. It is designed for use in above- and below-grade applications. | -- | Complete | -- | No Application | -- | Feb-05 |
| 1104-6 | Schock Bauteile GmbH | "Schock ComBAR" | Pultruded glass fiber reinforcing with specially developed ribbed surface profile; corrosion resistant, durable, high strength; electromagnetically non-conducting. | -- | Complete | -- | Withdrawn/No Action | -- | Jan-04 |
| 1104-5 | Earthlok LLC | "Earthlok" | Earthlok Soil Stabilizer is an electrochemical that creates an immediate ion exchange with the clay particle immediately upon contact. The ionic exchange changes the molecular structure of the clay particle from a broad | -- | Complete | -- | Withdrawn/No Action | -- | Jun-06 |
| 1104-4 | Flir Systems, Inc. | "Flir Systems, Inc." | "Flir Systems, Inc." The SR-Series Thermal Camera is a sophisticated thermal imaging camera that provides excellent nigh visibility and situational awareness, even in absolute darkness. The camera has a standard wide- | -- | Complete | -- | Not a New Product | Per GDOT Spec 936 / Submit for QPL-48-1 CCTV | May-06 |
| 1104-3 | Plastic Safety Sytems, Inc. | "SafetyRail™" | "SafetyRail™" | -- | Complete | -- | Accepted | -- | Apr-06 |
| 1104-2 | SiltShield LLC | "SiltShield" | "SiltShield" | -- | Complete | -- | Withdrawn/No Action | -- | Mar-06 |
| 1104-1 | Prosoco, Inc. | "Sure Klean® Weather Seal Blok-Guard® & Graffiti Control" | "Sure Klean® Weather Seal Blok-Guard® & Graffiti Control" | -- | complete | -- | Accepted | -- | Feb-06 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|--|--|----|----------|----|---------------------|---|--------|
| 1102-6 | EPOPLEX | "EPOPLEX LS65" | "EPOPLEX LS65" | -- | Complete | -- | Approved | Specification Will be Published - Oct. 2013 - Must Submit for QPL Process | Dec-05 |
| 1104-2 | CENTRIA | "Eco Sound Barrier" | "Eco Sound Barrier" | -- | Complete | -- | Accepted | -- | Jan-06 |
| 1102-4 | Sensys Networks | "Sensys Wireless Vehicle Detection System" | "The Sensys Networks Arterial Travel Time System employs breakthrough technology for agencies to better manage traffic congestion and provide traveler information via DMS or 511 systems. It is the first turn-key | -- | Complete | -- | Withdrawn | -- | Nov-03 |
| 1102-3 | NAEX Corp. | "SD605" | Dust pallative, soil stabilizer. | -- | Complete | -- | Allow the Use | -- | Oct-03 |
| 1102-2 | Homeland Vinyl Fence Ltd. | "Homeland Acoustic & Security Fence" | Galvanized Steel Interior with all weather vinyl covers. | -- | Complete | -- | Rejected | -- | Sep-03 |
| 1102-2 | Homeland Vinyl Fence Ltd. | "Homeland Acoustic & Security Fence" | Galvanized Steel Interior with all weather vinyl covers. | -- | Complete | -- | Rejected | -- | Aug-03 |
| 1102-1 | Interstate Structures, A Mid-Park Company | "M-POD" | Omnidirectional slip base post mounting system for wide flange beams. | -- | Complete | -- | Not New | -- | Aug-03 |
| 1102-1 | Interstate Structures, A Mid-Park Company | "M-POD" | Omnidirectional slip base post mounting system for wide flange beams. | -- | Complete | -- | Not New | -- | Jul-02 |
| 1101-2 | SynTech Products Corporation | "E.D.C. (Extreme Dust Control)" | "E.D.C. (Extreme Dust Control) A corn derivative dust control agent. May be applied through water trucks or hydroseeders. Effective in extreme hot or cold temperatures. Bonds dust particles together to reduce dust and increase | -- | Complete | -- | Withdrawn/No Action | -- | Aug-03 |
| 1101-2 | SynTech Products Corporation | "E.D.C. (Extreme Dust Control)" | "E.D.C. (Extreme Dust Control) A corn derivative dust control agent. May be applied through water trucks or hydroseeders. Effective in extreme hot or cold temperatures. Bonds dust particles together to reduce dust and increase | -- | Complete | -- | Withdrawn/No Action | -- | Jul-02 |
| 1101-1 | SynTech Products Corporation | "EC 46" | Polymer emulsion glend dust suppresant. | -- | Complete | -- | Withdrawn/No Action | -- | Jun-02 |
| 1012-1 | Sensys Networks | "Sensys Networks WVDS240" | Wireless Vehicle Detection System. This system includes a small battery powered, wireless sensor embedded in the roadway. This sensor detects the presence of vehicle and transmits this information wirelessly to a roadside | -- | Complete | -- | Withdrawn/No Action | -- | May-13 |
| 1011-5 | JSP | "Pro-Ring Manhole Adjustment System" | A series of lightweight interlocking rings used to adjust and support the manhole ring and cover to the specified final elevation on all sanitary and storm sewer manholes. | -- | Complete | -- | Accepted | -- | Apr-12 |
| 1011-4 | Stallion Systems, Inc. | "Lane Sensor System" | Wireless Loop Detector system that can be easily deployed without the need to cut inductive loops. The kit comes with two lane sensors and one receiver. When deployed, the sensor picks up the presence of a vehicle and passes | -- | Complete | -- | Withdrawn/No Action | -- | |
| 1011-3 | Duratek Precast Technologies, Inc. | "Precase Concrete Sound Barrier Wall" | Precast concrete post and panel system. | -- | Complete | -- | Withdrawn/No Action | -- | Feb-12 |
| 1011-2 | E3 Technology, Inc. | "RoadMaxx" | All natural, environmentally friendly enzyme based liquid. RoadMaxx is a low cost organic soil stabilizer used to build a more durable road at decreased cost whether it be a dirt road, chin seal, or asphalt covered road. | -- | Complete | -- | Withdrawn/No Action | -- | Jan-12 |
| 1011-1 | Polytorx, LLC | "Helix" | Electrogalvanized steel concrete reinforcement. | -- | Complete | -- | Withdrawn/No Action | -- | Dec-11 |
| 1010-3 | Mintec Resources, Inc. | "Calciment® Lime Kiln Dust (LKD)" | Lime Kiln Dust (LKD) is a co-product of the Lime manufacturing process. | -- | Complete | -- | Accepted | Per GDOT Specs | Nov-10 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---|--|--------|----------|----|---|--|--------|
| 1010-2 | Contech Construction Products, Inc. | "DuroMaxx - Steel Reinforced Polyethylene Pipe" | "DuroMaxx - Steel Reinforced Polyethylene Pipe" | Nov-14 | Complete | -- | Withdrawn/No Action | | Oct-10 |
| 1010-1 | Advanced Drainage Systems, Inc.(ADS) / Nyloplast | "N-12 HP and Sani-Tite HP - Profile wall Corrugated Polypropylene pipe (PP)" | N-12 HP and Sani-Tite HP follows: ASTM F2736 - Standard specification for 6 to 30 inch (152 to 762 mm) Polypropylene (PP) corrugated single wall and double wall pipe and ASTM F2764 - standard specification for 30 to 60 inch | Nov-14 | Complete | -- | Accepted | Accepted for use on Georgia DOT Construction and Maintenance Projects per GDOT | Sep-10 |
| 1009-1 | PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS | FG300 Vertical Panel | 100% plastic, self righting, vertical panels using FG300 EFX post and plastic signage. For use in permanent or temporary work zone applications. | -- | Complete | -- | Not a new product | | Aug-09 |
| 1008-4 | Reeves Construction Company | "FiberMat - Crack Inhibiting Membrane" | FiberMat is a specially formulated, polymer modified, crack resistant membrane that is formed by a high tensile strength matrix of emulsion and engineered fiberglass strands. The strands are sandwiched between two | -- | Complete | -- | Rejected | | Jul-08 |
| 1008-3 | BK Enterprises, Inc. | "ELITE Graffiti Remover" | "ELITE Graffiti Remover" | -- | Complete | -- | Allow Use | | Jun-08 |
| 1008-2 | Concrete Innovation Services | "Whisper Wall" | "Whisper Wall" (No NPE scanned) | -- | Complete | -- | Rejected | | May-08 |
| 1008-1 | Applied Polymer Systems | "FLOC-FLAP" | "FLOC-FLAP" (No NPE scanned) | -- | Complete | -- | No Application / Discretion of the Contractor | | Apr-08 |
| 1007-1 | Everett Bass Co Erosion Control | "Everett Bass Co Erosion Control" | "Everett Bass Co Erosion Control" (No NPE scanned) | -- | Complete | -- | Not a product / Design Only / No Application | | Mar-07 |
| 1006-2 | Hydrostraw LLC | "Hydrostraw Bonded Fiber Matrix" | "Hydrostraw Bonded Fiber Matrix" (No NPE scanned) | -- | Complete | -- | Withdrawn/No Action | | Feb-06 |
| 1006-1 | Hydrostraw LLC | "Hydrostraw Guar Plus Formulation" | "Hydrostraw Guar Plus Formulation" (No NPE scanned) | -- | Complete | -- | Withdrawn/No Action | | Jan-06 |
| 1005-3 | Traffix Devices, Inc. | "Traffix Weed Mat" | "Traffix Weed Mat (No NPE scanned) | -- | Complete | -- | Withdrawn/No Action | | Dec-09 |
| 1005-2 | HaloSource, Inc. | . | "Storm Klear" (No NPE scanned) | -- | Complete | -- | Discretion of contractor | | Nov-09 |
| 1005-1 | Erosion Tech, LLC (a Leggatt and Platt Company) | "Scour Stop" | "Scour Stop" (No NPE scanned) | -- | Complete | -- | Withdrawn/No Action | | Oct-09 |
| 1004-7 | Paragon Noise Barriers | "Noise-D-Fence" | Noise-D-Fence sound barrier panels can eliminate much of the road noise by absorbing sound, not just reflecting sound as is obtained by utilizing standard concrete sound barrier walls. | -- | Complete | -- | Rejected | | Sep-08 |
| 1004-6 | Irwin Hodson Company | "Monarch Reflective Device" | "Monarch Reflective Device" (No NPE scanned) | -- | Complete | -- | No Application | | Aug-08 |
| 1004-5 | American Molded Plastics | "Flex-D, Flex-DS Delineators" | "Flex-D, Flex-DS Delineators" (No NPE scanned) | -- | Complete | -- | Accepted | | Jul-08 |
| 1004-6 | Strata Systems, Inc. | "MicroGrid and StrataGrid (SG150, SG200, SG250, SG500, SG600, SG550, SG500, SG600, SG550" | "MicroGrid and StrataGrid (SG150, SG200, SG250, SG500, SG600, SG550, SG700) (No NPE scanned) | -- | Complete | -- | Withdrawn/No Action | | Jun-08 |
| 1004-3 | Southern Manufacturing | "Internally Illuminated Street Name Sign -- All LED Models" | "Internally Illuminated Street Name Sign -- All LED Models" (No NPE scanned) | -- | Complete | -- | Accepted | Per MUTCD Illuminate Sign Requirements | May-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---|--|----|----------|----|-------------------------|------------------------------|--------|
| 1004-2 | PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS | "Butterfly Guardrail Reflector Button or Glue on" | "Butterfly Guardrail Reflector Button or Glue on" (No NPE scanned) | -- | Complete | -- | No Application | -- | Apr-08 |
| 1004-1 | DuPont Powder Coatings USA | "Nap-Gard® 7-2719 Green Rebar FBE" | "Nap-Gard® 7-2719 Green Rebar FBE" (No NPE scanned) | -- | Complete | -- | Not a new product | -- | Mar-08 |
| 1003-9 | Erosion Runner LP | "SedCatch Sediment Cage" | "SedCatch Sediment Cage" (No NPE scanned) | -- | Complete | -- | Withdrawn/No Action | -- | Feb-07 |
| 1003-9 | Erosion Runner LP | "SedCatch Sediment Basket" | "SedCatch Sediment Basket" (No NPE scanned) | -- | Complete | -- | No Application | -- | Jan-07 |
| 1003-7 | Spot Devices Inc. | "Rack Mount Network Controller Model SC320RM" | "Rack Mount Network Controller Model SC320RM" (No NPE scanned) | -- | Complete | -- | No Application | System is Proprietary | Dec-06 |
| 1003-6 | Spot Devices Inc. | "Flashing LED Sign - Model SB420" | "Flashing LED Sign - Model SB420" (No NPE scanned) | -- | Complete | -- | Project to Project | -- | Nov-06 |
| 1003-5 | Spot Devices Inc. | "Rectangular Rapid Flashing Beacon - Model SB430" | "Rectangular Rapid Flashing Beacon - Model SB430" (No NPE scanned) | -- | Complete | -- | Project to Project | -- | Oct-06 |
| 1003-3 | Spot Devices Inc. | "Round Beacon-Spot Device Model SB410" | "Round Beacon-Spot Device Model SB410" (No NPE scanned) | -- | Complete | -- | Project to Project | -- | Sep-06 |
| 1003-2 | Spot Devices Inc. | "SC315 Network Controller" | "SC315 Network Controller" (No NPE scanned) | -- | Complete | -- | No Application | System is Proprietary | Aug-06 |
| 1003-1 | Spot Devices Inc. | "In-Road Warning Light - Spot Device Model RS320" | "In-Road Warning Light - Spot Device Model RS320" (No NPE scanned) | -- | Complete | -- | Project to Project | -- | Jul-06 |
| 1003-1 | Spot Devices Inc. | "SC320 Network Controller" | "SC320 Network Controller" (No NPE scanned) | -- | Complete | -- | No Application | System is Proprietary | Jun-06 |
| 1003-2 | Innovative Turf Solutions (Formally: Reinke Pasco) | "Erosion Guard Logs and Erosion Guard Flats" (Formally: "Erosion Guard Products") | "Erosion Guard Logs and Erosion Guard Flats" (Formally: "Erosion Guard Products") logs/flats (No NPE scanned) | -- | Complete | -- | Approved | -- | May-06 |
| 1002-8 | BASF Corporation | "Styrofan 1186" | "Styrofan 1186" (No NPE scanned) | -- | Complete | -- | Withdrawn/No Action | -- | Apr-05 |
| 1002-7 | Hanes Geo Components | "TerraTex GASF-CS" | "TerraTex GASF-CS" (No NPE scanned) | -- | Complete | -- | Rejected | -- | Mar-05 |
| 1002-8 | Seaboard Asphalt Products Company | "Bond-X Green High Performance Cold Mix" | "Bond-X Green High Performance Cold Mix" (No NPE scanned) | -- | Complete | -- | Project to Project | -- | Feb-05 |
| 1002-5 | Tenax USA & MAT, Inc. | "Green Guard TRM System (GGTS)" | "Green Guard TRM System (GGTS)" (No NPE scanned) | -- | Complete | -- | Not a new Product | Must be submitted for QPL-49 | Jan-05 |
| 1002-4 | Custom Vinyl Extrusions | "Omni Rigid Posts" | Omni Rigid Posts is designed to be used by DOTs and engineers/contractors. Functional alternative to traditional steel or wood T-posts widely used for attaching silt fencing, woven, or non-woven fabrics for | -- | Complete | -- | Withdrawn/No Action | -- | Dec-04 |
| 1002-3 | Lancaster Composite Inc. | "Lancaster CP40 Marine Piling" | Lancaster CP40 Marine Piles are fiberglass/concrete composite structural marine piling made of fiber reinforced polymer pipe and a high strength non-shrink cementitious core | -- | Complete | -- | Accepted per NPE 9712-2 | -- | Nov-04 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|---|--|----|----------|----|---------------------|-------------------|--------|
| 1002-2 | Evonik Stockhausen | "Stockosorb 660" | Cross lined polymer. | -- | Complete | -- | Accepted | As a Non-pay item | Oct-04 |
| 1002-1 | NAEX Corp. | "Firecide" | Firecide contains extinguishing components that prevent the spread of a fire resulting from the introduction of a heat source to dried or dead vegetation. | -- | Complete | -- | No Application | -- | Sep-04 |
| 1001-8 | Trinity Highway Products, LLC | "MDS Bridge Railing" | MDS Bridge Railing is an all-steel bridge rail system. | -- | Complete | -- | Accepted | -- | Aug-03 |
| 1001-7 | Reline America, Inc. | "Blue Tek" | An ultra violet light cured, spiral wound fiberglass reinforced pipe slip liner. Can produce pipe liners from 6" diameter to 48" diameter. Pipe liner wall thickness can vary according to strength required. | -- | Complete | -- | Withdrawn/No Action | -- | Jul-03 |
| 1001-6 | Morren Plastics (Represented by Diamond Roadway Products) | Universal Bracket Reflector System | Universal Bracket Reflector System is a universal reflector bracket that accepts multiple sized reflectors that can be applied to existing guardrail blocks as well as barrier and bridge wall. It can also be used on temporary. | -- | Complete | -- | Accepted | -- | Jun-03 |
| 1001-5 | Morren Plastics (Represented by Diamond Roadway Products) | Diamond Block Reflector System | Diamond Block Reflector System is a reflector bracket that accepts multiple reflector sizes that snaps into the diamond block from quick and easy installation. | -- | Complete | -- | Rejected | -- | May-03 |
| 1001-4 | PEXCO LLC - DAVIDSON TRAFFIC CONTROL PRODUCTS | "U-Flex 26" | U-Flex 26" is a high impact guard rail post mount reflectors. (same as 1-flex but taller). | -- | Complete | -- | Rejected | -- | Apr-03 |
| 1001-3 | Transpo | "Bodan Highway - Rail Crossing Surface" | A pre-engineered modular panels cast from pre-cast polymer concrete with internal welded steel rebar cages. | -- | Complete | -- | No Application | -- | Mar-03 |
| 1001-2 | Camera, MG ² Inc. | "Camera Lowering System" | Custom lowering device designed to support and lower CCTV surveillance cameras and other pole mounted devices to ground level for maintenance or replacement. | -- | Complete | -- | Withdrawn/No Action | -- | Feb-03 |
| 1001-1 | Shell Canada, Ltd. | "Shell Thiopave™" | Shell Thiopave™ provides a combined asphalt binder extender and warm mix asphalt system. Typically, about 25% of the asphalt binder in the mixture is replaced with a similar amount of shell based binder extender. | -- | Complete | -- | Rejection | S.H. | Jan-03 |
| 0912-2 | Bonle International Comopany, Ltd. | "Bright Portal Resources LLC" | Raised Pavement Markers BSL-05D and BSL-03 made of poly carbonate, poly crystalline silicon super bright LED lights, visible over 1/2 mile, (4"x 4" x 3/4") | -- | Complete | -- | Withdrawn/No Action | -- | Dec-13 |
| 0912-1 | Enviroscape ECM, Ltd. | "Vertipro" | Poly propylene geotextile type III covering an aluminum frame with collapsible and replaceable vertical support legs. | -- | Complete | -- | Withdrawn/No Action | -- | Nov-13 |
| 0911-6 | Barrier Systems, Inc. | Safe-T-Curve | Safe-T-Curve is a concrete or steel reactive Tension system quickchange Movable barrier anchored on each end with a wide flange back support section from the universal TALL II crush cushion. | | Complete | | Approved | | Jun-10 |
| 0911-5 | D.R.I.P.S | D.R.I.P.S | It is a 15ft long x 40in tall x 36in wide flood barrier wall that can be connected together to create a wall any lenth or stacked for desired hight. | | Complete | | Project to Project | | Feb-10 |
| 0911-4 | Inlet and Pipe Protection, Inc. | FLEXSTORM Inlet Filters, Inc. | The Flexstorm Inlet Filters are drop-in style inlet protectors that sit beneath storm sewer grates they hang suspended on the load bearing lips of the storm casing or Concrete drainage structures. | | Complete | | No Application | | Dec-09 |
| 0911-1 | Traffic Calming, USA | TrafficPrint | TrafficPrint is hot-applied stamped synthetic asphalt incorporating eco-friendly components that is colored "throughout" which replicates the look of brick paving but is laid 3/4 in thick onto existing asphalt or concrete surface. | | Complete | | Accepted | | Jan-11 |
| 0910-3 | NUCOR Steel Marion, Inc. | Nu-Guard | Strong post guardrail system consisting of W-beam guardrail elements connection hardware. | | Complete | | Accepted | | Jul-10 |
| 0909-1 | Aldis, Inc. | GridSmart Spectra 360 | Single camera stop-bar detection, featuring a wide-angle lens, industrial hardened intel processor. | | Complete | | Withdrawn/No Action | | Dec-09 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|----------------------------------|---|--|--|----------|--|---------------------|--|--------|
| 0908-6 | Plastic Safety Systems, Inc. | RoadQuake Temporary Potable Rumble Strip | RoadQuake is a temporary rumble strip that alerts drivers to changing road conditions. | | Complete | | Accepted | | Dec-09 |
| 0908-5 | S-Square Tube Products | NEX Perforated Sign Post System | The NEX sign post systems incorporates an engineered square tube that telescope into a 2.25 square anchor, which can be buried directly into the soil and secured with a wedge. | | Complete | | Accepted | | Dec-09 |
| 0908-4 | Advanced Traffic Marking | ATM 500 HP Yellow & White | Highway marking tape in the form of rolls, symbols, etc. For use on all road surfaces. | | Complete | | No Application | | Jan-11 |
| 0908-3 | Big R Bridge | Super-Cor | Super-Cor's larger annular corrugation 15" pitch and 5.5" depth provide nine times the stiffness of conventional 6" x 2" Structural plate. | | Complete | | Accepted | | Jun-10 |
| 0908-2 | Pavon Corporation | Pavon Joint Sealant | Cold applied asphalt material to longitudinal joint in the construction process. | | Complete | | Withdrawn/No Action | | Dec-09 |
| 0908-1 | Filtrona Extrusion | U-Flex 24" | High impact guard rail post mount reflectors | | Complete | | Rejected | | Dec-09 |
| 0907-3 | Filtrona Extrusion | FG 300 Interstate grade curb | A NCHRP # 350 approved, all plastic, fully mounted, longitudinal channelizing system comprised of modular unit. | | Complete | | No Application | | Sep-02 |
| 0907-2 | Filtrona Extrusion | FG 300 Turnpike corb | A NCHRP # 350 approved, all plastic, fully mounted, longitudinal channelizing device, designed for high speed application. | | Complete | | No Application | | Sep-02 |
| 0907-1 | Filtrona Extrusion | Fat Cat Guardrail | Guardrail delineation in high speed area, work zones, and dangerous curves or interstate. | | Complete | | Accepted | | Dec-09 |
| 0906-3 | Zycosoil Industries | Zycosoil | Speciality Organosilicon Compound. | | Complete | | Rejected | | Dec-09 |
| 0906-2 | The RainLine Corporation | Lane Alert | Lane Alert is a hot applied thermoplastic traffic stripe with inverted profiles and raised bumps that provides superior visibility as well as a tactile warning for motorists. | | Complete | | Rejected | | Dec-09 |
| 0906-1 | Imerys Performance Minerals | ImerFill | ImerFill products are finely ground, white calcitic marble/limestone products. These products are crushed, ground and sized to the designated specifications. The size specifications have been chosen to particle pack. | | Complete | | Withdrawn/No Action | | Aug-13 |
| 0905-3 | Integrated Paving Concepts, Inc. | Streetprint XD | StreetPrintXD is a thermoplastic surfaceing system that provides a textured, highly attractive and durable topical treatment to the surface of asphalt pavement. | | Complete | | Accepted | | Aug-13 |
| 0905-2 | Deacero | Gauge | Field Fence 532/12 16ga | | Complete | | Withdrawn/No Action | | Aug-13 |
| 0905-1 | Tagalucci Group, Inc. | The Orbit | Traffic signage hanger or bracket specifically designed to eliminate torque and wind load applied to span wire, signal cables, and additional electrical cables. | | Complete | | Accepted | | Jul-10 |
| 0904-3 | Shur-Tite Products | SHUR-TITE Concrete Traffic Barrier "Cup Mount" Delineator | Guardrail Post Mount Delineator that will attach to any guardrail post or block out. | | Complete | | Accepted | | Dec-09 |
| 0904-2 | EMSEAL Joint Systems Ltd. | Bridge Expansion Joint System | Cellular Polyurethane foam impregnated with hydrophobic 100% acrylic, water based, factory coated with highway-grade. | | Complete | | Accepted | | Jul-15 |
| 0904-1 | D&D Emulsion, Inc. | Reclamite | Cationic Maltene asphalt rejuvenator | | Complete | | Withdrawn/No Action | | Jul-10 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--------------------------------|--|---|--|----------|--|---------------------|--|--------|
| 0903-5 | Evonik Cyro's | PARAGLASS SOUNDSTOP ready Fit Panels | Transparant noise barrier panel framed in structural aluminum | | Complete | | Accepted | | Jan-13 |
| 0903-4 | MaxCell/Milliken & Company | MaxCell Innerduct | MaxCell is a flexible textile innerduct for use in underground conduit systems. | | Complete | | | | |
| 0903-3 | Barrier Systems, Inc. | X-Tension Guard Rail End Terminal | The X-Tension guard rail end terminal is a Redirective system at the first post. | | Complete | | Accepted | | Oct-09 |
| 0903-2 | Piedmont Precast | Redi-Rock Retaining Walls | Large wet cast concrete blocks, averaging 2500lbs used to design non-reinforced or reinforced walls. | | Complete | | Accepted | | Oct-15 |
| 0903-1 | Fibercrete Technologies, LLC | Fibercrete 6690 | Joint and crack sealant | | Complete | | Accepted | | Jun-09 |
| 0902-5 | ISCO Inc. | SNAP-TITE | PE Pipe F714 10" TO 63" OD | | Complete | | Accepted | | Mar-09 |
| 0902-4 | Radarsign,LLC | Radarsign | Driver feedback sign that consists of radar for speed detection. | | Complete | | No Application | | Dec-09 |
| 0902-3 | Highline Products. | Highline Products. | Pull boxes junction boxes, splice boxes, vaults manufactured from polymer concrete or fiberglass with polymer concrete ring and cover | | Complete | | Withdrawn/No Action | | Mar-09 |
| 0902-2 | Willacoochee Industrial Fabric | 2098 HDR | Class C GA DOT Silt Fence with reinforcement bends | | Complete | | | | Mar-09 |
| 0902-1 | Bio-Green USA, LLC | Bio-Green | An all natural bio-based fertilizer that is 100% Safe for environment. | | Complete | | Rejected | | Oct-09 |
| 0901-1 | American Polymer Corps | Graffiti Solution System AP 100 Clear | GSS is a patened 2 layer Permanent anti-graffiti coating and graffiti removal process that offers a 10 year limited performance warrenty, outstanding easthetic performance | | Complete | | Accepted | | Jul-10 |
| 0812-3 | Harder Luckey & Hargrave | The Tuf-Barrier and the SilentProtector. | HLN Manufactures a co extruded, PVC, tongue and groove, noise barrier wall system (the Heavy wall Tur-Barrier) specifically for commercial applications. | | Complete | | Accepted | | Oct-09 |
| 0812-2 | Hill and Smith, Inc. | Zonguard | Portable steel barrier for temporary or permanent use. | | Complete | | Project to Project | | Jun-09 |
| 0812-1 | Motz Enterprises | Flexamat | The Product consist of geogride (Front 30/30) embedded into concrete rectangular form and cut into 5 x 40 ft rolls for ease of installation. | | Complete | | Accepted | | Aug-15 |
| 0811-1 | Whirligig Signs, Inc. | Spin Alert | Spin Alert is a light-weight, Wing-driven warning device that incorporates genuine 3M Diamond Grade reflective on all 3 sides of the spinning | | Complete | | Field Test | | Sep-11 |
| 0810-4 | Gregory Industries, Inc. | Gregory Mini Spacer Guardrail System | Allows for elimination of offset blocks between WB guardrail and guardrail post alternate for current strong post guardrail. | | Complete | | Withdrawn/No Action | | Dec-10 |
| 0810-3 | American Excelsior Company | AEC Premier Coconut | ACE Premier Coconut erosion control blanket consists of 100% coconut fibers. The fibers are evenly distributed throughout the entire area of the blanket | | Complete | | Rejected | | Oct-08 |
| 0810-2 | Bridge Preservation, LLC | BDM | Two Component cold liquid spray applied water proofing membrane. | | Complete | | No Application | | Dec-10 |
| 0810-1 | Metal Foundations, Inc. | Metal Fin Pipe Foundation, MFPP | Application specific, hydraulically set, steel fin pin pipe foundation consisting of a steel pipe of various wall thicknesses with series of steel fins welded longitudinally to the pipe | | Complete | | Withdrawn/No Action | | Sep-13 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-------------------------------|-----------------------------|--|--|----------|--|---------------------|--|--------|
| 0809-1 | PolyCon Manufacturing | PolyCon PCMO (E-KRETE) | A polymer cement micro-surface overlay material, applied as a slurry that fills crack and arrests oxidation and hardening of asphalt pavement in one pass. | | Complete | | Withdrawn/No Action | | Aug-08 |
| 0808-2 | Potters Industries | Visimax-Glomarc | Durable highly reflective and versatile glass bead system that provides wet night reflectivity and increased preview time. | | Complete | | Accepted | | Aug-08 |
| 0808-1 | Tenax Corporation | Tenax RoaDrain | | | Complete | | Withdrawn/No Action | | Aug-09 |
| 0807-2 | Earth Saver Inc. | Strew Wattles (Fiber Rolls) | Approximately 9" Diameter by 25' in lenth straw filled tube. Encapsulated in photodegradable mesh poly net. | | Complete | | Accepted | | Sep-08 |
| 0807-1 | Fritz-Pak Corporation | Non-Chloride Accelerator | It shortens set times while increasing compressive strength | | Complete | | Withdrawn/No Action | | Aug-08 |
| 0806-9 | Paveway Construction Inc. | Paveway STS | | | Complete | | Withdrawn/No Action | | |
| 0806-8 | Trinity Highway Products, LLC | HEART | The HEART is applicable in any TL3 highway situation where a crash cushion is needed. | | Complete | | | | |
| 0806-7 | Dayton Superior Corp | Slab Bolster (PSB) | Contains plastic rebar support | | Complete | | | | |
| 0806-6 | Dayton Superior Corp | Strong Back Bolster (PSBB) | Rebar Support | | Complete | | | | |
| 0806-5 | Dayton Superior Corp | Tower Chair | Indeividual plastic rebar suport | | Complete | | Meets | | Sep-08 |
| 0806-3 | Dayton Superior Corp | Slab Bolster Upper(PSBU) | Post Tension Tendon Support | | Complete | | Meets | | Sep-08 |
| 0806-2 | Dayton Superior Corp | Tower Chair | Rebar Support | | Complete | | Meets | | Sep-08 |
| 0806-1 | Impact Recovery Systems, Inc. | IRS Tuff Post | High Performance delineators post able to withstand impacts at 55 mph | | Complete | | | | Dec-07 |
| 0805-5 | McTech Group Inc. | UltraCure NCF | This product was designed only to wet cure concrete. | | Complete | | Meets | | Sep-08 |
| 0805-4 | IMCO Technologies Inc. | MG-Krete | MG-Krete is an inexpensive two component, high early strenght structural repair material that is very easy to use in the field. | | Complete | | | | |
| 0805-3 | Tech-Crete LLC/Hawkins Inc. | Radcon Formula #7 Plus | A unique, non-volatile biological concrete sealer. | | Complete | | No Application | | Sep-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|--------------------------------|--|--|----------|--|---------------------|--|--------|
| 0805-2 | D & D Emulsions, Inc. | Jointbond | Synthetic emulsified petroleum resin for use as a longitudinal joint sealer in the road maintenance industry. | | Complete | | Withdrawn/No Action | | Sep-13 |
| 0805-1 | D & D Emulsions, Inc. | 3D-C New Style | Recycled Fabric Environmentally Friendly Reinforced, Green poly Recycled material. | | Complete | | | | |
| 0804-2 | Subac Underwater Cement | Subac Underwater Cement | Subac is a hand applied cement based concrete especially designed for tidal zones and underwater. | | Complete | | | | |
| 0804-1 | Agro America and Trolinging Pipe Renovation Systems | Sure Grip and Trolinging | Manholes, Lift stations, wet well, bow & open culverts, tunnels, tanks digesters and treatment plants. | | Complete | | Project to Project | | Jul-10 |
| 0803-1 | Plastic Solutions, Inc. | StormRax | | | Complete | | No Application | | Jun-08 |
| 0802-6 | Deery American Corporation, Inc. | Deery ThermaCrete Level and Go | Hot applied, polymetric, gray colored, cementitious repair mastic, composed of high quality presoftened resin binders, modifiers and closely graded aggregate. | | Complete | | Withdrawn/No Action | | Sep-13 |
| 0802-5 | Formtech Enterprises, Inc. | Truline | Truline is a vinyl form providing engineering versatility suitable for seawalls bulkheads, cut-off and retention walls. | | Complete | | Withdrawn/No Action | | Sep-13 |
| 0802-4 | Organic Growing Systems | Top Organic Fertilizer | Top Organic Fertilizer 4-2-2 is derived from processed pelletized poultry litter. | | Complete | | Withdrawn/No Action | | Sep-13 |
| 0802-2 | ITS Plus, Inc. | Camera | Product allowany agency to convert their traffic signal into a sensor platform with up to 15 different types of sensors (eyes, ears, noses). | | Complete | | Accepted | | Jun-08 |
| 0802-1 | Decker Supply Company | Illuminated Street Signs | Product allowany agency to upgrade their existing signage to an internal illuminated system with reduced maintenance and power costs. | | Complete | | Accepted | | Aug-13 |
| 0801-3 | MC Precast, Inc. | Stone Strong Systems | Precast engineered retaining wall system that features 24 sq 6000lbs block. | | Complete | | Accepted | | Mar-09 |
| 0801-2 | Atlantic Traffic Supply, LLC | Arrow Disk | The product emphasises the selected arrowboard future by outling the arrow with a florescent, reflective orange disk. | | Complete | | Rejected | | Aug-13 |
| 0801-1 | CeraTech, Inc. | Redi Max | A versatile, green-sustainable, high-performance structural concrete with high early strenghts. | | Complete | | Accepted | | Mar-10 |
| 0711-1 | Tri-American | TA-500 Loop Sealant | Single component asphaltic emulsion sealant designed to fill and seal inductive loop slots. | | Complete | | | | Sep-09 |
| 0710-1 | Commercail Fabric. | C-P.O.P | Same as type 1 with middle weight pre-assemble, very easy to install. | | Complete | | Accepted | | Sep-07 |
| 0709-1 | Crafco Inc. | High Friction Surface | Epoxy polymer Overlay System that provides multi-purpose high fricture surface for asphalt concrete or portland cement concrete pavement and other surfaces. | | Complete | | Accepted | | Sep-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---------------------------------|--|---|--|----------|--|---------------------|--|--------|
| 0708-5 | Dent Breakaway Industries | Dent Fuse Plate | A fuse plate that is mounted into the web section of a wide flange post or I-Beam post. | | Complete | | Accepted | | Dec-07 |
| 0708-4 | Epoplex | Safe-T-Grip | A 2 component 100% solids epoxy hybrid resin which has a top dressing of highly skid-resistant aggregate such as Bauxite. | | Complete | | Accepted | | Jun-07 |
| 0708-3 | Traffic Calming, USA | Brickprint | BrickPrint is a hot-applied stamped synthetic asphalt that is colored throughout which replicate brick paving but is laid 3/4 inch thick onto existing asphalt or concrete surface. | | Complete | | Accepted | | Jun-09 |
| 0708-2 | BirdMaster | Bird Bellows | Bird Bellows is an effective barrier that provides a defense against roosting and nesting pest bird such as pigeons. | | Complete | | No Application | | Nov-07 |
| 0708-1 | ENCAP, LLC | PAM-12 | PAM-12 is a recycled paper byproduct made into a spreadable mulch granule. | | Complete | | Withdrawn/No Action | | Aug-13 |
| 0707-1 | Nordoloh Industries LLC. | Autoblanket Staple. | Autoblanket Macine rolls out and staples erosion control blankets to the ground. | | Complete | | | | |
| 0706-5 | Highway Safety Speciaists | Concrete Barrier Reflector | Provide roadside reflectance along either temporary or permanent barriers in the highway, during bad weatehr and night time driving. | | Complete | | No Application | | Nov-07 |
| 0706-4 | BASF Construction Chemical, LLC | PS 1473 | PS 1473 is a Rheology Controlling Admixture designed to improve the response to vibrations of low -slump concrete mixture used for paving applications. | | Complete | | | | Oct-07 |
| 0706-3 | Reflexite Americas | Reflexite Resilience Channelizer Tape | Tough weather resistant, highly reflective reboundable sheeting designed for rugged construction work zone use. | | Complete | | No Application | | Oct-07 |
| 0706-2 | Highway Safety Speciaists | Easy View Reflector | Provide roadside reflectance along either temporary or permanent barriers in the highway, during bad weather and night time driving. | | Complete | | | | Oct-07 |
| 0706-1 | Sekiisui SPR Americas LLC | Spiral Wound Pipe Renewal | Chemical resistant with structural enhancement rehabilitation of large diameter (42" and above) saitary, storm and combined sewer system. | | Complete | | Project to Project | | Jun-10 |
| 0705-7 | QPC Fiber Optic Inc. | Stinger Modular System | QPL's stinger Modular System is a compact, flexible method of terminating fiber optic cables. | | Complete | | Accepted | | Sep-08 |
| 0705-6 | The Yodock Wall Company, Inc. | Model 2001SL | Plastic water ballasted interconnected channel. It has a positive interlock between units. | | Complete | | No Application | | Jun-08 |
| 0705-5 | Off the wall products | Barrier MB2X45 LCB and MB42X72 JSS LCB | MB42X45 LCB: 42" high, 45" wide, 23.5" deep, wall thickness, 44lbs empty: 760 lbs maximum, must be ballasted with 8.8 gallons of water per piece when used as LCB. | | Complete | | No Application | | Jun-08 |
| 0705-4 | Ennis Paint Company | Imprint | A decurative system consisting of a hot applied polymer resin surfacing material that is imprinted to produce a brick/paver type permanent finish that will de-bond or break loose from the sub-pavement. | | Complete | | Accepted | | Aug-07 |
| 0705-3 | Oldcastle Precast Inc. | Split Box Action-Type I | Two Piece Precast Box Culvert | | Complete | | Accepted | | Jun-07 |
| 0705-2 | Impact Recovery Systems, Inc. | Tuff Curb | High Performance traffic separator curb with spring activated uplight available in a wide variety of designs. | | Complete | | Action Pending | | Nov-11 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--------------------------------------|------------------------------------|--|----|----------|----|---------------------|----|--------|
| 0705-1 | Information Display Company | adb Speed Check | Radar Speed display signs. | | Complete | | Accepted | | Mar-08 |
| 0704-5 | NPC | FlexRib Frame-Chimney Seal | The FlexRib rubber sleeve and stainless steel bend are expanded into place between the manhole frame and cone forming a permanent monolithic. | | Complete | | Action Pending | | Jun-07 |
| 0704-4 | TAG International, Inc. | mlsb Mini-Hump | MLSB Mini-Hump are a very effective means of controlling traffic. | | Complete | | No Application | | Jun-07 |
| 0704-3 | A.W Cook Cement Products, Inc. | Cook Brand Rapid Cure Repair | Rapid setting cement / sand grout. | | Complete | | | | Jun-07 |
| 0704-2 | Seminole Precast Manufacturing, Inc. | Temporary Low Profile Traffic Curb | High visibility in 45 miles/ hour | | Complete | | | | Jul-07 |
| 0704-1 | Filtrexx International, LLC | Silt Sox | Perimeter control of sediment, sediment control barrier. | | Complete | | | | Mar-07 |
| 0703-1 | Gerdau Ameristeel | ZBAR | ZBAR can be used in harsh, aggressive environments where a higher degree of corrosion protection is needed. | | Complete | | | | Sep-07 |
| 0702-2 | Mitsubishi Chemical FP America Inc. | Alpolic 350 | Permanent roadside and overhead signs - mounted with or without sign bracing according to GDOT standards. | | Complete | | | | Sep-07 |
| 0702-1 | Underground Technologies LLC. | IPS Polymers | Composite Manhole Frame and Cover Grade Adjustment Ring. | | Complete | | | | Sep-07 |
| 0701-4 | American Polymer Corps | Bonduit | Bonduit conduit adhesive is a two part rapid cure resin system designed to bond polyethylene, PVC, fiberglass, metal and composites. | | Complete | | | | Mar-07 |
| 0701-3 | Unitex | Pro-poxy 400 | Anchoring Rebar , Threaded rod and epoxy coated dowels in concrete, brick or stone masonry. | | Complete | | Rejected | | Dec-09 |
| 0701-2 | Friendly Environment | Erosion EEL | Sediment Retention Filter Roll | | Complete | | Accepted | | Apr-08 |
| 0701-1 | Rolanka International Inc. | BioD-SiltCheck | Check dam /ditch check / sediment barrier made of 100% bindegeble coconut fiber. | | Complete | | | | |
| | | | | | | | | | |
| | UltraTech International, Inc. | "Ultra-BasinGuard®" | "Ultra-BasinGuard®" - A highly effective "Catch Basin BMP" designed to filter sediment, oil and debris from stormwater runoff. The device is a simple to install, cost effective means of removing pollutants from stormwater as it | -- | Complete | -- | Withdrawn/No Action | -- | Oct-15 |
| 0604-4 | UltraTech International, Inc. | "Ultra-Dewatering Bag®" | "Ultra-Dewatering Bag®" - A cost effective filtration device designed to capture sediment, oil and debris from water. Made with a pervious geotextile material, the product is simple to install and very efficient as filtering and | -- | Complete | -- | Withdrawn/No Action | -- | Sep-10 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-------------------------------|--|--|----|----------|----|----------------------------------|----|---------|
| 0604-3 | UltraTech International, Inc. | "Ultra-Drain Guard®" | "Ultra-Drain Guard®" - The Ultra-DrainGuard is a highly effective "Catch Basin Insert" designed to filter sediment, oil and debris from stormwater runoff. The device is a simple to install, cost effective means of removing | -- | Complete | -- | No Application | -- | Aug-09 |
| 0604-2 | UltraTech International, Inc. | "Ultra-Storm Wattle®" | "Ultra-Storm Wattle®" - Sometimes referred to as fiber rolls or fiber logs, StormWattles can be used instead of silt fence to reduce erosion control at construction sites. The units stop sediment and other debris from entering | -- | Complete | -- | Accepted | -- | #VALUE! |
| 0604-1 | Grace Composites | "Fiberglass Deck Drain System" | "Fiberglass Deck Drain System" - Thermoset fiberglass pipe and fittings for deck drains. | -- | Complete | -- | Accepted | -- | #VALUE! |
| 0603-3 | Armorcast Products Company | "Armorcast Detectable Warning Panels & Tiles" | "Armorcast Detectable Warning Panels & Tiles" - Detectable Warning Panel "Wet Set" and Tiles "retro fit" made in compliance with all Federal, DOT and CADOT stds. | -- | Complete | -- | Accepted | -- | May-07 |
| 0603-2 | Tech-Crete LLC/Hawkins Inc. | "Radcon Formula #7" | "Radcon Formula #7" - Radcon Formula #7 is a biochemically modified sodium silicate solution that is spray applied to cured concrete. As process the product penetrates and reacts with the concrete forming a subsurface | -- | Complete | -- | No Application | -- | Apr-07 |
| 0603-1 | Xpotential Products Inc. | "Xpotential Products Inc." | "Xpotential Products Inc." - Composite timbers, parking curb, and other materials manufactured from 100% recycled products and have a life expectancy of 75-100 years. | -- | Complete | -- | Accepted | -- | Mar-07 |
| 0602-5 | Globalnologies Corporation | "Globalnologies Corporation" | "Globalnologies Corporation" - The Tri-Flextor is a revolutionary higher visibility "roadside marker" specifically designed to reduce deaths and/or injuries in DOT's work zones, road construction sites, general traffic safety | -- | Complete | -- | No Application | -- | Feb-07 |
| 0602-4 | Chemical Resource Corp. | "DOT Pothole Filler" | "DOT Pothole Filler" - CRC - Pothole filler is a blend of asphalt and polymers to create liquid rubberized pothole filler. CRC-Pothole Filler sets by mixing the CRC ACTIVATOR with CRC Pothole Filler. CRC Pothole Filler is self | -- | Complete | -- | Withdrawn/No Action | -- | Jan-06 |
| 0602-3 | De-Tech Manufacturing, Inc. | "(HDR) Heavy Duty Rubber Preformed Detection Loop" - | "(HDR) Heavy Duty Rubber Preformed Detection Loop" - Preformed detection loop. | -- | Complete | -- | *Approved | -- | Dec-05 |
| 0602-2 | Volm Bag Company, Inc. | "Erosion Control Filter Bag" | "Erosion Control Filter Bag" - The bag is 17"x30" made with Raschel warp knitted lockstitch fabric containing UV Inhibitor and Color Fastness. The fabric is manufactured from High Density Polyethylene - 80% fabric closure | -- | Complete | -- | Withdrawn/No Action | -- | Nov-05 |
| 0602-1 | Safety Technologies | "Auto Flagger" | "Auto Flagger" | -- | Complete | -- | Project to Project | -- | Oct-04 |
| 0601-4 | Penda Corporation | "Smart Ditch" | "Smart Ditch" - Thermoformed HOPE Plastic Ditch Liner in 7.5-8.0 foot lengths in various sizes and profiles. | -- | Complete | -- | No Application | -- | Sep-04 |
| 0601-3 | R.J.Watson, Inc. | "Zedseal" | "Zedseal" - Co-Polymer Foam Expansion Joint Seal | -- | Complete | -- | Withdrawn/No Action | -- | Aug-04 |
| 0601-2 | ICS/Penetron | "Penetron Admix" | "Penetron Admix" | -- | Complete | -- | Withdrawn/No Action | -- | Jul-04 |
| 0601-1 | ICS/Penetron | "Penetron" | "Penetron" | -- | Complete | -- | No Application | -- | Jun-04 |
| 0512-4 | Swarco Futurit Ges.M.B.H. | "LaneLight" | "LaneLight" - Led in pavement signalling device/system. | -- | Complete | -- | Project to Project Site Specific | -- | May-03 |
| 0512-3 | Mulch & Seed Innovations, LLC | "GEO Skin Cotton Hydromulch" | "GEO Skin Cotton Hydromulch" - GEO Skin Hydro Mulch is made of Straw and Cotton Bio Mass with Tacafire (Pam). | -- | Complete | -- | Accepted | -- | Apr-03 |
| 0512-2 | Propex Fabrics, Inc. | "Action Gro, Style 4865" | "Action Gro, Style 4865" - Polypropylene open weave fabric. | -- | Complete | -- | No Application | -- | Mar-03 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|----------------------------------|---|---|----|----------|----|---------------------|----|--------|
| 0512-1 | Propex Fabrics, Inc. | "PetroGrid, Style 4582" | "PetroGrid, Style 4582" - Composite glass fiber grid and fabric pavement interlayer. | -- | Complete | -- | No Application | -- | Feb-03 |
| 0511-5 | Engineered Tire Structures, Inc. | "EcoFlex, E Wall, E Pave, E Rosion Control" | "EcoFlex, E Wall, E Pave, E Rosion Control" - Specially procesesed whole waste truck & OTR tires are used with carefully selected aggregate material (like sand, crushed recycled concrete or 3/4" cobble) and selected geotextile | -- | Complete | -- | No Application | -- | Jan-14 |
| 0511-4 | Apex Resources | "EcoGel" | "EcoGel" - Water Retention Agent - Used in Hydraulically applied mulches. | -- | Complete | -- | Withdrawn/No Action | -- | Dec-13 |
| 0511-3 | St. Gobain Tech. Fabrics | "Glasgrid" | "Glasgrid" - The reinforcement mesh is a black knitted, glass fiber strand grid, coated with an elastomeric polymer with a self-adhesive backing. The mesh nominal opening size is either 0.5" x 0.5", or 1" x 1". | -- | Complete | -- | No Application | -- | Nov-13 |
| 0511-2 | North American Green | "P550" | "P550" - Permanent, ultra high strength, three-dimensional matting structure incorporated with a 100% polypropylene fiber matrix, swen together on 1.5 inch centers | -- | Complete | -- | Accepted | -- | Oct-13 |
| 0511-1 | Western Excelsior | "EXCEL-SR-1" | "EXCEL-SR-1" - Erosion Control Blanket (ECB) consisting of certified weed free wheat straw stitch bound to a single, photodegradable synthetic net. | -- | Complete | -- | No Application | -- | Sep-12 |
| 0510-6 | TGM Signs | "Miller Post Plate Guard" | "Miller Post Plate Guard" - Base plate attachment for type 7 DOT sign post used on traffic control signs - with neoprene boot to prevent trip hazard. | -- | Complete | -- | No Application | -- | Aug-12 |
| 0510-5 | Horizon Signal Technologies | "SQ2 Portable Traffic Signal" | "SQ2 Portable Traffic Signal" - Utilizes standard 3 indication (red/amber/green) signal head with 12" diameter LED lights; can be operated with a handheld wireless remote | -- | Complete | -- | No Application | -- | Jul-12 |
| 0510-4 | Henkel-Loctite | "Magna-Crete" | "Magna-Crete" - FAST all-weather concrete repair system. A high-performance product that reaches conventional concrete strength of 3,000 psi within 2 hours and at full cure over 13,000 psi. Will not shrink or crack | -- | Complete | -- | Withdrawn/No Action | -- | Jun-12 |
| 0510-3 | Loctite | "BigFoot Heavy Duty Pedestrian Grade Safety Yellow (Anti Slip)" | "BigFoot Heavy Duty Pedestrian Grade Safety Yellow (Anti Slip) - Big Foot is the strongest, most aggressive anti-slip product available. Increases safety of walkways, ramps, stairs, decks, docks and anywhere safety is a concern | -- | Complete | -- | No Application | -- | May-12 |
| 0510-2 | Loctite | "Fixmaster® Concrete Repair Stick" | "Fixmaster® Concrete Repair Stick" | -- | Complete | -- | No Application | -- | Apr-11 |
| 0510-1 | Allied Plastics, Inc. | "Multicade" | "Multicade" - Collapsible Triangular Shape Multipurpose Barricade | -- | Complete | -- | Withdrawn/No Action | -- | Mar-11 |
| 0509-2 | Gibraltar | "Gibraltar" TL-4 | "Gibraltar" - High Tension Cable Barrier System TL-4 NCHRP Report 350 Accepteded | -- | Complete | -- | Accepted | -- | Feb-11 |
| 0507-4 | Gibraltar | "Gibraltar"TL-3 | "Gibraltar" - High Tension Cable Barrier System TL-3 NCHRP Report 350 Accepteded | -- | Complete | -- | Accepted | -- | Jan-11 |
| 0509-1 | Degussa Corporation | "Protectosil CIT" | "Protectosil CIT" - Protectosil CIT is a clear surface-applied corrosion inhibitor that penetrates deep to protect steel reinforced concrete. Protectosil CIT's organofunctional chemistry re-passivates steel and interrupts the | -- | Complete | -- | Withdrawn/No Action | -- | Dec-10 |
| 0508-3 | HIL-Tech Ltd. | "LEDline®" | "LEDline®" - LEDlineDVTM (semi-directional) and LEDlineHBTM (omni-directional) products are designed to provide guidance during the day or night, increasing the safety of people and vehicles, by making critical | -- | Complete | -- | No Application | -- | Nov-10 |
| 0508-2 | Metretek Inc. | "Invisiconnect" | "Invisiconnect" - Server software and cellular client hardware for telemetry system connectivity, via TCP/IP. | -- | Complete | -- | Accepted | -- | Oct-09 |
| 0508-1 | Secure Piers, LLC | "Helipost" | "Helipost" - Is a 100% hot-dipped galvanized steal foundation that is torque-driven in the soil ready for load bearing. | -- | Complete | -- | Withdrawn/No Action | -- | Sep-07 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---------------------------------------|---|----|----------|----|-----------------------------------|----|--------|
| 0507-5 | Cape Fear Systems, III, LLC | "Alert-Tile" | "Alert-Tile" - Rigid surface applied detectable warning system for wheelchair ramps. Made from proprietary resin composite with excellent wear and slip resistance. | -- | Complete | -- | Accepted | -- | Aug-09 |
| 0507-3 | Zumar Industries | "Next Step-Detectable Warning System" | "Next Step-Detectable Warning System" - Product is a single layered, truncated domes sized and spaced to ADA requirements and pigment colored to provide 70% color contrast ratio to concrete surfaces. | -- | Complete | -- | Accepted | -- | Jul-08 |
| 0507-2 | Cold Spring Granite Company | "Truncated Dome Pavers" - | "Truncated Dome Pavers" - Natural granite pavers available in 4 different sizes and thicknesses and 9 different colors. Raised domes specified by the ADAAG (American Disabilities Act Accessibility Guidelines). | -- | Complete | -- | Accepted | -- | Jun-08 |
| 0507-1 | Intuitive Control Systems, LLC dba All Traffic Solutions | "SPEEDsentry @Radar" | "SPEEDsentry @Radar Speed Display Sign on ATS Trailer" - Effectively calms traffic and improves safety by informing motorists of traveling speeds. The SPEEDsentry is available in three sizes with 12" digits, 15" digits or 18" digits. | -- | Complete | -- | No Application | -- | May-08 |
| 0506-2 | Zurn Industries | "FLO-THRU" | "FLO-THRU" - Continuous trench drain systems which include interlocking channels, grates, catch basins. Systems are available in 6", 12", 18", and 21" wide. Grates have H-20 load rating and ADA compliance. | -- | Complete | -- | Accepted | -- | Apr-07 |
| 0506-1 | Enviroad, L.L.C. | "Earthbind 100" | "Earthbind 100" - Earthbind 100 is a high quality, versatile soil stabilization and dust control product made from environmentally safe paraffinic resins. | -- | Complete | -- | Withdrawn/No Action | -- | Mar-07 |
| 0505-9 | Applied Polymer Systems | "Floc Logs" | "Floc Logs" - A semi-hydrated polyacrylamide blend block. Size 13.5 in. x 8 in. x 4 in. Color varies with different logs. | -- | Complete | -- | Used at discretion of contractor. | -- | Feb-07 |
| 0505-8 | Kodi Klip | "Kodi Klip" | "Kodi Klip" - Kodi Klips made of polycarbonate plastic that are impervious to corrosion. Will not scar or cut protective coating. Simple downward movement. Push, place and snap. Color coded. Kodi Klip sticks available in 12, 15, 18, 21, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96, 102, 108, 114, 120, 126, 132, 138, 144, 150, 156, 162, 168, 174, 180, 186, 192, 198, 204, 210, 216, 222, 228, 234, 240, 246, 252, 258, 264, 270, 276, 282, 288, 294, 300, 306, 312, 318, 324, 330, 336, 342, 348, 354, 360, 366, 372, 378, 384, 390, 396, 402, 408, 414, 420, 426, 432, 438, 444, 450, 456, 462, 468, 474, 480, 486, 492, 498, 504, 510, 516, 522, 528, 534, 540, 546, 552, 558, 564, 570, 576, 582, 588, 594, 600, 606, 612, 618, 624, 630, 636, 642, 648, 654, 660, 666, 672, 678, 684, 690, 696, 702, 708, 714, 720, 726, 732, 738, 744, 750, 756, 762, 768, 774, 780, 786, 792, 798, 804, 810, 816, 822, 828, 834, 840, 846, 852, 858, 864, 870, 876, 882, 888, 894, 900, 906, 912, 918, 924, 930, 936, 942, 948, 954, 960, 966, 972, 978, 984, 990, 996, 1002, 1008, 1014, 1020, 1026, 1032, 1038, 1044, 1050, 1056, 1062, 1068, 1074, 1080, 1086, 1092, 1098, 1104, 1110, 1116, 1122, 1128, 1134, 1140, 1146, 1152, 1158, 1164, 1170, 1176, 1182, 1188, 1194, 1200, 1206, 1212, 1218, 1224, 1230, 1236, 1242, 1248, 1254, 1260, 1266, 1272, 1278, 1284, 1290, 1296, 1302, 1308, 1314, 1320, 1326, 1332, 1338, 1344, 1350, 1356, 1362, 1368, 1374, 1380, 1386, 1392, 1398, 1404, 1410, 1416, 1422, 1428, 1434, 1440, 1446, 1452, 1458, 1464, 1470, 1476, 1482, 1488, 1494, 1500, 1506, 1512, 1518, 1524, 1530, 1536, 1542, 1548, 1554, 1560, 1566, 1572, 1578, 1584, 1590, 1596, 1602, 1608, 1614, 1620, 1626, 1632, 1638, 1644, 1650, 1656, 1662, 1668, 1674, 1680, 1686, 1692, 1698, 1704, 1710, 1716, 1722, 1728, 1734, 1740, 1746, 1752, 1758, 1764, 1770, 1776, 1782, 1788, 1794, 1800, 1806, 1812, 1818, 1824, 1830, 1836, 1842, 1848, 1854, 1860, 1866, 1872, 1878, 1884, 1890, 1896, 1902, 1908, 1914, 1920, 1926, 1932, 1938, 1944, 1950, 1956, 1962, 1968, 1974, 1980, 1986, 1992, 1998, 2004, 2010, 2016, 2022, 2028, 2034, 2040, 2046, 2052, 2058, 2064, 2070, 2076, 2082, 2088, 2094, 2100, 2106, 2112, 2118, 2124, 2130, 2136, 2142, 2148, 2154, 2160, 2166, 2172, 2178, 2184, 2190, 2196, 2202, 2208, 2214, 2220, 2226, 2232, 2238, 2244, 2250, 2256, 2262, 2268, 2274, 2280, 2286, 2292, 2298, 2304, 2310, 2316, 2322, 2328, 2334, 2340, 2346, 2352, 2358, 2364, 2370, 2376, 2382, 2388, 2394, 2400, 2406, 2412, 2418, 2424, 2430, 2436, 2442, 2448, 2454, 2460, 2466, 2472, 2478, 2484, 2490, 2496, 2502, 2508, 2514, 2520, 2526, 2532, 2538, 2544, 2550, 2556, 2562, 2568, 2574, 2580, 2586, 2592, 2598, 2604, 2610, 2616, 2622, 2628, 2634, 2640, 2646, 2652, 2658, 2664, 2670, 2676, 2682, 2688, 2694, 2700, 2706, 2712, 2718, 2724, 2730, 2736, 2742, 2748, 2754, 2760, 2766, 2772, 2778, 2784, 2790, 2796, 2802, 2808, 2814, 2820, 2826, 2832, 2838, 2844, 2850, 2856, 2862, 2868, 2874, 2880, 2886, 2892, 2898, 2904, 2910, 2916, 2922, 2928, 2934, 2940, 2946, 2952, 2958, 2964, 2970, 2976, 2982, 2988, 2994, 3000, 3006, 3012, 3018, 3024, 3030, 3036, 3042, 3048, 3054, 3060, 3066, 3072, 3078, 3084, 3090, 3096, 3102, 3108, 3114, 3120, 3126, 3132, 3138, 3144, 3150, 3156, 3162, 3168, 3174, 3180, 3186, 3192, 3198, 3204, 3210, 3216, 3222, 3228, 3234, 3240, 3246, 3252, 3258, 3264, 3270, 3276, 3282, 3288, 3294, 3300, 3306, 3312, 3318, 3324, 3330, 3336, 3342, 3348, 3354, 3360, 3366, 3372, 3378, 3384, 3390, 3396, 3402, 3408, 3414, 3420, 3426, 3432, 3438, 3444, 3450, 3456, 3462, 3468, 3474, 3480, 3486, 3492, 3498, 3504, 3510, 3516, 3522, 3528, 3534, 3540, 3546, 3552, 3558, 3564, 3570, 3576, 3582, 3588, 3594, 3600, 3606, 3612, 3618, 3624, 3630, 3636, 3642, 3648, 3654, 3660, 3666, 3672, 3678, 3684, 3690, 3696, 3702, 3708, 3714, 3720, 3726, 3732, 3738, 3744, 3750, 3756, 3762, 3768, 3774, 3780, 3786, 3792, 3798, 3804, 3810, 3816, 3822, 3828, 3834, 3840, 3846, 3852, 3858, 3864, 3870, 3876, 3882, 3888, 3894, 3900, 3906, 3912, 3918, 3924, 3930, 3936, 3942, 3948, 3954, 3960, 3966, 3972, 3978, 3984, 3990, 3996, 4002, 4008, 4014, 4020, 4026, 4032, 4038, 4044, 4050, 4056, 4062, 4068, 4074, 4080, 4086, 4092, 4098, 4104, 4110, 4116, 4122, 4128, 4134, 4140, 4146, 4152, 4158, 4164, 4170, 4176, 4182, 4188, 4194, 4200, 4206, 4212, 4218, 4224, 4230, 4236, 4242, 4248, 4254, 4260, 4266, 4272, 4278, 4284, 4290, 4296, 4302, 4308, 4314, 4320, 4326, 4332, 4338, 4344, 4350, 4356, 4362, 4368, 4374, 4380, 4386, 4392, 4398, 4404, 4410, 4416, 4422, 4428, 4434, 4440, 4446, 4452, 4458, 4464, 4470, 4476, 4482, 4488, 4494, 4500, 4506, 4512, 4518, 4524, 4530, 4536, 4542, 4548, 4554, 4560, 4566, 4572, 4578, 4584, 4590, 4596, 4602, 4608, 4614, 4620, 4626, 4632, 4638, 4644, 4650, 4656, 4662, 4668, 4674, 4680, 4686, 4692, 4698, 4704, 4710, 4716, 4722, 4728, 4734, 4740, 4746, 4752, 4758, 4764, 4770, 4776, 4782, 4788, 4794, 4800, 4806, 4812, 4818, 4824, 4830, 4836, 4842, 4848, 4854, 4860, 4866, 4872, 4878, 4884, 4890, 4896, 4902, 4908, 4914, 4920, 4926, 4932, 4938, 4944, 4950, 4956, 4962, 4968, 4974, 4980, 4986, 4992, 4998, 5004, 5010, 5016, 5022, 5028, 5034, 5040, 5046, 5052, 5058, 5064, 5070, 5076, 5082, 5088, 5094, 5100, 5106, 5112, 5118, 5124, 5130, 5136, 5142, 5148, 5154, 5160, 5166, 5172, 5178, 5184, 5190, 5196, 5202, 5208, 5214, 5220, 5226, 5232, 5238, 5244, 5250, 5256, 5262, 5268, 5274, 5280, 5286, 5292, 5298, 5304, 5310, 5316, 5322, 5328, 5334, 5340, 5346, 5352, 5358, 5364, 5370, 5376, 5382, 5388, 5394, 5400, 5406, 5412, 5418, 5424, 5430, 5436, 5442, 5448, 5454, 5460, 5466, 5472, 5478, 5484, 5490, 5496, 5502, 5508, 5514, 5520, 5526, 5532, 5538, 5544, 5550, 5556, 5562, 5568, 5574, 5580, 5586, 5592, 5598, 5604, 5610, 5616, 5622, 5628, 5634, 5640, 5646, 5652, 5658, 5664, 5670, 5676, 5682, 5688, 5694, 5700, 5706, 5712, 5718, 5724, 5730, 5736, 5742, 5748, 5754, 5760, 5766, 5772, 5778, 5784, 5790, 5796, 5802, 5808, 5814, 5820, 5826, 5832, 5838, 5844, 5850, 5856, 5862, 5868, 5874, 5880, 5886, 5892, 5898, 5904, 5910, 5916, 5922, 5928, 5934, 5940, 5946, 5952, 5958, 5964, 5970, 5976, 5982, 5988, 5994, 6000, 6006, 6012, 6018, 6024, 6030, 6036, 6042, 6048, 6054, 6060, 6066, 6072, 6078, 6084, 6090, 6096, 6102, 6108, 6114, 6120, 6126, 6132, 6138, 6144, 6150, 6156, 6162, 6168, 6174, 6180, 6186, 6192, 6198, 6204, 6210, 6216, 6222, 6228, 6234, 6240, 6246, 6252, 6258, 6264, 6270, 6276, 6282, 6288, 6294, 6300, 6306, 6312, 6318, 6324, 6330, 6336, 6342, 6348, 6354, 6360, 6366, 6372, 6378, 6384, 6390, 6396, 6402, 6408, 6414, 6420, 6426, 6432, 6438, 6444, 6450, 6456, 6462, 6468, 6474, 6480, 6486, 6492, 6498, 6504, 6510, 6516, 6522, 6528, 6534, 6540, 6546, 6552, 6558, 6564, 6570, 6576, 6582, 6588, 6594, 6600, 6606, 6612, 6618, 6624, 6630, 6636, 6642, 6648, 6654, 6660, 6666, 6672, 6678, 6684, 6690, 6696, 6702, 6708, 6714, 6720, 6726, 6732, 6738, 6744, 6750, 6756, 6762, 6768, 6774, 6780, 6786, 6792, 6798, 6804, 6810, 6816, 6822, 6828, 6834, 6840, 6846, 6852, 6858, 6864, 6870, 6876, 6882, 6888, 6894, 6900, 6906, 6912, 6918, 6924, 6930, 6936, 6942, 6948, 6954, 6960, 6966, 6972, 6978, 6984, 6990, 6996, 7002, 7008, 7014, 7020, 7026, 7032, 7038, 7044, 7050, 7056, 7062, 7068, 7074, 7080, 7086, 7092, 7098, 7104, 7110, 7116, 7122, 7128, 7134, 7140, 7146, 7152, 7158, 7164, 7170, 7176, 7182, 7188, 7194, 7200, 7206, 7212, 7218, 7224, 7230, 7236, 7242, 7248, 7254, 7260, 7266, 7272, 7278, 7284, 7290, 7296, 7302, 7308, 7314, 7320, 7326, 7332, 7338, 7344, 7350, 7356, 7362, 7368, 7374, 7380, 7386, 7392, 7398, 7404, 7410, 7416, 7422, 7428, 7434, 7440, 7446, 7452, 7458, 7464, 7470, 7476, 7482, 7488, 7494, 7500, 7506, 7512, 7518, 7524, 7530, 7536, 7542, 7548, 7554, 7560, 7566, 7572, 7578, 7584, 7590, 7596, 7602, 7608, 7614, 7620, 7626, 7632, 7638, 7644, 7650, 7656, 7662, 7668, 7674, 7680, 7686, 7692, 7698, 7704, 7710, 7716, 7722, 7728, 7734, 7740, 7746, 7752, 7758, 7764, 7770, 7776, 7782, 7788, 7794, 7800, 7806, 7812, 7818, 7824, 7830, 7836, 7842, 7848, 7854, 7860, 7866, 7872, 7878, 7884, 7890, 7896, 7902, 7908, 7914, 7920, 7926, 7932, 7938, 7944, 7950, 7956, 7962, 7968, 7974, 7980, 7986, 7992, 7998, 8004, 8010, 8016, 8022, 8028, 8034, 8040, 8046, 8052, 8058, 8064, 8070, 8076, 8082, 8088, 8094, 8100, 8106, 8112, 8118, 8124, 8130, 8136, 8142, 8148, 8154, 8160, 8166, 8172, 8178, 8184, 8190, 8196, 8202, 8208, 8214, 8220, 8226, 8232, 8238, 8244, 8250, 8256, 8262, 8268, 8274, 8280, 8286, 8292, 8298, 8304, 8310, 8316, 8322, 8328, 8334, 8340, 8346, 8352, 8358, 8364, 8370, 8376, 8382, 8388, 8394, 8400, 8406, 8412, 8418, 8424, 8430, 8436, 8442, 8448, 8454, 8460, 8466, 8472, 8478, 8484, 8490, 8496, 8502, 8508, 8514, 8520, 8526, 8532, 8538, 8544, 8550, 8556, 8562, 8568, 8574, 8580, 8586, 8592, 8598, 8604, 8610, 8616, 8622, 8628, 8634, 8640, 8646, 8652, 8658, 8664, 8670, 8676, 8682, 8688, 8694, 8700, 8706, 8712, 8718, 8724, 8730, 8736, 8742, 8748, 8754, 8760, 8766, 8772, 8778, 8784, 8790, 8796, 8802, 8808, 8814, 8820, 8826, 8832, 8838, 8844, 8850, 8856, 8862, 8868, 8874, 8880, 8886, 8892, 8898, 8904, 8910, 8916, 8922, 8928, 8934, 8940, 8946, 8952, 8958, 8964, 8970, 8976, 8982, 8988, 8994, 9000, 9006, 9012, 9018, 9024, 9030, 9036, 9042, 9048, 9054, 9060, 9066, 9072, 9078, 9084, 9090, 9096, 9102, 9108, 9114, 9120, 9126, 9132, 9138, 9144, 9150, 9156, 9162, 9168, 9174, 9180, 9186, 9192, 9198, 9204, 9210, 9216, 9222, 9228, 9234, 9240, 9246, 9252, 9258, 9264, 9270, 9276, 9282, 9288, 9294, 9300, 9306, 9312, 9318, 9324, 9330, 9336, 9342, 9348, 9354, 9360, 9366, 9372, 9378, 9384, 9390, 9396, 9402, 9408, 9414, 9420, 9426, 9432, 9438, 9444, 9450, 9456, 9462, 9468, 9474, 9480, 9486, 9492, 9498, 9504, 9510, 9516, 9522, 9528, 9534, 9540, 9546, 9552, 9558, 9564, 9570, 9576, 9582, 9588, 9594, 9600, 9606, 9612, 9618, 9624, 9630, 9636, 9642, 9648, 9654, 9660, 9666, 9672, 9678, 9684, 9690, 9696, 9702, 9708, 9714, 9720, 9726, 9732, 9738, 9744, 9750, 9756, 9762, 9768, 9774, 9780, 9786, 9792, 9798, 9804, 9810, 9816, 9822, 9828, 9834, 9840, 9846, 9852, 9858, 9864, 9870, 9876, 9882, 9888, 9894, 9900, 9906, 9912, 9918, 9924, 9930, 9936, 9942, 9948, 9954, 9960, 9966, 9972, 9978, 9984, 9990, 9996, 10002, 10008, 10014, 10020, 10026, 10032, 10038, 10044, 10050, 10056, 10062, 10068, 10074, 10080, 10086, 10092, 10098, 10104, 10110, 10116, 10122, 10128, 10134, 10140, 10146, 10152, 10158, 10164, 10170, 10176, 10182, 10188, 10194, 10200, 10206, 10212, 10218, 10224, 10230, 10236, 10242, 10248, 10254, 10260, 10266, 10272, 10278, 10284, 10290, 10296, 10302, 10308, 10314, 10320, 10326, 10332, 10338, 10344, 10350, 10356, 10362, 10368, 10374, 10380, 10386, 10392, 10398, 10404, 10410, 10416, 10422, 10428, 10434, 10440, 10446, 10452, 10458, 10464, 10470, 10476, 10482, 10488, 10494, 10500, 10506, 10512, 10518, 10524, 10530, 10536, 10542, 10548, 10554, 10560, 10566, 10572, 10578, 10584, 10590, 10596, 10602, 10608, 10614, 10620, 10626, 10632, 10638, 10644, 10650, 10656, 10662, 10668, 10674, 10680, 10686, 10692, 10698, 10704, 10710, 10716, 10722, 10728, 10734, 10740, 10746, 10752, 10758, 10764, 10770, 10776, 10782, 10788, 10794, 10800, 10806, 10812, 10818, 10824, 10830, 10836, 10842, 10848, 10854, 10860, 10866, 10872, 10878, 10884, 10890, 10896, 10902, 10908, 10914, 10920, 10926, 10932, 10938, 10944, 10950, 10956, 10962, 10968, 10974, 10980, 10986, 10992, 10998, 11004, 11010, 11016, 11022, 11028, 11034, 11040, 11046, 11052, 11058, 11064, 11070, 11076, 11082, 11088, 11094, 11100, 11106, 11112, 11118, 11124, 11130, 11136, 11142, 11148, 11154, 11160, 11166, 11172, 11178, 11184, 11190, 11196, 11202, 11208, 11214, 11220 | | | | | | |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-----------------------------------|---|---|----|----------|----|---|----|--------|
| 0502-3 | Hancor, Inc. | "Ecofirst" | "Ecofirst" - High Density Polyethylene Storm Pipe > 50% recycled content. | -- | Complete | -- | Withdrawn/No Action | -- | Oct-06 |
| 0502-2 | Trinity Industries, Inc.'s | "CASS (Cable Safety System)" | "CASS (Cable Safety System)" - NCHRP Report 350 compliant high tension cable barrier system, comprised of 3 pre-stretched cables installed within slotted, galvanized steel C-channel CASS Posts, and is designed to be | -- | Complete | -- | Accepted | -- | Sep-05 |
| 0502-1 | Five Star Products Inc. | "Five Star® Elastomeric Grout" | "Five Star® Elastomeric Grout" - Specially Designed for light rail transportation grouting. 2 component polymers plus aggregate that imparts vibration and sound damping combined with exceptional electrical | -- | Complete | -- | No Application | -- | Aug-03 |
| 0501-3 | Digital Markings, Ltd. | "FastMark" | "FastMark" - Stick down preformed thermoplastic road marking material requiring no heat for installation. Available in white, yellow, blue, red, and other colors. | -- | Complete | -- | Withdrawn/No Action | -- | Jul-03 |
| 0501-2 | Plastic Safety Sytems, Inc. | "BAM™ Delineator" | "BAM™ Delineator" - A delineator created for installations where impacts are probable. | -- | Complete | -- | No Application | -- | Jun-03 |
| 0501-1 | Crystal Stream Technologies | "Crystal Stream Storm Water" | "Crystal Stream Storm Water" - Storm water pollution removal system using hydrodynamic separation and filtration. | -- | Complete | -- | No Application | -- | May-03 |
| 0412-2 | Giralt Enterprises, Inc | Aluminum Picket Handrail/using snap-on spacer that require no welding | Aluminum Picket Handrail/using snap-on spacer that require no welding | -- | Complete | -- | Accepted | -- | Apr-03 |
| 0412-1 | Terra Novo | "EarthGuard Fiber Matrix" | "EarthGuard Fiber Matrix" /Liquid blend of soil stabilizers applied in combination with fiber/mulch for erosion control | -- | Complete | -- | Accepted | -- | Mar-02 |
| 0410-2 | Hartman Products, LP | "HartmanEW" endwall system | "HartmanEW" endwall system is a polyehtylene stay-in-place form for endwalls or headwalls for drainage pipe | -- | Complete | -- | Accepted | -- | Feb-02 |
| 0410-1 | East Coast Erosion Blankets, LLC | "ECSC-2" | "ECSC-2" Erosion protection and the establishment of vegetation w/24months of turf reinforcement. Used in moderate to heavy flow rainfall and runoffs, and on slopes up to 1:1 grade. This is made of a straw and | -- | Complete | -- | Accepted | -- | Jan-02 |
| 0408-1 | RAI Products | "Pro-Seal 6006" Loop Sealant | "Pro-Seal 6006" Loop Sealant | -- | Complete | -- | Accepted | -- | Dec-12 |
| 0407-7 | American Signal Company | "CMS-GP-432T" full matrix changeable message sign that is mounted on a trailer or | "CMS-GP-432T" full matrix changeable message sign that is mounted on a trailer or truck. This product currently is smaller than the specified CMS. | -- | Complete | -- | No Application | -- | Oct-12 |
| 0407-6 | Ambex Concrete Technologies, Inc. | "Ambex Anchoring Capsules" | "Ambex Anchoring Capsules" are cementitious encapsulated grout. | -- | Complete | -- | Maybe an alternate to Epoxy Resin Adhesive for placement of rebar | -- | Sep-10 |
| 0407-5 | Barrier Systems, Inc. | "Safeguard Link System" | "Safeguard Link System" is a positive barrier seperation in short-term construction work zones. Can be linked together. Easily moved by hand or can be towed by a pickup truck. | -- | Complete | -- | Accepted | -- | Aug-10 |
| 0407-4 | Barrier Systems, Inc. | "Safeguard Gate System" | "Safeguard Gate System" is heavily reinforced galvanized steel barriers. Permanent barriers for emergency vehicles and maintenance crews access & egress. Needs no electrical power, manually operated. | -- | Complete | -- | Accepted | -- | Jul-08 |
| 0407-3 | TAPCO | "Blinker Paddie" | "Blinker Paddie" is an attention grabbing, hand held LED enhanced traffic paddle. MUTCD approved. Rechargeable AC/DC adaptable battery. | -- | Complete | -- | Accepted | -- | Jun-07 |
| 0407-2 | TAPCO | "Day-Viz" | "Day-Viz" is a MUTCD approved. High tech traffic signs feature bright flasing LED's that maximize their brightness during the daytime. Automatic dimming feature during dusk. Solar powered panel and box. | -- | Complete | -- | Accepted | -- | Nov-07 |
| 0407-1 | TAPCO | "Original Blinker Stop-Blinker Signs" | "Original Blinker Stop-Blinker Signs" is MUTCD approved. LED enhanced solar powered traffic signs. | -- | Complete | -- | Accepted | -- | May-07 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|---------|----------------------------------|---|---|----|----------|----|---------------------|----|--------|
| 0406-3 | U.S. Traffic Corporation | "Powerback 2000 ITS" | "Powerback 2000 ITS" is a 1500 watt battery back up for traffic intersection control, including inverter, battery, switch assembly, battery cable, and enclosure if required. | -- | Complete | -- | Withdrawn/No Action | -- | Apr-07 |
| 0406-2 | U.S. Traffic Corporation | "Powerback 1250" | "Powerback 1250" is a 875 watt battery back up system for traffic intersection control including inverter, battery, switch assembly, battery cables, and enclosure if required. | -- | Complete | -- | Accepted | -- | Mar-07 |
| 0406-1 | The Hollaender Manufacturing Co. | "Speed-Rail® Interna-Rail®" | "Speed-Rail® Interna-Rail®" is a structural slip-on aluminum pipe fitting. Aluminum Alloy 535. | -- | Complete | -- | Withdrawn/No Action | -- | Feb-07 |
| 0405-9 | MC Precast, Inc. | "Cellular Wall Panel" | "Cellular Wall Panel" is a cellular wall panels are precast concrete panels made with cellular concrete. Portland cement, fine aggregate, protein based admixture, welded wire reinforcement. | -- | Complete | -- | No Application | -- | Jan-07 |
| 0405-8 | Shakespeare Composite Structures | "Shakespeare Composite Structure" | "Shakespeare Composite Structure" is a road lighting and luminary support. Fiber reinforced composites. | -- | Complete | -- | No Application | -- | Nov-09 |
| 0405-7 | Redmond Minerals | "Meltdown 20" | "Meltdown 20" is a high performance - low corrosive granular road deicer. Melts ice and snow extremely fast, melts to zero degrees, requires low spread rates. A food grade liquid deicer and corrosive inhibitor. | -- | Complete | -- | Withdrawn/No Action | -- | Oct-09 |
| 0405-6 | Owens Corning/Trumbull | "TruPave Paving Mat" | "TruPave Paving Mat" is used to enhance the performance of the pavement by retarding reflective cracking and alligatoring. 60% fiberglass and 40% polyester fabric. | -- | Complete | -- | Withdrawn/No Action | -- | Sep-09 |
| 0405-5 | Sealing Systems, Inc. | "Flex-Seal Utility Sealant" | "Flex-Seal Utility Sealant" is to prevent inflow/infiltration in manholes or catch basins. Aromatic Urethane. | -- | Complete | -- | Withdrawn/No Action | -- | Aug-08 |
| 0405-4 | Sealing Systems, Inc. | "Infi-Shield" | "Infi-Shield" is an external seal that prevents infiltration in the grade adjustment ring area or joint section. EPDM rubber with non-hardening butyl mastic. | -- | Complete | -- | Withdrawn/No Action | -- | Jul-08 |
| 0405-3 | Construction Products | "Armour Tile" | "Armour Tile" is a tile used to meet the ADA requirements that has domes per the GA DOT specification. | -- | Complete | -- | Accepted | -- | Jun-08 |
| 0405-2 | Hobas Pipe USA, Inc. | "Centrifugally Cast Fiberglass Mortar Pipe" | "Centrifugally Cast Fiberglass Mortar Pipe" is an economical, large diameter, and high stiffness pipe with inherent corrosion resistance. This is a glass-fiber reinforced, aggregate fortified, thermosetting resin tubular product. | -- | Complete | -- | Site Specific | -- | May-08 |
| 0405-14 | Poly-carb, Inc. | "Mark 77-3" | "Mark 77-3" is a permanent Anti-Graffiti System for concrete substrates made of Epoxy Urethane System. | -- | Complete | -- | Accepted | -- | Apr-08 |
| 0405-13 | Commercial Fabrics | "PolyPost" | "PolyPost" is a 4 feet tall triangular post with side 1.5"X1.5"X1.5" stud post made from recycled material with steel inserts for superior durability. | -- | Complete | -- | Rejected | -- | Mar-08 |
| 0405-12 | Hudson Oil (was Ergon) | "PASS" | "PASS" is a cationic asphalt emulsion. Rejuvenates underlying pavement. Technical representation by Western Emulsions and Sales representation by Envirotech Services. | -- | Complete | -- | Withdrawn/No Action | -- | Feb-08 |
| 0405-11 | Ergon | "EnviRoad Base (CBS-1)" | "EnviRoad Base (CBS-1)" is a polymer modified cationic Asphalt Emulsion. Soil/base stabilization. | -- | Complete | -- | No Application | -- | Jan-08 |
| 0405-10 | Ergon | "EnviRoad Prime (CPC-1)" | "EnviRoad Prime (CPC-1)" is a polymer modified Cationic Asphalt Emulsion. | -- | Complete | -- | Withdrawn/No Action | -- | Dec-07 |
| 0405-1 | Envirotech Services | "EnviRoad Thaw 20" | "EnviRoad Thaw 20" is a very viscous deicing liquid designed for application to stockpiles of salt, sand and other aggregates. 30% magnesium chloride solution blended with a higher concentration of agriculturally engineered corn. | -- | Complete | -- | Withdrawn/No Action | -- | Nov-07 |
| 0404-1 | Envirotech Services | "EnviRoad Thaw 10" | "EnviRoad Thaw 10" is a high performance low corrosive liquid deicer for direct application to the pavement to melt ice and snow. 30% magnesium chloride blended with a higher concentration of agriculturally engineered corn. | -- | Complete | -- | Withdrawn/No Action | -- | Oct-07 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|---|---|----|----------|----|---------------------|-----------------------------------|--------|
| 0403-1 | Safety Barriers, Inc. | "Safety Barriers's SB-1-TL Series" | "Safety Barriers's SB-1-TL Series" is a polyethylene portable water ballasted barrier for workzone protection. | -- | Complete | -- | Accepted | | Sep-07 |
| 0402-3 | Cyro Industries | "Paraglas Soundstop® Ready fit noise barrier panel" | "Paraglas Soundstop® Ready fit noise barrier panel" is a transparent noise barrier panel in a prefabricated steel frame assembly designed to be compatible with post used for standard concrete or steel post and panel | -- | Complete | -- | No Application | | Aug-07 |
| 0402-2 | MAC-PRODUCTS, INC. | "MACBRIC-200™" | "MACBRIC-200™" is a two component, flexible, acrylic polymer modified, fiber reinforced, cementitious, spray applied resurfacing material. The product is applied at 3/16" thickness, requires not primers or sealers. | -- | Complete | -- | Site Specific | | Jul-07 |
| 0402-1 | Ennis-Flint (Formally: Flint Trading (2012-2011) Integrated Paving Concepts | "DuraTherm" | "DuraTherm" (Formally: "Street Print Dura Therm Inlaid Thermoplastic") is a highly decorative inlaid thermoplastic with dramatic patterns and colors. No maintenance burden and last 3 times longer than normal thermoplastic | -- | Complete | -- | Accepted | | Jun-06 |
| 0401-1 | Rayonier, Inc. | "Rayloam" | "Rayloam" is a stable organic product developed from "aged" primary sludge from the pulp making process that can be applied in road and highway construction projects where control of erosion and management of | -- | Complete | -- | Withdrawn/No Action | | May-05 |
| 0312-1 | Kick Materials Co./Kock Pavement Solutions | "Asphalt Emulsion Base Stabilization" | "Asphalt Emulsion Base Stabilization" for upgrading existing roadways to a higher standard than structural base prep prior to paving. | -- | Complete | -- | Withdrawn/No Action | | Apr-04 |
| 0311-5 | Lafarge Road Marking | "Thorma-Joint" | "Thorma-Joint" is a asphaltic plug joint system. | -- | Complete | -- | Withdrawn/No Action | | Mar-04 |
| 0311-4 | Soilworks LLC | "Soilworks LLC" | "Soilworks LLC" soil stabilization and dust control on unpaved roads, parking lots, mine tailings, construction sites, driveways, trails, etc. | -- | Complete | -- | Accepted | | Feb-04 |
| 0311-3 | Prismo USA Inc.'s (Formally Jarvis USA (Formally represented by Pavotech | "Tyregrip" | "Tyregrip" product that is an epoxy used to adhere small rock to the roadway surface for calming and road surface change warning purposes. | -- | Complete | -- | Site Specific | | Jan-03 |
| 0311-2 | Hesco Bastion USA | "Hesco Concertainer" | "Hesco Concertainer" 4mm and 5mm steel wire mesh, heavily galvanized with a polypropylene geo-textile lining. Various sizes can be easily connected to assemble desired dimension | -- | Complete | -- | Site Specific | | Dec-13 |
| 0311-1 | Rubber Wholesalers, Inc. | "Rubber Walk" | "Rubber Walk" A low impact previous rubber constructed from 100% recycled tire rubber, colored with an organic pigment and bonded with a single component MDI Urethane | -- | Complete | -- | Site Specific | | Nov-12 |
| 0310-2 | Statewide Road Construction | "Universal Land Mat" | "Universal Land Mat" A mat constructed of used truck tire treads used as a construction exit to prevent tracking of mud, dirt, debris, etc. onto public highways | -- | Complete | -- | No Application | | Oct-12 |
| 0310-1 | Southeast Culvert, Inc. | "Polymer Coated Corrugated Steel Pipe" | "Polymer Coated Corrugated Steel Pipe" Thick polymer coating laminated to both sides of the steel sheet. | -- | Complete | -- | Accepted | | Sep-12 |
| 0309-3 | The National Paving & Contracting Co. | "Perma-Patch" | "Perma-Patch" Permanent cold patch asphalt repair material. | -- | Complete | -- | Accepted | | Aug-12 |
| 0309-2 | MMFX Steel Corporation | "Microcomposite (MMFX 2) Steel Rebar" | "Microcomposite (MMFX 2) Steel Rebar" | -- | Complete | -- | Accepted | per QPL-61 submission | Jul-12 |
| 0309-1 | Crafco Inc. | "Superseal Low-Mod" | "Superseal Low-Mod" Low-Modulus single component used for sealing joints. | -- | Complete | -- | No Application | | Jun-11 |
| 0308-4 | Crafco Inc. | "Crafco Chem-Crete Pavix" | "Crafco Chem-Crete Pavix" Water based dual crystal forming permanent internal waterproofing moisture and chemical removing as well as a surface repelling system | -- | Complete | -- | No Application | | May-11 |
| 0308-3 | Epoplex, Div. of Stonhard | "LS90" | "LS90" 2 to 1 ratio polyurea pavement marking durable material. | -- | Complete | -- | Accepted | Submit for QPL-90 with GDOT Specs | Apr-10 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|------------------------------|---|--|----|----------|----|--------------------------------------|--|--------|
| 0308-2 | Carpi USA | "Seal-A-Bridge" | "Seal-A-Bridge" A geocomposite that provides waterproofing and stress absorption. | -- | Complete | -- | No Application | | Mar-10 |
| 0308-1 | Mobile Colors Corporation | "Magic Colors Corp." | "Magic Colors Corp." Removable Paint System. | -- | Complete | -- | Site Specific | | Feb-10 |
| 0307-9 | Midwest Canvas Corporation | "Summer Cure" | "Summer Cure" Curing of concrete in summer months. | -- | Complete | -- | Accepted via Spec Notified by Fax | | Jan-09 |
| 0307-8 | American Excelsior Company | "Curlex NetFree" | "Curlex NetFree" Excelsior erosion matting. | -- | Complete | -- | No Application | | Dec-08 |
| 0307-7 | Royston | "Rosphalt 50" | "Rosphalt 50" Waterproofing system. | -- | Complete | -- | Accepted | | Nov-08 |
| 0307-6 | Gunderboom, Inc. | "Gunderboom Sound Attenuation System(SAS)" | "Gunderboom Sound Attenuation System(SAS)" Significantly reduces underwater sound waves associated with underwater construction activities. | -- | Complete | -- | Withdrawn/No Action | | Oct-08 |
| 0307-5 | Pavetech International | "Pavecrete (concrete gray) repair material" | "Pavecrete (concrete gray) repair material" Repairing cracking mid-slabs, thin bond repairs and uneven pavements. | -- | Complete | -- | Withdrawn/No Action | | Sep-07 |
| 0307-4 | Pavetech International | "MasticOne" | "MasticOne" Polymer Mastic repair material. | -- | Complete | -- | Withdrawn/No Action | | Aug-07 |
| 0307-3 | Nilex Corporation | "GeoRidge" | "GeoRidge" A permeable plastic berm used in sediment control. | -- | Complete | -- | No Application | | Jul-07 |
| 0307-2 | ACO Polymer Products, Inc. | "FG200 Fiberglass" | "FG200 Fiberglass" 8" internal, Heavy duty fiberglass trench drain. | -- | Complete | -- | No Application | | Jun-07 |
| 0307-1 | ACO Polymer Products, Inc. | "K100S Trench Drain" | "K100S Trench Drain" 4" Internal, Polymer Concrete Trench. | -- | Complete | -- | No Application | | May-07 |
| 0305-4 | ACO Polymer Products, Inc. | "S300K Powerdrain" | "S300K Powerdrain" 12" internal, Polymer Concrete Trench. | -- | Complete | -- | No Application | | Apr-07 |
| 0305-3 | ACO Polymer Products, Inc. | "S100K Powerdrain" | "S100K Powerdrain" 4" internal, Polymer Concrete Trench. | -- | Complete | -- | Accepted | | Mar-07 |
| 0305-2 | International Coatings, Inc. | "Concrete Bridge Patch" | "Concrete Bridge Patch" The material is applied to spalled concrete where rusty rebar has caused the concrete to fail. This includes the under-side and all non-functional concrete structures. Urethane 100% solids modified with | -- | Complete | -- | No Application | | Feb-07 |
| 0305-1 | SealMaster/Atlanta | "Liquid Road" | "Liquid Road" Bituminous surface treatment for secondary roads, residential streets, country roads, and as a premium surface coating on off street parking areas. High solids polymer fiber | -- | Complete | -- | Withdrawn/No Action | | Jan-07 |
| 0304-3 | SealMaster/Atlanta | "Master Seal" | "Master Seal" Clay Stabilized mineral Filled Asphalt emulsion pavement sealer. Clay stabilized asphalt emulsion. | -- | Complete | -- | Withdrawn/No Action | | Jan-09 |
| 0304-2 | J.B. Timble, Inc. | "Crete-Rap" | "Crete-Rap" Erosion control at bridges, culvert, and ditches. | -- | Complete | -- | Withdrawn/No Action | | Dec-08 |
| 0304-1 | Five Star Products Inc. | "Five Star Vertical Patch" | "Five Star Vertical Patch" Vertical and overhead repairs without form work to concrete walls, ceilings, and other concrete infrastructure. | -- | Complete | -- | Accepted | | Nov-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-----------------------------------|--|--|----|----------|----|---------------------|---------------------------------------|--------|
| 0303-3 | Crafco Inc. | "Techcrete" | "Techcrete" The repair of spalls and potholes in portland cement concrete pavements. | -- | Complete | -- | Accepted | | Oct-08 |
| 0303-2 | Star Inc. | "Star Macro-Deck" | "Star Macro-Deck" Sealant for all types of concrete. | -- | Complete | -- | No Application | | Sep-07 |
| 0303-1 | Alcoa | "Reynobond" | "Reynobond" Sign blanks and panels, cladding for exterior and interior applications. | -- | Complete | -- | Accepted | Work Zones and Temporary Applications | Aug-07 |
| 0302-8 | William H-Harvey Company | "Pipe Joint Lubricant" | "Pipe Joint Lubricant" Assembly of push-on pipe joints with rubber or synthetic type gaskets. | -- | Complete | -- | Accepted | | Jul-07 |
| 0302-7 | Poly-Triplex Technologies, Inc. | "Poly-Triplex Liner System" | "Poly-Triplex Liner System" CIPP for the rehab.of culvert pipe, manholes, pump stations, etc. | -- | Complete | -- | Accepted | | Jun-06 |
| 0302-6 | International Road Dynamics, Inc. | "IRD Dynamic Safety System" | "IRD Dynamic Safety System" Promotes smooth traffic flow leading into a work zone. | -- | Complete | -- | Withdrawn/No Action | | May-06 |
| 0302-5 | International Road Dynamics, Inc. | "IRD Speed Ranger" | "IRD Speed Ranger" Automatically displays required speed limits based on traffic, weather, and construction.. | -- | Complete | -- | Withdrawn/No Action | | Apr-06 |
| 0302-4 | International Road Dynamics, Inc. | "IRD Travel Messenger" | "IRD Travel Messenger" Measures traffic conditions and displays expected delays through work zones. | -- | Complete | -- | Withdrawn/No Action | | Mar-05 |
| 0302-3 | Innovations, Inc. | "SonoBlaster" | "SonoBlaster" Warns both roadway workers and errant vehicle drivers at the same time to prevent crashes and injuries on highway work zones. | -- | Complete | -- | No Application | | Feb-05 |
| 0302-2 | The Turfgrass Group, Inc. | "TifBlair Certified Centipede" | "TifBlair Certified Centipede" Roadside grassing, low-maintenance grassing areas, erosion control areas, around and under guard rails. | -- | Complete | -- | No Application | | Jan-05 |
| 0302-1 | North American Green | "P550 Composite Turf Reinforcement Mat" | "P550 Composite Turf Reinforcement Mat" | -- | Complete | -- | Accepted | | Dec-04 |
| 0301-2 | Colebond, Inc. | "Enkamat 7003" | "Enkamat 7003" is a 3 dimensional nylon geomatrix of nylon filaments thermally joined together at their intersections to for an open structure of entangled filaments which has 95% open area and large holding capacity for | -- | Complete | -- | No Application | | Nov-04 |
| 0301-1 | Lafarge Road Marking | "Sahara" | "Sahara" waterborne paint for stripping. | -- | Complete | -- | Withdrawn | | Oct-04 |
| 0212-6 | Lordon, Inc. | "BriteSide, Reflective Panels" | "BriteSide, Reflective Panels" Reflective panels for going on regulatory signs post. | -- | Complete | -- | Accepted | | Sep-04 |
| 0212-5 | CDS Technologies, Inc. | "CDS Stormwater Treatment Unit/CDS Unit" | "CDS Stormwater Treatment Unit/CDS Unit" Designed to separate soiled form liquids using a non-blocking indirect screening. | -- | Complete | -- | Withdrawn/No Action | | Aug-04 |
| 0212-4 | S-Square Tube Products | "New Mailbox System." | "New Mailbox System." Single, double, & multiple mailbox support. | -- | Complete | -- | No Application | | Jul-03 |
| 0212-3 | Creative Building Products | "Dura Bull (Steel guard rail post safety delineator-pedestrian)" | "Dura Bull (Steel guard rail post safety delineator-pedestrian)" Polyethelyene roadside reflector on guard rails for the protection. | -- | Complete | -- | No Application | | Jun-03 |
| 0212-2 | Creative Building Products | "Dura Bull (Wood guard rail highway blockout safety delineator)" | "Dura Bull (Wood guard rail highway blockout safety delineator)" Plastic reflective units that go on wood guard rails. | -- | Complete | -- | No Application | | May-14 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|---------|--|---|--|----|----------|----|---------------------|----|--------|
| 0212-1 | Creative Building Products | "Dura Bull (steel guard rail blackout safety delineator)" | "Dura Bull (steel guard rail blackout safety delineator)" Plastic reflective unit placed on large steel guard rails. | -- | Complete | -- | No Application | -- | Apr-14 |
| 0211-1 | FORTA Corporation | "Forta Ferro" | "Forta Ferro" High performance precast items such as manholes and utility vaults. | -- | Complete | -- | Withdrawn | -- | Mar-14 |
| 0210-10 | Polymer Group Inc. | "Strus 90/40" | "Strus 90/40" Unique fiber blend used for structural reinforcement in concrete. | -- | Complete | -- | Withdrawn | -- | Feb-14 |
| 0210-9 | Fritz-Pak Corporation | "FR-1 Water Reducing and set retarding admixture" | FR-1 Water Reducing and set retarding admixture | -- | Complete | -- | No Application | -- | Jan-14 |
| 0210-8 | Prime Resins, Inc. | "Fast Fix 10" | "Fast Fix 10" -- Rapid Setting Concrete Spall polyurethane repair material. | -- | Complete | -- | Withdrawn/No Action | -- | Dec-13 |
| 0210-7 | Belzona Polymerics, LTD | "Belzona 4111 Magma-Quartz" | Concrete repair where high compressive strength and very high adhesion are required such as spalled areas on bridge expansion joint faces. | -- | Complete | -- | Withdrawn/No Action | -- | Nov-12 |
| 0210-6 | Road Systems, Inc. | "Beat-SSCC, box beam bursting energy absorbing terminal" | "Beat-SSCC, box beam bursting energy absorbing terminal" | -- | Complete | -- | No Application | -- | Oct-11 |
| 0210-5 | Contech Construction Products, Inc. | "A 2000 PVC Storm Drain Pipe" | "A 2000 PVC Storm Drain Pipe" | -- | Complete | -- | Accepted | -- | Sep-11 |
| 0210-4 | Bekaert | "Pave Trac" | Pave Trac is a woven hexagonal mesh manufactured of eutectic 95%Zn-5%Al alloy (Bezinal) coated steel, transversally reinforced at regular intervals by alternately tensioned flat bars interwoven in the mesh. | -- | Complete | -- | Accepted | -- | Aug-11 |
| 0210-3 | Silt-Saver, Inc. | "Belted Silt Retention Fabric" | "Belted Silt Retention Fabric" | -- | Complete | -- | Rejected | -- | Jul-11 |
| 0210-2 | Central Fabricators, Inc. | "Regent-C" | W-Beam Guardrail. | -- | Complete | -- | Accepted | -- | Jun-11 |
| 0210-1 | R. C. Flagman, Inc. | "Remote Control Flagman" | "Remote Control Flagman" - Automated Flagger Assistance Devices (AFADs) under certain specific conditions in Temporary Traffic Control (TTC) zones to reduce flagger exposure to highway user traffic. In addition to minor | -- | Complete | -- | No Application | -- | May-11 |
| 0209-5 | American Excelsior Company | "Silt TRAP" | Silt TRAP is an alternate to traditional silt fence. SiltTRAP differs in that it not only stops and collects stray sediment, it also prevents erosion from taking place in installed areas. SiltTRAP does not have any of the common | -- | Complete | -- | No Application | -- | Apr-11 |
| 0209-4 | Green and Bio Tech, Inc. | "Sure Turf 1000 (ST1000)" | Erosion control and vegetation degradable netting of film with grassseeds. | -- | Complete | -- | No Application | -- | Mar-11 |
| 0209-3 | Empire Acoustical | "Silent Screen" | "Silent Screen" - Absorptive wall panel with NCR and STC greater than or equal to the minimum required by the special provision section 624. Designed for 80 mph (28 psf) wind load or greater, which is acceptable | -- | Complete | -- | Withdrawn/No Action | -- | Feb-11 |
| 0209-2 | Alpine Stormwater Management Company | "Verti-Pro™" | Median Inlets - For sediment control, use on drop inlets in swales, road ditches, rear lot drop inlets. Temporary use until surrounding areas are to final stabilization | -- | Complete | -- | Accepted | -- | Jan-11 |
| 0209-1 | Flexstake, Inc. | "Flexstake Ground Mount, 600 Series" | Roadside delineation, on-off ramps. | -- | Complete | -- | Accepted | -- | Dec-09 |
| 0208-4 | First South Utility Construction, Inc. | "Pot-Fill" | A proprietary repair system for concrete pavements that combine a radically structural polymeric repair compound and innovative application techniques. | -- | Complete | -- | Withdrawn/No Action | -- | Nov-09 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|---------|---|---|---|----|----------|----|---|----|--------|
| 0208-3 | Safety Coatings, Inc. | "Loop Guard Four" | "Loop Guard Four" | -- | Complete | -- | Accepted | -- | Oct-09 |
| 0208-2 | Safence, Inc. | "Safence" - Guardrail system (guardrail / tensioned wire rope barrier system) | "Safence" - Guardrail system (guardrail / tensioned wire rope barrier system) | -- | Complete | -- | No Application | -- | Sep-09 |
| 0208-1 | Tamaqua Cable Products Corporation | "Power Duct" | Cable-in-conduit. Electrical cables pre-installed in HDPE duct for direct burial (underground) use for highway lighting. | -- | Complete | -- | Accepted | -- | Aug-09 |
| 0207-3 | Crafco, Inc. (Formally represented by Pavetech International) | "Matrix Blue Bridge Expansion Joint System" | It is designed specifically to replace small movement bridge joint systems. | -- | Complete | -- | Withdrawn/No Action | -- | Jul-08 |
| 0207-2 | Live Earth Products, Inc. | "Live Earth" | Live Earth (No Scanned NPE) | -- | Complete | -- | Withdrawn/No Action | -- | Jun-08 |
| 0207-1 | Sound Fighter Systems, LLC | "LSE Noise Barrier Wall System" | LSE Noise Barrier Wall System is recommended and primarily used for interstates and highways. When the LSE wall system was invented over thirty years ago, it was designed and acoustically tuned to reduce highway noise. | -- | Complete | -- | Accepted | -- | May-08 |
| 0206-5 | Bentofix Technologies, Inc. | "Bentofix thermal lock clay liner" | Hydraulic barrier used for liquid containment storm water detention basins, ponds, lagoons, swales, wetlands. | -- | Complete | -- | No Application | -- | Apr-08 |
| 0206-4 | Pavetech International | "Matrix 502" (Asphaltic Plug Joint) | (Asphaltic Plug Joint) Simple Span - Box Beam - Abudent Joints | -- | Complete | -- | No Application | -- | Mar-07 |
| 0206-3 | U-Tech | "Weedender" | Weedender (No Scanned NPE) | -- | Complete | -- | Allow the use at discretion of contractor | -- | Feb-07 |
| 0206-2 | Safety Base, Ltd. | "Safety Base SB500 Series Breakaway Couplings" | Omni-directional breakaway coupling system for highway signs. | -- | Complete | -- | No Application | -- | Jan-07 |
| 0206-1 | Rhino Safety Barriers, LLC | "Rhino Barriers" | "Rhino Barriers" (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Sep-10 |
| 0205-1 | Pavetech International | "ISAC (Interlayer Stress Absorbing Composite)" | To extend life of asphalt overlays on expressways and bridge decks by retarding or completely eliminating reflective cracking. | -- | Complete | -- | Withdrawn/No Action | -- | Aug-10 |
| 0204-09 | Klemmfix GMBH | "The Enhancer" Mini Curb | The Enhancer is a low-height, "mini-curb" (2" or less height) designed to fit between glue down delineators where increased driver visibility is desired. It is used to improve channelization effects where glue down delineators can be used. | -- | Complete | -- | No Application | -- | Jul-10 |
| 0204-08 | Sign Support System Corporation | "Break Out" | Break-away sign post coupler used in areas where there is a high number of knock downs. | -- | Complete | -- | Withdrawn/No Action | -- | Jun-10 |
| 0204-07 | Fritz-Pak Corporation | "Standard Delayed Set" | Delayed set is formulated to extend the setting time of concrete while improving concrete quality. | -- | Complete | -- | No Application | -- | May-10 |
| 0204-06 | Fritz-Pak Corporation | "Mini-Delayed Set" | Designed for stabilizing residual concrete wash water or extending the setting time of concrete while improving concrete quality. | -- | Complete | -- | No Application | -- | Apr-09 |
| 0204-05 | Fritz-Pak Corporation | "Super Air Plus" | For all types of air entrained concrete where an increase in entrained air content is necessary. | -- | Complete | -- | No Application | -- | Mar-08 |
| 0204-04 | Fritz-Pak Corporation | "Air Plus" | For all types of air entrained concrete where an increase in entrained air content is necessary. | -- | Complete | -- | No Application | -- | Feb-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|---------|--|---|--|----|----------|----|---------------------|--|--------|
| 0204-03 | Bryson Products, Interstate Steel | "Fleat - MT 350" | Median guardrail barrier terminal system. | -- | Complete | -- | Accepted | | Jan-08 |
| 0204-02 | Ennis Paint, Inc. | "Flame Tape" | Road marking. | -- | Complete | -- | Accepted | | Dec-07 |
| 0204-16 | Work Area Protection Corporation | "Manhole Protector Ring" | Protect exposed manholes during milling or re-surfacing. | -- | Complete | -- | Accepted | | Nov-07 |
| 0204-15 | Brite-Line Technologies, Inc. | "Drop-On-Line" | Replacement of or instead of other durable markings where wet retro-reflectivity is of concern. | -- | Complete | -- | Withdrawn/No Action | | Oct-07 |
| 0204-14 | Bryson Products, Central Fabricators | "Type I Alternate Guardrail End Treatment" | Alternate Guardrail End Treatment. | -- | Complete | -- | Accepted | | Sep-07 |
| 0204-13 | The Yodock Wall Company, Inc. | "Yodock Traffic Control System" | Yodock Traffic Control System (No Scanned NPE) | -- | Complete | -- | Accepted | | Aug-07 |
| 0204-12 | R. J. Watson | "Unr-Tron Joint Sealant" | Control joints and expansion joint systems for highway and bridges. | -- | Complete | -- | Withdrawn/No Action | | Jul-07 |
| 0204-11 | R. J. Watson | "Tron-Flex Elastomeric Concrete" | Primarily used as an expansion joint edge material. | -- | Complete | -- | Withdrawn/No Action | | Jun-07 |
| 0204-10 | Fritz-Pak Corporation | "Superscizer 7" | Formulated to provide maximum water reduction for high early strengths while producing stronger more durable concrete. | -- | Complete | -- | No Application | | May-07 |
| 0204-01 | Fritz-Pak Corporation | "Superscizer 5" | Concrete admixtures. | -- | Complete | -- | No Application | | Apr-07 |
| 0203-7 | Fritz-Pak Corporation | "Superscizer 1" | To produce stronger, more durable concrete. | -- | Complete | -- | No Application | | Mar-07 |
| 0203-6 | Fritz-Pak Corporation | "Standard Delayed Set" | Delayed set is formulated to extend the setting time of concrete while improving concrete quality. | -- | Complete | -- | | | |
| 0203-5 | Traffic Distributor Links, Inc.-- Bunzl Extrusion Tacoma, Inc. Now 06/2007 company | "Flex-Guide 300 Curb System" | Flex-Guide 300 Curb System (No Scanned NPE) | -- | Complete | -- | Accepted | | Feb-07 |
| 0203-4 | Southeast Resins, Inc. | "SR-2000 Concrete Repair" | SR-2000 Concrete Repair (No Scanned NPE) | -- | Complete | -- | Accepted | | Dec-06 |
| 0203-3 | Flying "W" Plastics, Inc. | "Plastic Pipe" | Polyethylene Conduit & Innerduct for telecommunications and electrical applications. | -- | Complete | -- | Accepted | | Nov-05 |
| 0203-2 | Pecora Corporation | "Pecora 301" | Sealing typical concrete, metal and asphalt roadway control joints. Designed for flat or sloped surfaces. | -- | Complete | -- | Accepted | | Oct-05 |
| 0203-1 | Bryson Products, Central Fabricators | "X-Post" | Direct substitute for existing wood and steel post options. | -- | Complete | -- | No Application | | Sep-05 |
| 0202-4 | The Yodock Wall Co. | "Yodock Traffic Control Device with T3 Kit" | Type III barricade, road closure. | -- | Complete | -- | Accepted | | Aug-05 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|---|---|----|----------|----|---------------------|--|--------|
| 0202-3 | Flex Stake, Inc. | "EZ Drive (EZ-2) Marker" | On-off ramps, roadside delineation, utility markers and park & recreation markers. | -- | Complete | -- | Accepted | | Jul-05 |
| 0202-2 | The Yodock Wall Company, Inc. | "Yodock Traffic Control Device Model 2001 & 2001 M (barrier)" | Yodock Traffic Control Device Model 2001 & 2001 M (barrier) | -- | Complete | -- | Accepted | | Jun-05 |
| 0202-1 | Erosion Control Supply Source Inc. | Soil Master | Erosion control, slope stabilization, dust abatement, sand control. | -- | Complete | -- | No Application | | May-05 |
| 0201-3 | Ladtech Inc.. | "HDPE Recycled Adjusting Rings (manhole riser ring)" | HDPE Recycled Adjusting Rings (manhole riser ring) (No Scanned NPE) | -- | Complete | -- | Accepted | | Apr-04 |
| 0201-2 | SMI Steel-Southern Post Company | "T-Post" | As a support post for 8'0" game fence (deer fence) fabric used for right-of-way fencing. | -- | Complete | -- | No Application | | Mar-04 |
| 0201-1 | Mineral Resource Technologies, Inc | "ArmorCem" | Rapid hardening hydraulic cement. | -- | Complete | -- | Accepted | | Feb-04 |
| 0112-1 | Donald E. Sychra, | "Georgia Panels A and B" | Panel A will be used around drainage structures. Panel B will be used on the surface of the road subgrade. | -- | Complete | -- | Accepted | | Jan-04 |
| 0110-7 | J.W. Hackett & Company (John Thomas Inc. | "Dura Curb 999 Removable Traffic Separator" | Railroad crossing median separator. | -- | Complete | -- | Accepted | | Dec-02 |
| 0110-6 | Barrier Systems, Inc. | "TAU-II Crash Cushion" | Rapid harding hydraulic cement. | -- | Complete | -- | Accepted | | Nov-02 |
| 0110-5 | Atlanta Corrugating Company, LLC (Southeast Culvert Inc.) | "Max Flow Spiral Rib Pipe" | Storm drain pipe, side drain pipe, slope drain pipe for use in areas currently allowed by the Department to be corrugated metal pipe. | -- | Complete | -- | Accepted | | Oct-02 |
| 0110-4 | Amity Plastics Limited | "Plastic Guardrail Posts" | Guardrail post. | -- | Complete | -- | No Application | | Sep-13 |
| 0110-3 | Road Products, Inc. | "Zelflex" | Mainline concrete paving joints, bridge joints, rut-crack repairs. | -- | Complete | -- | No Application | | Aug-11 |
| 0110-2 | Wood Tech, LLC | "Wood Mulch, Compost Blend" | Blanket erosion control and sediment filter berms by applying a mulch/compost blend to eliminate rill erosion and runoff. | -- | Complete | -- | Accepted | | Jul-11 |
| 0110-1 | Monty's Plant Food Company | "Monty's 4-15-12" | Liquid fertilizer that stimulates and increases root development in turf, plants and flowers. Promotes faster seed germination as well as increased seed germination percentages. | -- | Complete | -- | Withdrawn/No Action | | Jun-11 |
| 0109-3 | Coating Solutions Unlimited, LLC | "Polycoat Polyurea Coating" | Waterproofing and corrosion protection for metal, concrete, foam, and wood. Excellent for prevention of rust on steel I-beams on bridges. | -- | Complete | -- | Withdrawn | | May-11 |
| 0109-2 | TAPCO Traffic & Parking Control Company, Inc. | "V-LOC Socket System" | V-LOC Socket System (No NPE scanned) | -- | Complete | -- | Accepted | | Apr-11 |
| 0109-1 | Durham Geo | "TR-3000 Storm Water Sampler" | TR-3000 Storm Water Sampler Storm water sampler to meet Section 167 - Water Quality Monitoring for National Pollutant Discharge Elimination System (NPDES) Permit No. GAR100000 | -- | Complete | -- | Withdrawn/No Action | | Mar-11 |
| 0108-8 | Consolidated Resource Recovery | "Organic Soil Builders, Premium Compost" | Erosion control berm and blanket material. | -- | Complete | -- | Accepted | | Feb-11 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-------------------------------------|--|---|----|----------|----|---------------------|----|--------|
| 0108-7 | Water's Edge Technology, LLC | "Stabilator Erosion Prevention System" | Channel stabilization, outfall protection, slope stabilization, streambank stabilization, streambed stabilization, shoreline stabilization, down-slope channel protection, and rip-rap gradation reduction. | -- | Complete | -- | Accepted | -- | Jan-10 |
| 0108-6 | Trinity Industries, LLC | "King Block" | As offset blocks for strong post metal W-Beam guardrail installations. Approved for use on National Highway System (NHS) by the FHWA. | -- | Complete | -- | Accepted | -- | Dec-09 |
| 0108-5 | Sargent Nutrients Inc. | "Georgia Natural Compost" | Soil amendment soil conditioner, erosion control, blankets and silt fences | -- | Complete | -- | Accepted | -- | Nov-09 |
| 0108-4 | General Technologies, Inc. | "High Density Polyethylene Plastic Ducts" | To provide duct for post-tensioning tendons. | -- | Complete | -- | Withdrawn/No Action | -- | Oct-08 |
| 0108-3 | Scrub Oak Technologies, Inc. | "SAVA (Semi-Active Vibration Absorber)" | SAVA (Semi-Active Vibration Absorber) | -- | Complete | -- | No Application | -- | Sep-08 |
| 0108-2 | Gromor Organics Inc. | "Gromor" | Used as a soil ameliorant in degraded vegetable soils in S.E. Georgia. Also recommended for use in home gardening. | -- | Complete | -- | Accepted | -- | Aug-08 |
| 0108-1 | Raad Kare Ltd (Astucio (UK) | "Asticio Solar Lite Intelligent Road Stud" | Solar "in-road" or "on-road" lane delineation and hazard warning devices. | -- | Complete | -- | Withdrawn/No Action | -- | Jul-08 |
| 0107-1 | Raad Kare Ltd (Astucio (UK) | "Astucio Intelligent Flush Stud" | Lane delineation hardwired traffic management system. Product is designed on a site specific basis for traffic management. Can be used for seed control, illumination of black spots, hazard warning, crosswalks, grade crossings, etc. | -- | Complete | -- | Withdrawn/No Action | -- | May-08 |
| 0106-1 | Global Recycled Plastic Prod., Inc. | "Porta Curb" | Porta Curb (no scanned NPE) | -- | Complete | -- | No Application | -- | Apr-08 |
| 0105-6 | U.S. Bridge, Div. Ohio Bridge Corp | "Waren Truss Bridges" | Used primarily on rural one or two lane highways to span streams or railroads. | -- | Complete | -- | Withdrawn/No Action | -- | Mar-08 |
| 0105-5 | Capital Services | "ProCrete NH" | Used as a "header" material at joint edges to absorb impact and prevent spalling of concrete. | -- | Complete | -- | Withdrawn | -- | Feb-08 |
| 0105-4 | Alcovy-20 | "Poultry Gold" | Erosion control. | -- | Complete | -- | Accepted | -- | Jan-07 |
| 0105-3 | Lordon, Inc. | "BriteSide, Reflective Strips" | Delineators for regulatory signs, stop etc. | -- | Complete | -- | No Application | -- | Sep-10 |
| 0105-2 | Seaboard Asphalt | "Clippership SE-2000 Dustdown" | Dust pallative for roads, construction sites and coal piles. | -- | Complete | -- | Allowed | -- | Aug-09 |
| 0105-1 | D.S. Brown | "Delpatch Elastomeric Concrete" | Polyurethane elastomeric binder with aggregate. | -- | Complete | -- | No Application | -- | Jul-09 |
| 0104-6 | Watson Bowman Acme | "Wabo Guardian Bridge Deck System" | Sealing and protecting concrete surfaces with asphalt overlays on critical bridges, decks and surfaces in severe environments over water, coastal areas, and in extreme freeze/thaw regions and bridge decks. | -- | Complete | -- | Withdrawn/No Action | -- | Jun-09 |
| 0104-5 | W.R. Grace | "Grace Structural Fiber" | GSF are a new patented, synthetic fiber reinforcement designed to provide enhanced structural properties to precast concrete. Grace structural fibers may be used in a variety of ready mix, precast and shotcrete applications. | -- | Complete | -- | Accepted | -- | May-09 |
| 0104-4 | Cherokee Culvert Company, Inc. | "Hydra-Cor" | Storm drain piping. Applications where a low roughness coefficient is beneficial. It may be used on a size for size basis with other hydraulically smooth pipe. | -- | Complete | -- | Accepted | -- | Apr-09 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|---|--|----|----------|----|------------------------------|----|--------|
| 0104-3 | American Excelsior Co. | "Recyclex TRM" | To provide permanent surface support underneath vegetation and/or surface structural support for vegetation root systems. | -- | Complete | -- | Accepted | -- | Mar-09 |
| 0104-2 | Orange Products, Inc. | "Orange Slicker" | Cleaner/protectant for asphalt tools and equipment. | -- | Complete | -- | Withdrawn/No Action | -- | Feb-08 |
| 0104-1 | Terrabind International Inc./ Rayonier-Specialty Expanding Mill Pulp Products | "TBI 66TM Stabilizer" | TBI 66TM Stabilizer (No Scanned NPE) | -- | Complete | -- | No Application | -- | Jan-08 |
| 0103-4 | U.S. Traffic Corporation dba Display Solutions | "Sunray 390 and Sunray Mini Full Matrix" | Full matrix portable changeable message sign with high quality advanced graphic technology. Tith multi-line and character capabilities these full matrix boards can perform over 200 pre-programmed messages including MUTCD | -- | Complete | -- | Withdrawn | -- | Dec-07 |
| 0103-3 | U.S. Traffic Corporation dba Display Solutions | "Sunray VM 300" | Truck-mounted full matrix portable changeable message sign with high quality advanced graphic capabilities and "arrow board" mode. With up to 3 lines and 8 characters across. The Sunray VM 300 allows for cost effective | -- | Complete | -- | Accepted | -- | Nov-07 |
| 0103-2 | Piedmont National Corporation/ 3M Company/Bonding Systems | "3M VHB Acrylic Foam Tape" | Permanent attachment applications where welds, rivets and screws are currently used. | -- | Complete | -- | Accepted | -- | Oct-07 |
| 0103-1 | FORTA Corporation | Forta Ferro" | High performance concrete applications such as industrial floors, bridge decks, shotcrete, loading docs - anywhere steel reduction or replacement is objective | -- | Complete | -- | Accepted | -- | Sep-07 |
| 0102-5 | Central Fiber Corporation | "Spraymatt" | Primarily used as a bonded fiber matrix (Type II) hydromulch cover system designed to be used in extreme erosion conditions where "roll-out" erosion blankets are not applicable | -- | Complete | -- | Accepted | -- | Aug-06 |
| 0102-4 | Serrot Paving Products/ Polycon, Inc. | "OSR-2000" | OSR-2000 can be used as a filler or as a patch overlay to provide a durable and water/fluid resistant surface. | -- | Complete | -- | No Application | -- | Jul-06 |
| 0102-3 | Serrot Paving Products/ Polycon, Inc. | "BD-2000" | BD-2000 is a polymer modified cementitious product that bonds to concrete and asphalt. It repairs spalled and slick decks with little prep, and provides a water and automotive fluid resistant surface | -- | Complete | -- | No Application | -- | Jun-06 |
| 0102-2 | Jim Chandler Assoc./ Energy Absorption Systems | "The WorkZoNET" | To protect workzone workers from errant vehicles by providing a vehicle arresting barrier. | -- | Complete | -- | Accepted | -- | May-06 |
| 0102-1 | Superior Products International, Environmental Industrial Applied Coatings | "Rust Grip" | Rust Grip (No Scanned NPE) | -- | Complete | -- | Accepted & No Application | -- | Apr-05 |
| 0101-8 | Kelken Construction Systems | "Keligrout and Keligrout 101P" | Chemical structural anchoring of threaded rod, dowel bars. | -- | Complete | -- | Accepted | -- | Mar-05 |
| 0101-7 | Advance Traffic Markings | "ATM 280 Hide-A-Line" | Installs quickly and easily over existing marking for a safe and economical rerouting of traffic. Bonds to all road surfaces and existing markings. | -- | Complete | -- | Accepted | -- | Feb-05 |
| 0101-6 | Chem Rex Inc. | "Masterflow 1205 Cable Grout" | Grouting of post tensioned bridges. To provide corrosion protection for highly stressed steel cables by filling the grout duct with a true non-bleeding, non-shrinking, grout that has high resistance to chloride attack | -- | Complete | -- | Withdrawn/No Action | -- | Jan-05 |
| 0101-5 | Armorcast Products Company | "HD20 Load Rated Manhole Assembly" | H-20 load rated manhole assemblies for full traffic, (street or highway) applications. | -- | Complete | -- | Withdrawn | -- | Dec-04 |
| 0101-4 | Cogent Enterprises, Inc. | "Cordonator" | Stackable, palletized lights can stay attached during recovery, two part assembly for longer life cycle advantage. Most reflective road marker. | -- | Complete | -- | Withdrawn | -- | Nov-03 |
| 0101-3 | Deery American Corp. | "Deery American Level & Go Mastic" | For the permanent repair of spalled, uneven structurally sound concrete or asphalt pavements that are subjective to heavy traffic. Including bridge decks | -- | Complete | -- | Accepted | -- | Oct-03 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|---------|--|--|--|----|----------|----|---------------------|--|--------|
| 0101-2 | Trinity Industries, Inc. | "Dent Breakaway Bolt" | Dent Breakaway Bolt (No Scanned NPE) | -- | Complete | -- | Accepted | | Sep-03 |
| 0101-1 | Valley Rubber LLC | "Val-Safe-Block" | Block out for W-Flange Guard Rail System. | -- | Complete | -- | Accepted | | Aug-03 |
| 0011-9 | S-Square Tube Products | "Nex Sign Support System" | S-Square Tube Products has been supplying the traffic industry with quality sign support for 15 years. Manufacturing perforated square tube for the last 8 years as well as our octagon shape post for the last two years. The | -- | Complete | -- | No Application | | Jul-03 |
| 0011-8 | East Jordan Iron Works (Formally GNR Technologies) | "Infra Riser" | Infra Riser | -- | Complete | -- | Accepted | | Jun-03 |
| 0011-7 | Erth Products, LLC | "Erth Food Organic Composted Fertilizer" | Erth Food Organic Composted Fertilizer | -- | Complete | -- | Accepted | | May-03 |
| 0011-6 | W.R. Meadows, Inc. | "Seal Tight Safe Seal 3405" | Ideal for sealing projects on highways, street maintenance, bridges and parking lots. | -- | Complete | -- | Withdrawn | | Apr-03 |
| 0011-5 | Standard Concrete Products, Inc | "Right of Way Markers" | Recommended use is same as that for precast right of way markers (wet-cast method). | -- | Complete | -- | Accepted | | Mar-13 |
| 0011-4 | Standard Concrete Products, Inc | "Pre-cast Concrete Temporary Barrier" | Recommended use is same as that for Precast Temporary Barriers (wet - cast method). | -- | Complete | -- | Withdrawn | | Feb-13 |
| 0011-3 | Standard Concrete Products, Inc. | "Pre-Cast Grade Rings for Grade Adjustments" | Recommended use is for grade adjustments to existing manholes. | -- | Complete | -- | Withdrawn | | Jan-13 |
| 0011-2 | Omega Paving & Construction, LLC (WorldWide Enzymes) | "WorldWide (International) Enzymes "Pave Zyme" (PZ-22X)" | WorldWide (International) Enzymes "Pave Zyme" (PZ-22X) (No Scanned NPE) | -- | Complete | -- | Withdrawn/No Action | Resubmitted Jan 2013 Waiting for Requested Info | 4719 |
| 0011-11 | Zurn Industries | High Capacity Slotted Drain | Drainage system for roadside or airport applications. | -- | Complete | -- | Accepted | | Nov-12 |
| 0011-10 | Rolanka International | "Water Save Polymers" | For use when new trees, shrubs, and sod are planted in roadsides. Watersave polymers absorbs and holds excess rainwater; otherwise infiltrate into deep soil. One ounce of Watersave can absorb about one gallon of | -- | Complete | -- | Allowed | | Oct-12 |
| 0011-1 | Rolanka International | "BioD Weed Mat" | Weed control around newly planted trees and shrubs. | -- | Complete | -- | No Application | | Sep-12 |
| 0010-8 | Greenstreak | "Speed Dowel" | Dowel alignment system. | -- | Complete | -- | Accepted | | Aug-12 |
| 0010-7 | Greenstreak | "G-Seal" | Expansion joint sealant. | -- | Complete | -- | No Application | | Jul-12 |
| 0010-6 | Rolanka International | "BioDWatI & Bio D-Roll" | Excellent tool in sedimentation control in construction sites. BioD - WatI application include but not limited to - check dams in channels and slopes - cover for storm water inlets - stream bank restoration in low velocity streams | -- | Complete | -- | Accepted | | Jun-12 |
| 0010-5 | Concrete Precast Systems | "Whisper Wall" | Highway noise abatement barrier. | -- | Complete | -- | Approved | | May-12 |
| 0010-4 | Advanced Traffic Markings | "ATM Rumble Strips" | ATM Rumble Strips - Installation in highway work zones to alert drivers and slow down traffic used in conjunction with horizontal signage for improved safety without the added time and expense of installing thermoplastic asphalt | -- | Complete | -- | No Application | | Apr-11 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---------------------------------------|--|--|----|----------|----|---------------------|--|--------|
| 0010-3 | Northwest Pipe | "Poz-Loc Slip Base , Socket System" | Poz-Loc Slip Base , Socket System (No Scanned NPE) | -- | Complete | -- | No Application | | Mar-11 |
| 0010-2 | Northwest Pipe | "SQ Post galvanized slip-base system" | SQ Post galvanized slip-base system (No Scanned NPE) | -- | Complete | -- | Accepted | | Feb-11 |
| 0010-1 | Map-Crete Concrete Products | "Map-Crete Concrete Fence" | Can be used for security and sound barrier. | -- | Complete | -- | No Application | | Jan-11 |
| 0008-6 | Mary Ann Industries, Inc. | "Geo Hay Curb Inlet Filter" | Barrier filtration unit which allows water to pass through, not the sediment, debris or dirt. | -- | Complete | -- | Allowed | | Dec-10 |
| 0008-5 | Southeast Resins, Inc | "Final Fixx CRS (Concrete Repair Systems)" | Final Fixx CRS (Concrete Repair Systems) is primarily used in the repair, restoration, and preservation of concrete. It is a polymer resin that is used as a primer, then mixed with different types of aggregate as a fill (repair). | -- | Complete | -- | No Application | | Nov-10 |
| 0008-4 | Barrier Systems, Inc. | "Abosrb 350 Crash Cushion" | Abosrb 350 Crash Cushion (No Scan NPE) | -- | Complete | -- | Accepted | | Oct-10 |
| 0008-3 | TC MiraFi | "Mirafi Bitutex-Composite" | Waterproofing membrane and high tensile modulus grid for repair of flexible and rigid pavements during overlay. | -- | Complete | -- | No Application | | Sep-10 |
| 0008-2 | Deery American Corporation, Inc. | "Recessed Repair Mastic" | Deery Mastic Materials are recommended for the permanent repair of extra wide pavement cracks, spalled joints, uneven pavement surfaces, potholes, corner slab breaks, and edge joints. For sealing cracks prior to asphalt. | -- | Complete | -- | Accepted | | Aug-08 |
| 0008-1 | Rubber Tough Industries, LLC | "Rumble Strips" | Auditory warning device for pedestrian crossings, speed reduction areas, work zones. | -- | Complete | -- | Withdrawn | | Jul-08 |
| 0007-2 | Rubber Tough Industries, LLC | "Lane Maker 999 Removable Traffic Seperator" | Lane separation device for temporary or permanent applications. Used as a median at railway crossings, or at merge points, toll plazas, bicycle lanes, tunnels, etc. Unique profile allows positive vehicle guidance, easily. | -- | Complete | -- | Accepted | | Jun-08 |
| 0007-1 | SSL | "MSE Plus, Retaining Walls" | Typically used in lieu of cast in place walls in fill situations. The inherent flexibility of MSE walls makes a good choice in situations of anticipated settlements. The economy of MSE walls over CIP walls usually substantial. | -- | Complete | -- | Withdrawn/No Action | | May-08 |
| 0006-4 | TrafFix Devices Inc. | "Scorpion 10,000 TMA - Truck Mounted Attenuator" | For use as a test level 2 and/or a test level 3 truck mounted attenuator under NCHRP 350. | -- | Complete | -- | Accepted | | Apr-08 |
| 0006-3 | Polybackfill, Inc. | "StructureSet" | Back fill around traffic signs. | -- | Complete | -- | Accepted | | Mar-08 |
| 0006-2 | Rib LOC Pipe line Technologies | "Expandapipe" | Structural rehabilitation of deteriorated storm drains and culverts - 6 to 30 inch diameter. | -- | Complete | -- | Accepted | | Feb-07 |
| 0006-1 | WHIRLyGIG Company | "WHIRLyGIG" | Raising/collaring the cast iron manhole ring from the cone section of the manhole to street grade. | -- | Complete | -- | Allowed | | Jan-07 |
| 0005-4 | Applied Polymeric | "Polycon "BD-2000 / E-Krete" | A total bridge deck micro-overlay system that can be applied to bridge decks exhibiting deterioration in the form of spalling, coarse aggregate popouts, provide a barrier coating, and provide a skid resistance surface. A specially | -- | Complete | -- | Withdrawn/No Action | | Dec-05 |
| 0005-3 | Carsonite International | "The Sound Barrier" | The Sound Barrier system for use along highways, mass transit lines, residential roads and other high traffic areas. | -- | Complete | -- | Accepted | | Jan-09 |
| 0005-2 | Traffic Maintenance Attenuators, Inc. | "U-MAD TMA -- Truck Mounted Attenuator" | U-MAD TMA -- Truck Mounted Attenuator | -- | Complete | -- | Accepted | | Dec-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---|---|----|----------|----|---------------------|----|--------|
| 0005-1 | Bay Saver, Inc. | "Bay Saver Separation System" | Bay Saver Separation System is an economical and highly effective passive flow system used to remove suspended solids, petroleum hydrocarbons, and gross debris from stormwater runoff. | -- | Complete | -- | No Application | -- | Nov-08 |
| 0004-3 | James Hardie Concrete Pipes, | "Fibre Reinforced Concrete Pipes" | Fibre Reinforced Concrete Pipes (No Scanned NPE) | -- | Complete | -- | Rejected | -- | Oct-07 |
| 0004-2 | Cammco Inc. | "Plastic Blockout" | Plastic Blockout is a 5x6 with a groove cut in it to fit the 6" wide flange beam. The blockout can be used to retro-fit the replacement of the 6" wide flange blockout. | -- | Complete | -- | Accepted | -- | Sep-07 |
| 0004-1 | Sekisui Jushi Corporation | "Linear Pointer" | Curve points in two-way traffic. Install on center line or lane lines. | -- | Complete | -- | Withdrawn/No Action | -- | Aug-07 |
| 0002-4 | Intergrated Paving Concepts Inc. | "Street Print Pavement Texturing System" | Imprinting a pre-defined pattern in an asphalt surface to simulate the appearance of brick, cobblestones, interlocking paving stones and the like. The patterned asphalt is treated with a colored coating to enhance the brick | -- | Complete | -- | Accepted | -- | Jul-07 |
| 0002-3 | The J.D. Russell Company | "Reflex Rubber Expansion Joint" | Expansion or control joint filler, as related to horizontal and vertical concrete. | -- | Complete | -- | Accepted | -- | Jun-06 |
| 0002-2 | Recycled Rubber Resources, LLC | "DURO-Trim" | Anti-vegetation tile used around posts along the roadway to kill grass and eliminate the need for hand trimming or herbicide spraying of those areas. | -- | Complete | -- | Withdrawn | -- | May-06 |
| 0002-1 | Crafco Inc. | "Crafco "Poly Patch" Hot pour asphalt repair material for potholes and large cracks." | Crafco "Poly Patch" Hot pour asphalt repair material for potholes and large cracks. | -- | Complete | -- | Approved | -- | Apr-06 |
| 0001-2 | Yodock Wall Company, Inc. | Yodock Barrier Model 2001M 32 inch Tall. Water filled barrier wall" | Traffic channelizer. | -- | Complete | -- | Accepted | -- | Mar-04 |
| 0001-1 | Yodock Wall Company, Inc. | "Yodock Barrier Model 2001 46 inch Tall Water filled barrier wall." | Traffic channelizer. | -- | Complete | -- | Accepted | -- | Feb-04 |
| 9912-2 | American Signal company (Interstate Supplies of Georgia) | "CMS GP232 Truck Mounted Changeable Message Sign." | Vehicle mounted dynamic message sign (pickup or flat bed) for incident management, work zone traffic control, etc. Also moving work zone management (sweeping, pavement striping, etc.) | -- | Complete | -- | No Application | -- | Jan-04 |
| 9912-1 | Best Management Products Inc.(East Jordan Iron Works, Inc.) | "Snout Oil & Debris Stop" | In storm water catch basins or in-line water quality structures to prevent floatable pollutants from exiting the structure. | -- | Complete | -- | No Application | -- | Dec-03 |
| 9911-6 | Concrete Impressions, Inc. (Precast Concrete Technology, Inc.) | "mprecon Sound Barrier or Screenwall." | Soundwall system. | -- | Complete | -- | Withdrawn/No Action | -- | Nov-02 |
| 9911-5 | American Electronic Sign | "Guardian Trilux-1 PCMS Jr. , Changeable Message Sign" | Changeable message sign to provide advisory messages in work zones or incidents to vehicles. Used for traffic control, traffic management and event management | -- | Complete | -- | No Application | -- | Oct-02 |
| 9911-4 | American Electronic Sign | "Vehicle Mounted Changeable Message Sign." | Vehicle Mounted Changeable Message Sign. | -- | Complete | -- | No Application | -- | Sep-13 |
| 9911-3 | Mitsubishi Chemical | "ALPOLIC composite sign material" | ALPOLIC is the trade name for Aluminum Composite Material (ACM) produced by Mitsubishi Chemical. It is manufactured by continuously laminating aluminum coil stock to both sides of an extruded thermoplastic | -- | Complete | -- | Accepted | -- | Aug-13 |
| 9911-2 | Mary Ann Industries | "GEO-Hay recycled carpet fiber." | A 3.75 foot synthetic hay bale of wound up carpet fibers with pre-cut stake holes. | -- | Complete | -- | Accepted | -- | Jul-12 |
| 9911-1 | Swarco Industries, Inc. | "Rumbler, Reflective Rumble Strips." | Non-reflective and reflective rumble strips traffic calming, speed reduction, alerting motorists of roadway hazards. | -- | Complete | -- | Withdrawn | -- | Jun-12 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|--|--|----|----------|----|----------------|--|--------|
| 9910-2 | Contech Construction Products Inc. | "Metal Stab Joints for Corrugated Steel Pipe" | Metal Stab Joints for Corrugated Steel Pipe | -- | Complete | -- | Accepted | | May-12 |
| 9910-1 | Contech Construction Products Inc. | "Plastic Stab Joints for Corrugated Steel Pipe" | Plastic Stab Joints for Corrugated Steel Pipe | -- | Complete | -- | Accepted | | Apr-12 |
| 9909-2 | American Wood Fibers | "Wood Flour, filler for Asphalt Mixes" | Wood Flour, filler for Asphalt Mixes | -- | Complete | -- | Withdrawn | | Mar-12 |
| 9909-1 | Work Area Protection | "Cobra Electronics, Cobra Safety Alert Traffic Warning System" | Cobra Electronics, Cobra Safety Alert Traffic Warning System | -- | Complete | -- | No Application | | Feb-12 |
| 9908-4 | Environmental Anchor Resources | "Patch-It, Epoxy pot hole repair" | Patch-It, Epoxy pot hole repair | -- | Complete | -- | No Application | | Jan-11 |
| 9908-2 | Oldcastle Precast | "Waffle Box, Precast drainage structure" | Waffle Box, Precast drainage structure | -- | Complete | -- | Accepted | | Dec-10 |
| 9908-1 | American Excelsior | "Curlex Sediment Log" | Curlex Sediment Log | -- | Complete | -- | Accepted | | Nov-09 |
| 9907-6 | IntePlast Group | "InteCel PVC Celuka sheet substrate for work area signs." | InteCel PVC Celuka sheet substrate for work area signs. | -- | Complete | -- | Accepted | | Oct-09 |
| 9907-5 | Hammer's Plastic Recycling | "Various Recycled Plastic Products" | Various Recycled Plastic Products | -- | Complete | -- | No Application | | Sep-08 |
| 9907-4 | Reflexite North America/Eastern Metal Sign | "Roll Sign" | Roll Sign | -- | Complete | -- | Withdrawn | | Aug-08 |
| 9907-3 | Invisible Structures, Inc. | "GrassPave 2" | GrassPave 2 / Reinforce grass turf for use in high or heavy traffic areas. Use in occasional access drives , emergency access, parking bays, pedestrian traffic | -- | Complete | -- | No Application | | Jul-08 |
| 9907-2 | Invisible Structures, Inc. | "SlopeTame 2" | SlopeTame 2 / Slope & Swell Erosion Prevention | -- | Complete | -- | No Application | | Jun-07 |
| 9907-1 | Invisible Structures, Inc. | "GravelPave 2" | GravelPave 2 / Porous Pavement structure that tolerates high frequency and low speed traffic. | -- | Complete | -- | No Application | | May-07 |
| 9906-3 | Invisible Structures, Inc. | "DrainCore 2" | DrainCore 2 / High Strength -High Volume Composite Drainage Core Structure for High way edge Drains, Foundation Walls, Retaining Walls, Tunnels | -- | Complete | -- | Withdrawn | | Apr-07 |
| 9906-2 | Magnolia Plastics, Inc. | "Magnoloop II / Loop Sealant Epoxy" | Magnoloop II / Loop Sealant Epoxy used for repairing potholes in concrete. | -- | Complete | -- | Rejected | | Mar-07 |
| 9906-1 | Singleton Construction | "The Silt Saver" | Storm water filter and safety cover for storm drain inlets. (New Construction) to be used as a temporary filter during the course of new construction before final stabilization | -- | Complete | -- | Accepted | | Feb-07 |
| 9905-3 | Ecrail of Florida, Inc. | "Ecrail / High Stregth Non-Metallic Hand Rail" | High strength non-metallic hand rail and other elongated structural elements. | -- | Complete | -- | Accepted | | Jan-07 |
| 9905-2 | Strongwell | "Polycast / Pre-sloped Trench Drain System" | Heavy traffic high volume surface drainage. | -- | Complete | -- | Accepted | | Apr-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---|---|----|----------|----|---------------------|--|--------|
| 9905-1 | Leotek Electronics Corp. USA | "TSL-12R-QE / LED Traffic Signal" | Replace incandescent lamps in traffic signals. (No Scanned NPE) | -- | Complete | -- | No Application | | Mar-08 |
| 9904-1 | Jim Chandler & Assoc. | "Quad Guard Elite System (Energy Absorption Systems)" | Quad Guard Elite System (Energy Absorption Systems) (No Scanned NPE) | -- | Complete | -- | Accepted | | Feb-08 |
| 9903-2 | Trinity Industries, Inc. | T.R.A.C.C. Attenuating Crash Cushion | T.R.A.C.C. Attenuating Crash Cushion (No Scanned NPE) | -- | Complete | -- | Accepted | | Jan-07 |
| 9903-1 | Piling Accessories Inc. | "Piling Accessories Coupler" | Splicing pipe piling without welding. | | Complete | -- | Withdrawn/No Action | | Dec-06 |
| 9902-2 | K & K Systems | "Solar Powered Safety Assist Lights" | Solar Powered Safety Assist Lights | -- | Complete | -- | Accepted | | Nov-06 |
| 9902-1 | Cascade Distribution Ltd. | "Enviro Berm" | Enviro Berm (No Scanned NPE) | -- | Complete | -- | Withdrawn | | Oct-05 |
| 9901-3 | All Sign Products Inc. | "30" Translucent Stop sign" | For use wherever a 30" x 30" or 36" x 36" Stop sign is currently used. Particularly those difficult installations where the stop sign can become silhouetted from behind by sunlight or other bright light as the translucent | -- | Complete | -- | Accepted | | Sep-04 |
| 9901-2 | Rubber Polymer Corporation | "Rf 20/L:-17 Water Repellant" | Water repellant to be used on concrete block, brick or other porous surfaces. Excellent for poured concrete such as bridge substrates. | -- | Complete | -- | No Application | | Aug-04 |
| 9901-1 | Roadbind America, Inc. | RB Ultra Plus | Additive for stabilization of unpaved roads dust control application; additive for subgrade under pavement. | -- | Complete | -- | Accepted | | Jul-03 |
| 9812-1 | Union Camp Corporation | Unitol DKG/ Stable-X | Road base soil stabilizer when applied as discibe. Reducing road deterioration due to erosion of the base. | -- | Complete | -- | No Application | | Nov-98 |
| 9811-4 | Bekaert Corporation | "Dramix Steel Fibers" | Reinforcement for concrete and shotcrete | -- | Complete | -- | Accepted | | May-02 |
| 9811-3 | Specialty Materials (Chem-Lime, Cheney Lime) | "Lime Kiln Dust" | Lime Kiln Dust (No Scanned NPE) | -- | Complete | -- | Accepted | | Apr-02 |
| 9811-2 | Roadbind America, Inc. | "RB Ultra Plus" | TA-500 is used to seal wire detection loops imbedded in ashphalt and/or concrete. | -- | Complete | -- | No Application | | Mar-02 |
| 9811-1 | Union Camp Corporation | "Unitol DKG/Stable-X" | Unitol DKG/Stable-X | -- | Complete | -- | No Application | | Feb-13 |
| 9810-1 | Sign Socks, Inc. | "SIGNSOCK " Road Sign Covers" | SIGNSOCK " Road Sign Covers | -- | Complete | -- | Accepted | | Jan-12 |
| 9809-9 | R. Hart Sales (Tri-America) | "TA-500" | TA-500, Asphaltic emulsion sealant for detection loops.. | -- | Complete | -- | No Application | | Dec-11 |
| 9809-2 | Capital Services of New York Inc. | "METAZEALExpansion" | Expansion/contraction pre-formed joint sealer and / or pressure relief seal for bridges, parking decks, waste water treatment plants, airports and other commercial structures | -- | Complete | -- | Accepted | | Nov-11 |
| 9809-1 | Green Mountain International, Inc, | Mountain Grout "PR" | Pothole and crack repair in concrete or asphalt. | -- | Complete | -- | No Application | | Oct-11 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|--|---|----|----------|----|---------------------|----|--------|
| 9808-1 | BTW | "Recycled Plastic Fence Posts" | Reusable protection for frequently impacted flat concrete walls or inside radius walls on curves. | -- | Complete | -- | Accepted | -- | Sep-10 |
| 9807-4 | Jim Chandler Absorption Systems (Energy Absorption Systems) | "Cushion Wall" | Cushion Wall | -- | Complete | -- | Accepted | -- | Aug-09 |
| 9807-3 | MC. Inc. (Hebel Building Systems) | "Hebel Precast Autoclaved Aerated Concrete. (Sound Barrier Wall)" | Hebel Precast Autoclaved Aerated Concrete. (Sound Barrier Wall) used as a screen wall or a glare screen or other construction where a light weight building material with Hebel's properties is required. | -- | Complete | -- | Accepted | -- | Jul-09 |
| 9807-2 | R.J. Watson Inc. | Pitchmastic P.L.C. PmB Water Proofing Membrane. (Spray on waterproofing | Pitchmastic P.L.C. PmB Water Proofing Membrane. (Spray on waterproofing membrane for concrete.) Longitudinal and transverse joints in HMA surfaces; joints between concrete and HMA. | -- | Complete | -- | No Application | -- | Jun-09 |
| 9807-1 | EYE Lighting International Of North America | "EYE Ignitron™ EN (Street Lighting)" | (Street Lighting) Roadway, Parking Lot, Storage Areas, and buidling lighting. | -- | Complete | -- | Accepted | -- | May-08 |
| 9806-4 | EYE Lighting International Of North America | "EYE Sunlux Ultra Ace™ HPS EN (Street Lighting)" | (Street Lighting) Roadway, Parking Lot, Storage Areas, and buidling lighting | -- | Complete | -- | Accepted | -- | Apr-07 |
| 9806-3 | GTLC Incorporated (CSS Technology) | "Road Bond EN-1 (Road base material stabilizer)" | Road Bond EN-1 (Road base material stabilizer) | -- | Complete | -- | No Application | -- | Mar-07 |
| 9806-2 | Permalok Corporation | "Permalok Steel Pipe" | Joining of steel pipe used on cased crossing of highways. Permalok is an integral press fit steel pipe joining system. When the components are pushed together with the sealant, a quick, strong pressure tight connection is | -- | Complete | -- | Accepted | -- | Feb-07 |
| 9806-1 | Kryton International Inc. | "KIM (Krystol Internal Membrane)" | KIM (Krystol Internal Membrane) (No Scanned NPE) | -- | Complete | -- | Withdrawn | -- | Jan-07 |
| 9805-2 | Solar Outdoor Lighting, Inc. | "Solar powered lighting for highway signs" | Sign lighting - highway and other. (No Scanned NPE) | -- | Complete | -- | No Application | -- | Aug-08 |
| 9805-1 | Fibercon International Inc. | Fibercon Steel Fibers (Fiber reinforced concrete) | Fibercon Steel Fibers (Fiber reinforced concrete) (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Jul-08 |
| 9804-1 | Nyloplast America Inc., | "Nyloplast" PVC Drainage Inlets and Drain Basins" | Surface drainage inlet structure for right of way areas outside of the paved traffic area. | -- | Complete | -- | Accepted | -- | Jun-08 |
| 9803-4 | AKAM (USA) NCHRP 350 Report. | "Briffen Wire Rope Safety System" | Briffen Wire Rope Safety System (No Scanned NPE) | -- | Complete | -- | Approved | -- | May-08 |
| 9803-3 | Southern Pine Lumber Company | "American Ecoboard, Inc." | All types of waterfront construction fender systems, retaining walls, decks, docks pilings, etc. (commercial and residential) | -- | Complete | -- | Withdrawn/No Action | -- | Apr-07 |
| 9803-2 | Road Systems Inc. | "Fleat 350 Flared Energy Absorbing Terminal" | Guardrail type end terminal installed 4'-0" flared straight offset to the roadway. | -- | Complete | -- | Accepted | -- | Mar-07 |
| 9803-1 | Gould & Assoc. | "Multi Barrier MB-2 (Off The Wall Productions)" | Type I, II or III barricade, temporary sign, channelizing device. | -- | Complete | -- | Accepted | -- | Feb-06 |
| 9802-6 | Environmentally Safe Solutions | "Evercrete DPS" | Evercrete has historically been used internationally as a "problem solver" wherever there is a severe moisture or leaking problem with old or new concrete. The manufacturer is in a dozen or more countries as well as the | -- | Complete | -- | No Application | -- | Jan-05 |
| 9802-5 | Capital Services of New York Inc. | "EVAZOTE (gray)" | Expansion/contraction pre-formed joint sealer and / or pressure relief seal for bridges, parking decks, waste water treatment plants, airports and other commercial structures. | -- | Complete | -- | Accepted | -- | Dec-04 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|--|---|----|----------|----|---------------------|----|--------|
| 9802-4 | Watson Bowman Acme | "WABO® Two Part Self Leveling Silacone Sealant" | Stress relief and approach slab joints. | -- | Complete | -- | Accepted | -- | Nov-04 |
| 9802-3 | Applied Polymer Systems | "APS Silt Stop "PAM"™" | APS Silt Stop "PAM" (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Oct-04 |
| 9802-2 | S.I. Storey Lumber Co. | "Routed Timber Off set Block" | This item is used in the erection of W-beam guardrail utilizing steel posts to offset the rail from the post. This prevents a vehicle from encroaching too deeply into the barrier, the outcome of which results in the vehicle's right front | -- | Complete | -- | Approved | -- | Sep-03 |
| 9802-1 | Road Techs Inc. -- Now CR Services, Inc | "Road Flex and Road Patch -- Fiberscreed and Fibercrete -- Robert D. Emfinger" | Reflective cracking, stress cracking cold joint repair, spalls, potholes in concrete. | -- | Complete | -- | Accepted | -- | Aug-03 |
| 9801-1 | Sherman Concrete Pipe | I.E.C.S. Concrete Gabions | I.E.C.S. Concrete Gabions (No Scanned NPE) | -- | Complete | -- | Withdrawn/No Action | -- | Jul-03 |
| 9712-2 | Enviro-Guard LLC | "Quick-Guard Silt Anchor/Gauge" | Quick-Guard Silt Anchor/Gauge (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Jun-03 |
| 9712-1 | Amoco Fabrics & Fibers Co. | "SuperGro" | Erosion control, vegetative establishment. | -- | Complete | -- | Accepted | -- | May-03 |
| 9711-1 | Asphalt Materials, Inc. | "T-Bond HMA Joint Tape" | Longitudinal and transverse joints in HMA surfaces; joints between concrete and HMAC. | -- | Complete | -- | Withdrawn | -- | Apr-03 |
| 9710-4 | Lancaster Composite, Inc. | "CP40 Piling" | Navigational aids, bulkhead/seawalls, fascia piles, and support. | -- | Complete | -- | Accepted | -- | Mar-02 |
| 9710-3 | The Scientex Corporation | "ADAPTIR™" | Improving traffic management for special events. | -- | Complete | -- | No Application | -- | Feb-13 |
| 9710-2 | Carsonite International | "Optishield (Above ground race way for fiber optic cable." | Protect fiber-optic cable for traffic management devices. Re: Changeable message boards and video cameras for above ground application. | -- | Complete | -- | No Application | -- | Jan-13 |
| 9710-1 | Mineral Resource Technologies | "Class C Fly Ash" | Set time control, availability, and use of more per cubic feet because it is economically available when cement is in a short supply. Less shrinkage cracks | -- | Complete | -- | Withdrawn | -- | Dec-11 |
| 9709-3 | Parker International Ltd. | "Radcon Formula #7" | Permanently waterproofs and protects 100% Portland Cement Concrete and masonry. Seals stress and shrinkage cracks up to 2.00mm and has ability to rebal hairline cracks up to 0.25mm. Designed for high thermal stress. | -- | Complete | -- | No Application | -- | Nov-10 |
| 9709-2 | Parker International Ltd. | "Radcote Mineral Silicate Paint" | Excellent sealing properties for vertical internal and external concrete & masonry structures to provide a long-term aesthetic and durable protection system against water, chloride ions and other pollutants. Environmentally | -- | Complete | -- | Withdrawn | -- | Oct-10 |
| 9709-1 | Watson Bowman Acme | "Wabo® Inverseal" | Wabo® Inverseal (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Sep-10 |
| 9708-2 | K and K Systems, Inc. | "Safety Assist Lights Models: 100, 101, and 102" | Model 100-To enhance flaggers location. Model 101-Stop sign beacon at new stop conditions. Model 102-To enhance regulatory warning conditions. | -- | Complete | -- | Accepted | -- | Aug-10 |
| 9708-1 | Road Systems Inc. | "SKT-350 Sequential Kinking Terminal" | NHCRP 350 Crash Tests - Unique design allows system to be activated with 1/3 lower forces than other tangent terminals. This means lower impact forces on occupants of errant vehicles. Multiple licensing ensures more than | -- | Complete | -- | Accepted | -- | Jul-09 |
| 9707-2 | Gould & Associates, Inc. (ACF Environmental) | "Dirt Bag (Silt and Sediment control in discharch of pump water.)" | Very easy to use. Historically, hay bales and/or silt fence used. This is much easier and an economical system. | -- | Complete | -- | Approved | -- | Jun-09 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|--|--|----|----------|----|---------------------|----|--------|
| 9707-1 | Resist-A-Chem | "Resist-A-Chem 7022F Microsilica Modified Concrete" | Resist-A-Chem 7022F is a pre-blended concrete mixture containing microsilica and a superplasticizer. It is used in the pour placement method in any concrete application. | -- | Complete | -- | Accepted | -- | May-09 |
| 9705-3 | Resist-A-Chem | "Resist-A-Chem 7021F Microsilica Modified Concrete" | Resist-A-Chem 7021F Microsilica Modified Concrete (No Scanned NPE) | -- | Complete | -- | Withdrawn | -- | Apr-08 |
| 9705-2 | Jim Chandler and Associates (Energy Absorption Systems) | "Breakmaster® 350" (Guard Rail Anchorage Assembly) | Meets NCHRP350 EASE of installation and refurbishment. No wood posts needed. | -- | Complete | -- | Accepted | -- | Mar-08 |
| 9705-1 | Proactive Environmental Research | "Lead XTM" (Lead abatement additive for sandblasting) | Not water soluble - may be used wet or dry. There is no followup process, the blowdown may be disposed or immediately. There are no known disadvantages. | -- | Complete | -- | Withdrawn | -- | Feb-07 |
| 9704-8 | Port City Pipe, Inc. | American Hwy. Products Steel Expandable Manhole Risers | Risers are used to bring existing manhole lids up to new grade during resurfacing projects. | -- | Complete | -- | Accepted | -- | Jan-07 |
| 9704-7 | Ameron International | "Ameron Pole Products" | Ameron Pole Products (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Aug-07 |
| 9704-6 | Oldcastle Precast Inc. | "Bebo" | Fast construction, very long life span, virtually maintenance free, economical in design and construction. | -- | Complete | -- | Approved | -- | Jul-07 |
| 9704-5 | Trinty Industries, Inc. | "ADIEM-350 (Crash Cushion for concrete barriers)" | Crash cushion for concrete barrier or pier protection for all NHS (National Highway System) speeds. | -- | Complete | -- | Approved | -- | Jun-07 |
| 9704-4 | World Wide Environmental Products, Inc. | EcoCrete™ - Snake Oil | Road base, access roads, mine haul roads dust control. | -- | Complete | -- | Withdrawn/No Action | -- | May-06 |
| 9704-3 | Applied Polymerics, Inc. | "Elastic Cement EC" | Fast curing, low down time, reliable, patch repair in high traffic areas/ | -- | Complete | -- | No Application | -- | Apr-06 |
| 9704-2 | Applied Polymerics, Inc. | "Percrete" | Pothole repair, spalls, non-moving cracks, stabilization of areas. | -- | Complete | -- | No Application | -- | Mar-06 |
| 9704-1 | Applied Polymerics, Inc. | "Elastic Cement A/C" | Potholes, alligatored areas, crack sealing of asphalt. | -- | Complete | -- | No Application | -- | Feb-06 |
| 9703-7 | Environmentally Safe Solutions, Inc. | "Duramer Polymers and Elastomers" | Water barrier seal-coating for wood, concrete and masonry, asphalt-ultra for wood, concrete and masonry, asphalt-ultra corrosive resistant coating metals | -- | Complete | -- | No Application | -- | Jan-06 |
| 9703-6 | Aztec Concrete Accessories | "Aztec EZ Chair" | For supporting and accurately spacing reinforcing steel off formwork during concrete pours. | -- | Complete | -- | Approved | -- | Dec-05 |
| 9703-5 | Aztec Concrete Accessories | "Aztec EZ Lok Slab Bolster" | For supporting, reinforcing steel and providing accurate clearances off formwork during concrete pours. | -- | Complete | -- | Accepted | -- | Nov-05 |
| 9703-4 | Envirosafe Manufacturing Corp. | "Trojan Masonry Sealer" | Penetrating masonry sealer that penetrates 2-4" for all masonry, block, brick and slabs. Trojan has a lifetime warranty. | -- | Complete | -- | No Application | -- | Oct-05 |
| 9703-3 | Envirosafe Manufacturing Corp. | "Efflorescence Remover" | A fluid applied coating that removes efflorescence from brick and block. This is a finished product that is ready for use. | -- | Complete | -- | No Application | -- | Sep-04 |
| 9703-2 | Envirosafe Manufacturing Corp. | "Enviro-Clean Degreaser / Cleaner" | A unique, industrial strength chemical cleaner and degreaser that unites safety, effective cleaning and environmental awareness in a special formulation that is time-proven and job tested. This is a concentrate. Please | -- | Complete | -- | No Application | -- | Aug-04 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-------------------------------------|--|---|----|----------|----|----------------|----|--------|
| 9703-1 | Envirosafe Manufacturing Corp. | "Rust / Stain Remover" | A unique formulation that removes rust, grease and oil stains from concrete. This is a finished product and ready for use. | -- | Complete | -- | No Application | -- | Jul-04 |
| 9702-2 | Envirosafe Manufacturing Corp. | "Nu Look Concrete Cleaner" | A fluid applied coating that removes dirt, oil, stains, etc. from concrete: restoring the new look finished product and ready for use.. | -- | Complete | -- | No Application | -- | Jun-04 |
| 9702-1 | Envirosafe Manufacturing Corp. | "Algae / Mildew Retardant" | A fluid applied coating that forms a shield to retard the growth of algae and mildew. This is a finished product that is ready for use. | -- | Complete | -- | No Application | -- | May-04 |
| 9611-1 | Aqua Surface Tech. Canada, Inc. | "AquaSurTech D45" | Direct to aluminum because of superior adhesion. Direct to wet concrete because of breathability and vapor transmission. Direct to PVC fabrics because of adhesion. | -- | Complete | -- | Withdrawn | -- | Apr-04 |
| 9610-3 | Syro, Inc. A Trinity Industries Co. | "PS-350 III" | MPS-350 III (No Scanned NPE) | -- | Complete | -- | No Application | -- | Mar-04 |
| 9610-2 | Hardy Construction Technology | "Hardy Chair-Lok" | Paving chair for rebar support in concrete reinforced road construction single mat and double mat construction. | -- | Complete | -- | No Application | -- | Feb-03 |
| 9610-1 | General Railway Signal Corp. | "Aurora™ LED Highway Crossing Signal" | Highway-railroad crossing flasher warning signal lights. | -- | Complete | -- | Accepted | -- | Jan-03 |
| 9610-1 | Jim Chandler Associates | "QuadGuard™ System (Energy Absorption Systems)" | As a permanent crash cushion to provide redirective, non-gating...protection for various roadside and median hazards. | -- | Complete | -- | Accepted | -- | Dec-11 |
| 9609-1 | Southwestern Pipe, Inc. | Poz-Loc® Slipbase System | A multidirectional breakaway sign support system. | -- | Complete | -- | No Application | -- | Nov-10 |
| 9608-2 | Triangular Silt Dike Co., Inc.. | "Triangular Silt Dike" | Temporary sediment control - this item can be placed across surface drainage ditches, along curbs or R/W lines, and around drop inlets. | -- | Complete | -- | Accepted | -- | Oct-10 |
| 9608-1 | Triangular Silt Dike Co., Inc.. | "Triangular Silt Dike" | Temporary sediment control - this item can be placed across surface drainage ditches, along curbs or R/W lines, and around drop inlets. | -- | Complete | -- | Accepted | -- | Sep-10 |
| 9607-4 | Protection Services Inc. | "Big Foot Self Ballasting Channelizer" | Traffic channelizer for highway construction projects. | -- | Complete | -- | Accepted | -- | Aug-10 |
| 9607-3 | Brite-Line Industries, Inc. | "Vibraline" | Vibraline (No Scanned NPE) | -- | Complete | -- | No Application | -- | Jul-09 |
| 9607-2 | TechStar, Inc. | "TechStar W-Seal" | TechStar W-Seal (No Scanned NPE) | -- | Complete | -- | No Application | -- | Jun-08 |
| 9607-1 | Klemmfix GMBH (Qwick Kurb™) | "Qwick Kurb Inc.(Temp. /Long Term Traffic Control Device. 999 Removable Traffic" | Qwick Kurb Inc.(Temp. /Long Term Traffic Control Device. 999 Removable Traffic Separator (No Scanned NPE) | -- | Complete | -- | Accepted | -- | May-08 |
| 9606-7 | Brite-Line Industries, Inc. | Deltaline XRP (Extended Reflective Performance Pavement Marking Tapes) | As inlay on new asphalt or surface applied where high levels of reflectivity are required to ensure safety, and where traffic is generally free-rolling. | -- | Complete | -- | Withdrawn | -- | Apr-07 |
| 9606-6 | U.S. Highway Products, Inc. | "Fiber-Brite (Fiberglass reinforced plastic signs)" | Street signs. | -- | Complete | -- | No Application | -- | Mar-07 |
| 9606-5 | Poly Systems, Inc. | "Culvert Renew" | Reline culverts direct burial on culvert replacing CMP in hot soils. | -- | Complete | -- | Accepted | -- | Feb-07 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---------------------------------|---|--|----|----------|----|----------------|----|--------|
| 9606-4 | Pennzoil Products Co. | "PennzSupress D" | PennzSupress D (No Scanned NPE) | -- | Complete | -- | No Application | -- | Jan-07 |
| 9606-3 | Hutchins International, LTD | "Linelite (Hwy lane lighting system)" | For vehicle guidance at night. Providing a line of light. Linelite is an extruded lighting system which can be mounted into the pavement/road surface of concrete barrier or anywhere | -- | Complete | -- | No Application | -- | Jul-11 |
| 9606-2 | Whisper Wall | "Whisper Wall Barriers" | Use with dual (parallel) barriers to eliminate multiple reflections and prevent single reflections diffracting back to the ground after passing over opposite wall. Multiple surfaces are tilted 10 degrees | -- | Complete | -- | No Application | -- | Jun-11 |
| 9606-1 | Kenco International | "Watchdog Perimeter Intrusion Alarm" | Any vehicle detection application. | -- | Complete | -- | Withdrawn | -- | May-11 |
| 9605-9 | Borode, Inc. | "Road Atlas (Adjustable Form for Bridges)" | The Road Atlas is a device used as formwork in bridge construction. It is reusable because it is made of fiberglass, and it is infinitely adjustable (within its ranges) in its width and height so that it can be used with any size bridge | -- | Complete | -- | No Application | -- | Apr-11 |
| 9605-8 | Eastern Metal/USA (Action West) | "Work Zone Alarm" | Protection of workers inside workzone from vehicle entry danger via audible alarm. | -- | Complete | -- | Withdrawn | -- | Mar-11 |
| 9605-7 | Eastern Metal/USA (Action West) | "Flashing STOP/SLOW Paddle Signs" | Flagging in low visibility or visually competitive environment, | -- | Complete | -- | Accepted | -- | Feb-11 |
| 9605-6 | Creative Building Products | "Dura-Bull Blockout" | Solid recycled plastic blockout for spacing the quardrail from the quardrail post. | -- | Complete | -- | Accepted | -- | Jan-11 |
| 9605-5 | Sika Corp. | "Sikagard 3020 Armatec (Corrosion inhibitor for rebar in concrete bridges)" | Corrosion inhibiting - surface applied - designed to penetrate and migrate to the steel in concrete providing a protective layer on the steel. | -- | Complete | -- | No Application | -- | Dec-09 |
| 9605-4 | O.I.T. International | "Dallas Roadway Product" (Road Stabilization treatment) | Stabilization of soil materials, sub-grade treatments and stabilization as part of pavement construction or equal to lime, soil cement applications concerning roads, embankments, airport runways, etc | -- | Complete | -- | No Application | -- | Nov-09 |
| 9605-3 | Dandy Products | "Dandy Bag" | All curb and gutter inlets. Keeps silt sediment and construction debris out of the stormwater systems. | -- | Complete | -- | No Application | -- | Oct-09 |
| 9605-2 | Dandy Products | "Beaver Dam" | All curb and gutter inlets. Keeps silt sediment and construction debris out of the stormwater systems. | -- | Complete | -- | No Application | -- | Sep-09 |
| 9605-1 | RJD Industries | "Splice Seal (Concrete Reinforcement Protection System)" | To seal, coat, field jointing or epoxy or otherwise coated, concrete reinforcement joints. | -- | Complete | -- | No Application | -- | Aug-09 |
| 9604-2 | Corrosion Proof Products | Magnum Series 9000 FRP Composite Rebar (Fiberglass Rebar) | Structural reinforcement *Ideal for reinforcing Portland cement and Polymer concrete used in enviroments where chemical or saltwater corrosion occurs or nonmagnetic and nonconductive materials are required | -- | Complete | -- | No Application | -- | Jul-09 |
| 9604-1 | Pilecap, Inc. | "Underwater Encapsulating System" | To provide internal area to allow chemical process for proper surface preparation, so an intimate bond can be achieved between coating and underwater piling | -- | Complete | -- | No Application | -- | Jun-09 |
| 9603-3 | Gulfline Corp. | "Gulfline (Pavement Marking)" | Highway stripping and edgeline, centerline, rumble strip. | -- | Complete | -- | Withdrawn | -- | May-09 |
| 9603-2 | Rhone-Poulene, Inc. | "Sipomer HS-LV (Primer for polyester concrete overlay)" | Crack sealer for concrete. Repair and filling of cracked concrete structures. Mostly for fine, small cracks that cannot be filled with more viscous materials. | -- | Complete | -- | No Application | -- | Apr-09 |
| 9603-1 | Flexstake Inc. | "Flexstake Glare Screen" | To be mounted on Jersey barriers, etc. for light deflection. | -- | Complete | -- | Accepted | -- | Mar-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|----------------------------|---|--|----|----------|----|---------------------|----|--------|
| 9602-6 | Global Solutions | "Fiber Shield" | Roofing, flooring, hazardous containment, lead paint encapsulation on bridges and tunnels, also used for chemical resistance, waterproofing preventing rust through tank containment and enclosure, and much more. | -- | Complete | -- | No Application | -- | Feb-08 |
| 9602-5 | Flexstake, Inc. | "Tubular Marker" | Roadside delineators, construction zone channelizers, bull nose, median cuts. | -- | Complete | -- | Withdrawn | -- | Jan-07 |
| 9602-5 | Carolina Eastern Warehouse | "Liquid Lime (Hydro seeding additive)" | To be used in hypo-seeping as needed to improve the PH. | -- | Complete | -- | Accepted | -- | Dec-06 |
| 9602-4 | Road Ware Inc. | "Flexible Sealant" | Sealing concrete joints where high movement is anticipated. Sealing moving caracks. Wherever a moisture proof sealant is required. | -- | Complete | -- | No Application | -- | Nov-06 |
| 9602-3 | Road Ware Inc. | "Flexible Cement II" | Flexible Cement II (No Scanned NPE) | -- | Complete | -- | No Application | -- | Oct-05 |
| 9602-2 | Road Ware Inc. | "System 60 Bridge Joint System URESEAL 10 Minute Mender Flexible Cement II (No Scanned NPE)" | System 60 Bridge Joint System URESEAL 10 Minute Mender Flexible Cement II (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Sep-05 |
| 9602-2 | Road Ware Inc. | "10 Min. Flexible Cement" | Partial depth spall repair in concrete. Crack repair where movement is anticipated. Pavement repairs when pavement cannot be shutdown. Bridge deck overlays. | -- | Complete | -- | Withdrawn | -- | Aug-05 |
| 9602-1 | Road Ware Inc. | "10 Min. Concrete Mender" | 10 Minute repair of broken cracked or spalled concrete slabs decks floors. Reaches 4500 psi in minutes, will not overcure become brittle and pop out. | -- | Complete | -- | No Application | -- | Jul-05 |
| 9601-6 | Aquron Corp. | "Aquron CPT-2000 (Preserves embedded steel, stops penetration of oil and salt in ocean or snow removal environments)" | Aquron is a deep penetrating concrete sealer/preservative, which neutralizes internal corrosives in new and aged concrete, and waterproofs concrete from salt in ocean or snow removal environments. | -- | Complete | -- | Withdrawn | -- | Jun-05 |
| 9601-5 | Foss Environmental | "Stem Guard" (Catch Basin Inserts) | Stem Guard (Catch Basin Inserts) | -- | Complete | -- | No Application | -- | May-05 |
| 9601-4 | Neptco, Inc. | "Arbortape" (Staking and guying trees) | Replaces wires, hose, and turnbuckles used for staking and guying trees. | -- | Complete | -- | Accepted | -- | Apr-05 |
| 9601-4 | Cherokee Culvert | "Aluminum Alloy Pipe" | Alternate to reinforced concrete pipe for all storm sewer and drainage applications. | -- | Complete | -- | Accepted | -- | Mar-05 |
| 9601-3 | F.E.A. Inc. | "Boiler Fuel" | Tire derived fuel for boiler use. | -- | Complete | -- | No Application | -- | Feb-04 |
| 9601-2 | WLI Industries | "Safety Cade Barricade" | Chanellizing device in work zone (1 direction indicator barricade - taper and transition; (2 vertical and standard type II - Alternate to drum in all applications) | -- | Complete | -- | No Application | -- | Jan-04 |
| 9601-1 | WLI Industries | "Safety Cade Barricade" | Chanellizing device in work zone (1 direction indicator barricade - taper and transition; (2 vertical and standard type II - Alternate to drum in all applications) | -- | Complete | -- | Accepted | -- | Dec-03 |
| 9512-5 | Evergreen | "Retaining-Sound Wall Rock Revetment" | Retaining-Sound Wall Rock Revetment (No Scanned NPE) | -- | Complete | -- | Withdrawn/No Action | -- | Nov-03 |
| 9512-4 | R.J. Watson Inc | "Silicoflex Joint Sealant" | To seal expansion joints on bridges. | -- | Complete | -- | Withdrawn | -- | Oct-03 |
| 9512-3 | ADDCO Manufacturing | "The Signal DTS-2000" (Construction work zone sign) | The Signal DTS-2000 (Construction work zone sign) (No Scanned NPE) | -- | Complete | -- | No Application | -- | Sep-03 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|---------|---------------------------------|---|--|----|----------|----|----------------|----|--------|
| 9512-2 | ABT, Inc. | "PolyDrain" (Surface Drainage System) | PolyDrain (Surface Drainage System) (No Scanned NPE) | -- | Complete | -- | No Application | -- | Aug-03 |
| 9512-1 | USG Corp. Research Center | "USG Sight and Sound Screen" | The USG SSS is a post and panel type wall system intended for use as a sight and sound barrier on highways. | -- | Complete | -- | Accepted | -- | Jul-14 |
| 9511-1 | Soil Bond International | "Clay Pack" (Primary sub-grade material) | Primary subgrade material for road construction. Replacement for lime and other subgrade materials. | -- | Complete | -- | No Application | -- | Jun-14 |
| 9510-4 | Carson-Brooks Plastics, Inc. | "Multi-Duct System" | High strength-to-weight ratio, high stiffness-to-weight ratio, stress free parts to eliminate warpage, non-porous surface, foam core provides impact absorption, plus sound and health insulation. | -- | Complete | -- | No Application | -- | May-14 |
| 9510-3 | Weslo Corporation | "Safe-T-Path" (Clamp on walkway for existing highway bridges) | To provide a safe walkway for pedestrians and bicyclists on existing reinforced concrete bridges where no walkway exists. | -- | Complete | -- | No Application | -- | Apr-14 |
| 9510-2 | Lancaster Composites | "Composite Post 40" (Chain Link Fence Posts) | Chain link fence posts. | -- | Complete | -- | Accepted | -- | Mar-14 |
| 9510-1 | Energy Absorption Systems | "LMA" Low Maintenance Attenuator | Protection for concrete blunt ends where historically high impact frequency creates the need for low maintenance, low refurbishment cost system. | -- | Complete | -- | Withdrawn | -- | Feb-13 |
| 9509-9 | Stonhard, Inc.-Epoplex Division | "EPOPLEX LS5" (Traffic paint for concrete and asphalt) | All edgeline and skip line pavement striping on both concrete and asphalt surfaces. | -- | Complete | -- | Withdrawn | -- | Jan-12 |
| 9509-8 | International Plastics Corp. | "Slab Bolster, Chair, Sandplate" | The slab bolster and X-chair is used to support reinforcing steel during concrete construction. The sandplate is used to prevent both the X-chair and slab bolster from sinking into the sand during a pour. | -- | Complete | -- | Accepted | -- | Dec-11 |
| 9509-7c | ADS | "N-12" (Smooth Lined Corrugated Polyethylene Pipe) | Storm drain, cross drain, culvert, side drain. | -- | Complete | -- | Accepted | -- | Nov-11 |
| 9509-7b | Flexstake Inc. | "Barrel Wrap (Replacement for reflective sheeting on old barrels.)" | To replace damage reflective sheeting on old barrels. | -- | Complete | -- | Accepted | -- | Oct-11 |
| 9509-7a | Bromall Enterprises | Ceramic Insulation | Rooftop insulation. | -- | Complete | -- | No Application | -- | Sep-10 |
| 9509-6 | W.J. Ruscoe Co. | "PS-2007 Non Sag Joint Sealant" | Sealing inductive loop saw cuts | -- | Complete | -- | Accepted | -- | Aug-10 |
| 9509-5 | W.J. Ruscoe Co. | "PS-2005 Joint Sealant" | Sealing inductive loop saw cuts | -- | Complete | -- | Withdrawn | -- | Jul-10 |
| 9509-4 | W.J. Ruscoe Co. | "PS-2000 Detector Loop Sealant" | Sealing inductive loop saw cuts | -- | Complete | -- | Accepted | -- | Jun-10 |
| 9509-3 | Davidson Plastics Corporation | "PCBM High Impact Barrier Reflector" | PCBM High Impact Barrier Reflector | -- | Complete | -- | Withdrawn | -- | May-10 |
| 9509-2 | Gateway Pipe Supply, Inc. | "Carbon Steel Pipe (culverts, bridges, and drainage) " | Carbon Steel Pipe (culverts, bridges, and drainage) | -- | Complete | -- | No Application | -- | Apr-10 |
| 9509-1 | Percol Polymers | "Elastic Cement" | For repairing asphaltic concrete; load bearing repairs over fatigue and reflective cracks and cold joints; for resurfacing rough pavement. | -- | Complete | -- | No Application | -- | Mar-10 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-----------------------------------|--|--|----|----------|----|---------------------|----|--------|
| 9508-5 | Percol Polymers | "Alligator Glue" | For repairing concrete spalls and cracks. | -- | Complete | -- | No Application | -- | Feb-10 |
| 9508-4 | Percol Polymers | "Concrete Healer" | For repairing concrete spalls and cracks. | -- | Complete | -- | No Application | -- | Jan-10 |
| 9508-3 | British Gas Corp. | "Pipe Bursting" | Pipe bursting is used to replace existing water, sewer or gas mains; drainage pipes and pipelines; and utility conduit with new pipe. | -- | Complete | -- | Withdrawn/No Action | -- | Dec-09 |
| 9508-2 | United States Gypsum | "Airtrol Geobinder" | Airtrol Geobinder (No Scanned NPE) | -- | Complete | -- | Withdrawn | -- | Nov-09 |
| 9508-1 | Klemmfix GMBH (Qwick Kurb™) | "Qwick Kurb Inc.(Temp. /Long Term Traffic Control Device)" | Temporary traffic separator or traffic island for construction areas. Can also be used as additional positive guidance in long term lane closures. | -- | Complete | -- | No Application | -- | Oct-08 |
| 9507-5 | Optimix, Inc. | Optimix Cold Patch | Repair of potholes on asphaltic and concrete streets and highways. | -- | Complete | -- | Withdrawn | -- | Sep-08 |
| 9507-4 | Bryson Products, Inc.(Interstate) | "B.E.S.T Beam Eating Steel Terminal" | A guard rail type end terminal installed tangent to the roadway. | -- | Complete | -- | Accepted | -- | Aug-08 |
| 9507-3 | Weyerhaeuser Engineered Fiber | "Soil Guard Bonded Fiber Matrix (Temporary erosion control on slopes)" | Soil Guard Bonded Fiber Matrix (Temporary erosion control on slopes) | -- | Complete | -- | Withdrawn | -- | Jul-08 |
| 9507-2 | Signfix, LTD | Signfix | The Signfix dovetail extrusion can be used to install regulatory signs. | -- | Complete | -- | No Application | -- | Jun-08 |
| 9507-1 | Davidson Plastic Corp. | "Flex-Guide Delineator Post" | Roadside delineation, can be installed by one person with a manual driver. | -- | Complete | -- | No Application | -- | May-07 |
| 9506-8 | Pavetech International | "Matrix CMX" | A bridge joint system that accomodates fixed end, thermal, and dynamic movement. | -- | Complete | -- | Withdrawn | -- | Apr-07 |
| 9506-7 | Transafe Products Co. | "Saddle Marker Reflector" | Concrete median barrier/reflector - delineation device for work zone. | -- | Complete | -- | No Application | -- | Mar-07 |
| 9506-6 | Lancaster Composite Inc. | "Composite Post 40" | Small and medium sign posts. | -- | Complete | -- | Withdrawn | -- | Feb-07 |
| 9506-5 | Spotflex USA Inc. | "Spotflex (Permanent Pavement Markings)" | Permanent center, lane, and edge lines applied in either our patented profiled pattern or applied as a smooth product. | -- | Complete | -- | Withdrawn | -- | Jan-07 |
| 9506-4 | PaveTech International | "Matrix 502 (Bridge Joint System)" | Fixed end and expansion joints on bridges with thermal movements up to 2". | -- | Complete | -- | Withdrawn | -- | Jun-11 |
| 9506-3 | Southern Precast Inc. | "Hy-Span™ Bridge System (Culverts)" | Hy-Span™ Bridge System (Culverts) | -- | Complete | -- | Accepted | -- | May-11 |
| 9506-2 | Flasher Flare Southeast | "Type III Barricade" | Barricading protection of moving public worker and pedestrian. | -- | Complete | -- | Accepted | -- | Apr-11 |
| 9506-1 | Flasher Flare Southeast | "Vertical Panel" | Barricading protection of moving public worker and pedestrian. | -- | Complete | -- | Accepted | -- | Mar-11 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|--|---|----|----------|----|----------------|--|--------|
| 9505-3 | Extrusion Technologies, Inc. | "Ultra-Blue" | Ultra-Blue (No Scanned NPE) | -- | Complete | -- | Withdrawn | | Feb-11 |
| 9505-2 | Midwestern Wholesales | "Offset Block" | Offset guardrail from guardrial post. | -- | Complete | -- | No Application | | Jan-11 |
| 9505-1 | Enviro Group, Inc. (Monsey Products Company) | "Landcover Formula 480" | As an equivalent or replacement for temporary erosion mats or blankets, our product works great on sandy soils in preventing erosion and growing grass. Retains heat and condensation for accelerated seed germination. Forms | -- | Complete | -- | Withdrawn | | Dec-10 |
| 9504-3 | Roadway Safety Service, Inc. | "React 350 (Crash Cushion)" | Crash cushion. | -- | Complete | -- | Accepted | | Nov-10 |
| 9504-2 | D.S. Brown Company | "Median Barrier (Bearing Seal)" | Used as bearing/seal in split median barrier details. | -- | Complete | -- | No Application | | Oct-09 |
| 9504-1 | Sport Court, Inc. | "Sport Court of the South (Sports Flooring)" | Sports flooring, portable/perment matting and decking and signage. | -- | Complete | -- | No Application | | Sep-09 |
| 9503-8 | Deepee Coatings Inc. | "Plasto 054 (Permanent pavement markings)" | For permanent pavement markings, cross walk markings, center lines, edge lines, stop bars, safety sign markings. | -- | Complete | -- | Withdrawn | | Aug-09 |
| 9503-7 | Safety Barrier Systems | "Guardian Safety Barrier with 350 Highway Safety Kit." | Highway construction work zones up to 45 mph, | -- | Complete | -- | Accepted | | Jul-08 |
| 9503-6 | Synthetic Industries | Fiber Grids | Fiber Grids (No Scanned NPE) | -- | Complete | -- | Withdrawn | | Jun-08 |
| 9503-5 | Energy Absorption Systems | "NEAT" | End treatment for BSI moveable concrete barrier. | -- | Complete | -- | Approved | | May-08 |
| 9503-4 | Automotive Safety Transport, Inc. | "Glare-Guard" | Permanent headlight glare screen, to be mounted on concrete barrier in order to block headlight glare. | -- | Complete | -- | Accepted | | Apr-07 |
| 9503-3 | Flasher Handling Corp. | "Air Flow" Roll-up Sign" | For advance warning wherever construction work or interruption of traffic flow occurs. | -- | Complete | -- | Approved | | Mar-07 |
| 9503-2 | Flasher Handling Corp. | "Barrel Panel" | As an alternate to plastic drums or vertical panels- for channelization of traffic and/or closing off roads. | -- | Complete | -- | Rejected | | Feb-07 |
| 9503-1 | Hoover Treated Wood Products, Inc. | "Plywall" | Plywall (No Scanned NPE) | -- | Complete | -- | Accepted | | Jan-07 |
| 9502-7 | DWT Innovative Recycling Corp. | "Pothole Repair Kit" | Patching potholes for both asphalt and concrete roads -- up to 10 year lifetime. | -- | Complete | -- | Accepted | | Dec-06 |
| 9502-6 | Kelken Construction Systems | "Clampcrete Barrier" | FHWA approved barrier performance Level 2 Bridge Rail - AASHTO Specification approved. | -- | Complete | -- | No Application | | Nov-06 |
| 9502-5 | Contech Construction Products Inc. | "Ultra Flow (Spiral rib pipe)" | Storm sewers, cross drains,s ide drains, slope drains, bridge culverts. | -- | Complete | -- | Approved | | Oct-06 |
| 9502-4 | Flasher Handling Corp. | "Type III Rail Breakaway Barricade" | Road closings where more target value is required. | -- | Complete | -- | Accepted | | Sep-06 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|------------------------------------|--|---|----|----------|----|----------------|--|--------|
| 9502-3 | Environmental Manufacturing Inc. | "Repave" | Permanent, immediate asphalt cold patch material. | -- | Complete | -- | Withdrawn | | Aug-05 |
| 9502-2 | Flasher Handling Corp. | "Air Spill" Barricade" | "Air Spill" Barricade (No Scanned NPE) | -- | Complete | -- | No Application | | Jul-05 |
| 9502-1 | Flasher Handling Corp. | "Opposing Traffic Lane Dividers" | Placed in center of road, in sequence, the units function as temporary lane markers clearly dividing the roadway into opposing traffic lanes for two-way traffic. | -- | Complete | -- | Accepted | | Jun-05 |
| 9501-8 | Composite Technologies | "PFM" (Polymer-Fiber Matrix, Indoor sign.) | Specialty Signs: office/Industrial signs, safety signs. | -- | Complete | -- | No Application | | May-05 |
| 9501-7 | Composite Technologies | "PFM" (Polymer-Fiber Matrix, Traffic Sign) | Traffic signs: Regulatory, school, warning, construction, street, recreational. | -- | Complete | -- | Withdrawn | | Apr-05 |
| 9501-6 | L.F. Manufacturing | "Fiberglass Manholes" | Gravity sewer systems. | -- | Complete | -- | No Application | | Mar-05 |
| 9501-5 | Base Marketing Inc. | "Base Seal Liquid Soil Stabilizer" | Soil stabilization in the construction of road bases, parking lots, landfills, and runways. | -- | Complete | -- | No Application | | Feb-05 |
| 9501-4 | Plant Block Design Int. | "Plant Block" | CMW walls, acoustical walls/fence, retaining walls, columns, soil erosion control, terracing, concrete formwork. | -- | Complete | -- | Accepted | | Jan-04 |
| 9501-4 | Cavity Pier Wall Systems | "Cavity Pier Noise Barrier for Highways" | Noise barrier for highways. | -- | Complete | -- | Accepted | | Dec-03 |
| 9501-3 | B.S. Technologies | "Ploysbeto" | Highways/roads as a substrated layer between the sand or gravel and the hard surface to obtain an intermediary compressive strength to avoid cracking of the pavement (concrete or asphalt) | -- | Complete | -- | No Application | | Nov-03 |
| 9501-2 | Flasher Flare Southeast, Inc. | Plastic Barricade and | Barricading protection of moving public workers and pedestrian. | -- | Complete | -- | Rejected | | Oct-03 |
| 9501-1 | Flasher Flare Southeast, Inc. | "Vertical Panel" | Barricading protection of moving public workers and pedestrian. | -- | Complete | -- | Accepted | | Sep-03 |
| 9412-3 | Hobo Industries | "LR-20-5" (Coating for Steel, Wood, Concrete, and synthetic surfaces.) | Coating/overcoating for steel aluminum, wood, concrete and various synthetic surfaces. | -- | Complete | -- | Withdrawn | | Aug-03 |
| 9412-2 | Collins and Aikman Floor Coverings | "Power-Stop" (Parking Bumper) | Parking bumper. | -- | Complete | -- | Accepted | | Jul-03 |
| 9412-1 | Tel-Duct Corp. | "Tel-Duct Multiple Duct" | Underground/Underbridge conduit for the placement of fiber optic and small diameter cables. | -- | Complete | -- | No Application | | Jun-03 |
| 9411-9 | Cortec Corporation | "Cortec VCI- 365 Cor Mastic" | A long-term liquid coating providing optimal corrosion protection for metals exposed to outdoor environments as well as metals immersed in fresh and salt water. | -- | Complete | -- | Withdrawn | | May-03 |
| 9411-8 | Cortec Corporation | "Cortec VCI- 375 Primer" | Cortec VCI- 375 Primer (No Scanned NPE) | -- | Complete | -- | Withdrawn | | Apr-14 |
| 9411-7 | Cortec Corporation | "Cortec VCI- 386 Coating" | Metal coating, interior-exterior corrosion prevention, paint application. | -- | Complete | -- | Withdrawn | | Mar-14 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|---|---|----|----------|----|----------------|----|--------|
| 9411-6 | Jim Chandler and Associates (Energy Absorption System) | "Sentre" (Safety Barrier End Treatment) | Sentre (Safety Barrier End Treatment) (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Feb-14 |
| 9411-5 | Jim Chandler and Associates (Energy Absorption System) | "Trend" (Combination Transition section and end treatment for concrete barrier | Combination transition section and end treatment for concrete barrier or rigid object. | -- | Complete | -- | Accepted | -- | Jan-13 |
| 9411-4 | Jim Chandler and Associates (Energy Absorption System) | Brakemaster (Narrow Hazard Protection on Roadside or Median Applications) | Narrow hazard protection on roadside or median applications. | -- | Complete | -- | Accepted | -- | Dec-12 |
| 9411-3 | Cortec Corporation | "Sound Off" Noise Barrier | Highway noise walls/barriers | -- | Complete | -- | No Application | -- | Nov-12 |
| 9411-2 | Engelhard Corp. | Metamix™ (High Reactivity Metakaolin (HRM) Pozzolanic Mineral Admixture) | For use in high performance concrete applications. | -- | Complete | -- | Accepted | -- | Oct-12 |
| 9411-1 | Trinity Industries, Inc. | "SYRO ET-2000" (Crash end treatment) | Crash-worthy end treatment for shoulder guardrail. | -- | Complete | -- | Accepted | -- | Sep-12 |
| 9410-4 | Carsonite International Corp. | "Carsonite Sound Barrier System" | Noise mitigation along highway, rail or transit corridors. Barrier against splash from snow removal. Barrier against "gawking". | -- | Complete | -- | Accepted | -- | Aug-12 |
| 9410-3 | Aqua Lock | "Aqua Lock" (Waterproofing poured concrete or concrete block structures above or below grade) | To waterproof poured concrete or concrete block structures - above and below grade. | -- | Complete | -- | Withdrawn | -- | Jul-12 |
| 9410-2 | Cascadia Technologies, Inc. | "Enduraseal 300" | Asphalt rejuvenator. | -- | Complete | -- | No Application | -- | Jun-12 |
| 9410-1 | American Excelsior | "Trilock" | Various forms of erosion control in drainage ditches, waterways, shoreline, and outfall areas. | -- | Complete | -- | Accepted | -- | May-12 |
| 9409-3 | Hapco/Div of Kearney National | "HAPCO-74248 Breakaway X-Base" (Breakaway Lighting Poles) | Break away lighting poles. | -- | Complete | -- | Accepted | -- | Apr-11 |
| 9409-2 | Electro-Tech | "ET 101RK 12" LED Signal (RED) (Replace standard 12" traffic Signals) | ET 101RK 12" LED Signal (RED) (Replace standard 12" traffic Signals) (No Scanned NPE) | -- | Complete | -- | No Application | -- | Mar-11 |
| 9409-1 | Alan Block Corporation | Retaining Walls | Retaining Walls (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Feb-11 |
| 9408-6 | Roxford Fordell | Glare Screen | Glare Screen (No Scanned NPE) | -- | Complete | -- | No Application | -- | Jan-11 |
| 9408-5 | American Aggregates | Granite Rock Dust (Alternate to chemical fertilizers) | Granite Rock Dust (Alternate to chemical fertilizers) (No Scanned NPE) | -- | Complete | -- | No Application | -- | Dec-09 |
| 9408-4 | Contech Construction Products | KWH Pipe | KWH Pipe (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Nov-09 |
| 9408-3 | Contech Construction Products | A-2000 PVC Sewer Pipe | Storm drain, sanitary sewer, underdrain, edgedrain and slope drain. | -- | Complete | -- | Accepted | -- | Oct-09 |
| 9408-2 | Merle Webb | Detector Loop (For Signals and Counting) | Signal and counting. | -- | Complete | -- | No Application | -- | Sep-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|---|---|----|----------|----|---------------------|----|--------|
| 9408-1 | Greensbach Technologies Environmental Dynamics Corp. | Road/Flex (Rubber Manhole transition collars and adjustment rings for manholes) | Road/Flex (Rubber Manhole transition collars and adjustment rings for manholes and catch basins.) | -- | Complete | -- | Withdrawn/No Action | -- | Aug-08 |
| 9407-3 | Aquaire, Inc. | Erosion Control Tirecloth | Stream erosion, road ditch maintenance, slope revegetation, gullyng and soil erosion, erosion of high impact trails and paths, wave protection for road, dam or dike faces. Emergency ground cover. | -- | Complete | -- | No Application | -- | Jul-08 |
| 9407-2 | North American Green | North American Green C350 (Channel liner for erosion control and turf) | Channel liner for erosion control and turf reinforcement. | -- | Complete | -- | Accepted | -- | Jun-08 |
| 9407-1 | Pacific Dia Metals Inc. | Ground-In Indention Rumble Strips | Ground-In Indention Rumble Strips (No Scanned NPE) | -- | Complete | -- | Accepted | -- | May-08 |
| 9406-1 | Earth Systems Inc. (Quaney Plastics and Mold Manufacturing Company, Inc.) | Earth-Loc Retaining Walls | Earth retention and slope management along the side of highways, roads and bridges. | -- | Complete | -- | Withdrawn | -- | Apr-08 |
| 9404-6 | Jim Chandler and Assoc. | Alpha 60 MD TMA (Energy Absorption Systems) Truck Mounted Attenuator | Attached to rear of protective vehicle (barrier vehicle or shadow vehicle) in work zones. | -- | Complete | -- | Accepted | -- | Mar-07 |
| 9404-5 | Energy Absorption Systems | Cushionwall™ | High-frequency impact areas such as severe curves or exit ramps, protecting errant vehicles by redirecting safely around curve. | -- | Complete | -- | No Application | -- | Feb-07 |
| 9404-4 | Amoco Fabrics and Filters Co. | Amoco Recycled Plastic Fence Post | Fencing. | -- | Complete | -- | Withdrawn | -- | Jan-07 |
| 9404-3 | Eastern Metal/USA Sign | Impact Resistant Delineators | 10" square: barrel or barrier mounted retro-reflective material to replace steady burn or flashing warning lights. Other sizes for variety of delineator functions. | -- | Complete | -- | Withdrawn | -- | Apr-08 |
| 9404-2 | Better to See You.. Inc. | Electroluminescent Vest (Night Time or Low Light Visioning systems) | Night time or low light visioning systems. | -- | Complete | -- | No Application | -- | Mar-06 |
| 9404-1 | Jim Chandler and Assoc. | Break-Safe (Ground mounted Breakaway Base for signs with an area of 25-300 ft²) | Break-away base for ground mounted signs having sign area or 25 to 300 square feet. | -- | Complete | -- | Accepted | -- | Feb-06 |
| 9403-4 | Universal Structures, Inc. | Road Sound Barrier Wall/Glare Shield | Road Sound Barrier Wall/Glare Shield | -- | Complete | -- | Withdrawn/No Action | -- | Jan-06 |
| 9403-3 | Jim Chandler and Assoc. (The Rainline Corporation) | Rainline (Highway striping, edge line, centerline, Rubble Strip) | Product is manufactured under license by U.S. Corporations: Re: Swarco, Catophote, etc. Thermoplastic. | -- | Complete | -- | Withdrawn | -- | Dec-05 |
| 9403-2 | Innovative Concrete Concepts, LLC | HEB-Post Base (Sign Post Base in areas where post and sign are subject to being | Base for traffic sign post in areas where post and sign are subject to being stuck and damaged. | -- | Complete | -- | Withdrawn | -- | Nov-05 |
| 9403-1 | H. Clay Moore & Assoc. Inc. (Industrial Acoustics Company) | Noishield Transportation Sound Barriers (Free Standing Barrier with noise | Breakway base for ground mounted signs having sign area or 25 to 300 square feet. | -- | Complete | -- | Withdrawn/No Action | -- | Oct-05 |
| 9402-1 | Rolanka International | Biod-Mat 70 | Recommended to use in slopes upto 1:1 and in channels of water flow up to 10 fps. | -- | Complete | -- | Withdrawn | -- | Sep-04 |
| 9401-3 | Rolanka International | Biod-Mat 90 | Remmended to use in slopes exceeding 1:1 and in channels of water flows upto 15 fps. | -- | Complete | -- | Withdrawn | -- | Aug-04 |
| 9401-2 | Insituform Southeast Inc. | Insituform (Pipe Reconstruction) | Pipe reconstruction. | -- | Complete | -- | Accepted | -- | Jul-04 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|---|--|--|----|----------|----|----------------|----|--------|
| 9401-1 | SAIC | Falcon 2000 (Thermoplastic Powder Flame Spray) | Falcon 2000 (Thermoplastic Powder Flame Spray) (No Scanned NPE) | -- | Complete | -- | No Application | -- | Jun-04 |
| 9312-2 | Energy Absorption Systems | Barrier Gate™ (Emergency Access opening Median Barrier) | Emergency access/opening for median barrier. Provides crashworthy barrier when closed, congestion mitigation. | -- | Complete | -- | Accepted | -- | May-03 |
| 9312-1 | Energy Absorption Systems | Triton Barrier™ (Crashworthy Portable Longitudinal Barrier) | Crashworthy portable longitudinal barrier. | -- | Complete | -- | Accepted | -- | Apr-02 |
| 9310-5 | Tracy Hall and Assoc. (Arnco Corp) | Perma-Guard Duct (Pre-installed Cable in Duct for secondary street lighting) | HDPE Duct provides a convenient, easy to install, low cost conduit for placement of primary and secondary power, communications, coaxial and fiber optic cables. | -- | Complete | -- | No Application | -- | Mar-02 |
| 9310-4 | Nyoplas USA, Inc. | Nyplast Engineered Surface Drainage Products (Drain Basin, Catch Basin, & Surface) | Drain basin, catch basin, surface drainage, standard drain inlet (DRW #1035) | -- | Complete | -- | Accepted | -- | Feb-02 |
| 9310-3 | JM Manufacturing Company | Perma-Loc (Storm Drain Pipe) | Perma-Loc (Storm Drain Pipe) (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Jan-13 |
| 9310-2 | E-Poxy Industries | Evazote 380 E.S.P. | Evazote 380 E.S.P. (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Dec-12 |
| 9310-1 | E-Poxy Industries | Novulcrete | Novulcrete (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Nov-10 |
| 9310-1 | Manhole-Systems, Inc. | MS-101TB Riser Ring | MS-101TB Riser Ring (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Oct-10 |
| 9309-1 | Georgia-Pacific Corp. | Treated Lumber Sound Barrier | Primary Applications - All construction types - preservatively treated lumber - all highway uses (including noise barriers). | -- | Complete | -- | No Application | -- | Sep-10 |
| 9308-1 | Allied Highway Sales (Allied Tube and Conduit) | Square Fit and Quick Punch Sign Post | Small sign supports. | -- | Complete | -- | Rejected | -- | Aug-10 |
| 9307-3 | Allied Highway Sales (Allied Tube and Conduit) | Square Fit and Quick Punch Sign Post | Small sign supports. | -- | Complete | -- | Accepted | -- | Jul-10 |
| 9307-2 | Interstate Materials Supply of GA (American Signal Co.) | B.O.L. Series LED Blank Out Sign (Small Sign supports) | Restrictive turning movements or railroad pre-emption. | -- | Complete | -- | No Application | -- | Jun-10 |
| 9307-1 | Synthetic Industries (Construction Products Division) | POLYJUTE (Open weave Geotextile) | Open weave geotextile provides steep slope protection and accelerates establishment of vegetation then photodegrades. | -- | Complete | -- | No Application | -- | May-09 |
| 9306-1 | Advanced Drainage System | N-12™ (Smooth lined Corrugated Polyethylene (PE) Drain Pipe) | Storm drains, culvert | -- | Complete | -- | Accepted | -- | Apr-08 |
| 8005-1 | Contech Construction | Contech HC-CL | Contech HC-CL (No Scanned NPE) | -- | Complete | -- | Accepted | -- | Mar-07 |
| 8004-1 | Mobil Chemical | Trex (Timbrex) | Trex (Timbrex) (No Scanned NPE) | -- | Complete | -- | Withdrawn | -- | Feb-07 |
| 8002-1 | Clarion Products Group, Inc. | Sun Flasher | Sun Flasher (No Scanned NPE) | -- | Complete | -- | No Status | -- | Jan-07 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|--|--|--|----|----------|----|-----------|--|--------|
| 8001-1 | Con/Chem | Con/Crete | Con/Crete - Epoxy overlay material for bridge decks. It consists of A&B parts plus filler. | -- | Complete | -- | No Status | | Jan-06 |
| 7912-5 | Preco Industries, LTD | Plastic Rebar Chairs (Supports) | Plastic Rebar Chairs (Supports) (No Scanned NPE) | -- | Complete | -- | No Status | | Feb-06 |
| 7912-4 | 3M Company / Traffic Control Devices Dept. | Loop Sealant | Loop Sealant (No Scanned NPE) | -- | Complete | -- | No Status | | Jan-05 |
| 7912-3 | Proven Products, Inc. | PVC Flexo Post | Traffic delineation. | -- | Complete | -- | No Status | | Dec-02 |
| 7912-2 | Superior Products, Inc. | Super Seal III | Superseal III - shoulder joint seal crack sealer in asphalt pavement. | -- | Complete | -- | No Status | | Nov-01 |
| 7912-1 | Skyline Structures | Steel Strain Pole | Steel Strain Pole | -- | Complete | -- | No Status | | Oct-12 |
| 7911-1 | Preco Industries, Ltd. | Spiral Spacer | Spiral Spacer - a metal angle 5/8" x 5/8" x 54" long notched with a 1/4" wide x 1/2" deep groove in the following pattern: 5 @ 1" spacing; 16 @ 3" spacing. Product is 22 ga. C.R.S. Class 2 Commercial Quality Steel. | -- | Complete | -- | No Status | | Sep-12 |
| 7910-1 | Hercules, Inc. | Fiber Reinforcement for Asphalt | Fiber Reinforcement for Asphalt (No Scanned NPE) | -- | Complete | -- | No Status | | Aug-12 |
| 7909-8 | Conwed Corporation | Joint Filler | Expansion Joint. | -- | Complete | -- | No Status | | Jul-12 |
| 7908-1 | Pecora Corporation | Silicone Sealant | Silicone Sealantn (No Scanned NPE) | -- | Complete | -- | No Status | | Jun-12 |
| 7907-1 | 3M Company | 3M Brand Galvinizing | Culvert Bolting, Guard Rail Bolting, General Bridge and Structural Bolting, sign Bolting, etc. (6-3/8" x 1" or greater) | -- | Complete | -- | No Status | | May-11 |
| 7906-1 | Transpo-Materials, Inc. | Silikal - Concrete Polymer | Bridge deck repair | -- | Complete | -- | No Status | | Apr-10 |
| 7905-1 | General Electric Supply Company | FRE Duct Wedge Lock Joints | Trial by Southern Bell being installed on S.R. 303 Turtle River Bridge beginning 6/18/79. | -- | Complete | -- | No Status | | Mar-09 |
| 7904-1 | Armco Steel | Culvert Pipe | Drainage for highways - Calvert. | -- | Complete | -- | No Status | | Feb-08 |
| 7903-1 | D. Swarovski & Company | Traffic Delineators Swareflex Reflectors | Traffic Delineators - Reflectors | -- | Complete | -- | No Status | | Jan-07 |
| 7902-1 | Neville Chemical Company | PaveBrite | Colored pavement. | -- | Complete | -- | No Status | | Feb-07 |
| 7901-1 | Woodmat products Inc. | Chem Calk 1000 | Sealant | -- | Complete | -- | No Status | | Jan-06 |
| 7812-3 | Mameco International | Valcem Sealant | Sealant | -- | Complete | -- | No Status | | Dec-04 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-------------------------------------|--------------------------|--|----|----------|----|-----------|--|--------|
| 7812-2 | Radcon Industries, Inc. | Radcon #7 | Bridge deck | -- | Complete | -- | No Status | | Nov-03 |
| 7812-1 | Certamite Corporation | CS-45 | Bridge decks (possibility of the gel expanding and causing cracking) | -- | Complete | -- | No Status | | Oct-02 |
| 7811-1 | E. I. DuPont De Nemours & Co., Inc. | Imron Sealants | Joint Seals | -- | Complete | -- | No Status | | Sep-01 |
| 7810-1 | Int. Mills Svc., Inc. | Steel Slag | Steel Slag for aggregate. | -- | Complete | -- | No Status | | Aug-12 |
| 7809-1 | Reichhold Chemicals, Inc. | ThermoFlex | Bridge deck overlays. | -- | Complete | -- | No Status | | Jul-12 |
| 7808-1 | Energy Absorption Systems, Inc. | Tire Cade | Warning barricades. | -- | Complete | -- | No Status | | Jun-12 |
| 7807-1 | J&P Petroleum Products | Tex-Mastic ProtectoBoard | R. R. bridges over state routes and interstate systems. | -- | Complete | -- | No Status | | May-11 |
| 7806-1 | Acme Highway Products Corp. | Fiberglass Dowel Bars | Concrete paving. | -- | Complete | -- | No Status | | Apr-10 |
| 7805-1 | Zimmerman Equipment Co. | The Asphaltite System | Asphalt placement. | -- | Complete | -- | No Status | | Mar-09 |
| 7804-1 | ITT Rayonier | Raycron-X | Road binder. | -- | Complete | -- | No Status | | Feb-08 |
| 7803-1 | Fel-Pro, Inc. | Track Span | Joint sealer. | -- | Complete | -- | No Status | | Jan-07 |
| 7802-1 | Revere Chemical Corp. | Miracle Seal | Miracle Seal (No Scanned NPE) | -- | Complete | -- | No Status | | Apr-07 |
| 7801-1 | Permite Corp. | Phenoxy Zinc Rich Primer | Paint. | -- | Complete | -- | No Status | | Mar-06 |
| 7708-4 | United Coatings | Monocryl Canyon Tones | Painting concrete structures. | -- | Complete | -- | No Status | | Feb-05 |
| 7708-3 | G.R. Ivany & Assoc. | Ivany Block | Barriers shelters. | -- | Complete | -- | No Status | | Jan-04 |
| 7708-2 | U.S. Steel Corp. | Fibercon | Highway slabs, bridge structures. | -- | Complete | -- | No Status | | Dec-02 |
| 7708-1 | CITCO | Copper Furnace Slag | Copper Furnace Slag | -- | Complete | -- | No Status | | Nov-01 |
| 7707-6 | ITT Rayonier | Raycron-X | Road soil stabililization and as a replacement for asphaltic concrete. Road dust abatement-excellent for access roads. | -- | Complete | -- | No Status | | Oct-08 |

NPE Status Report

07-10-19

| | | | | | | | | | |
|--------|-----------------------------|--------------------------------------|---|----|----------|----|-----------|--|--------|
| 7707-5 | B & H Engineering | Plastakes | Surveying stakes. | -- | Complete | -- | No Status | | Sep-08 |
| 7707-4 | Ciba-Geigy | Dualoy T&D Conduit | Conduit | -- | Complete | -- | No Status | | Aug-08 |
| 7707-3 | Fel-Pro, Inc. | Pro-Span | Bridge Joint Sealer | -- | Complete | -- | No Status | | Jul-08 |
| 7707-2 | Royston Laboratories, Inc. | UniDam | Bridge Joint Seals | -- | Complete | -- | No Status | | Jun-07 |
| 7707-1 | Old North Mfg. Co. | On-Flex | Expansion joint sealing system. | -- | Complete | -- | No Status | | May-07 |
| 7706-1 | W.R. Meadows, Inc. | Seal Tight | Bridge Joint Seal. | -- | Complete | -- | No Status | | Apr-07 |
| 7705-1 | D.S. Brown Company | Joint Seals | Joint seals for Archetectoral construction. | -- | Complete | -- | No Status | | Mar-07 |
| 7704-3 | Acme Highway Products Corp. | Acmaseal | Bridge joint seal. | -- | Complete | -- | No Status | | Feb-07 |
| 7704-2 | Breakaway Safety Structures | Transpo-Safety, Inc. | Signs, light poles, impact absorption devices on r/w. | -- | Complete | -- | No Status | | Jan-07 |
| 7704-1 | Shakespear | GALAXY | Light poles on right of way. | -- | Complete | -- | No Status | | Sep-06 |
| 7703-2 | Fel-Pro, Inc. | Track Span | R.R. Crossing. | -- | Complete | -- | No Status | | Aug-05 |
| 7703-1 | Goodyear | Super Cushion | Super Cushion | -- | Complete | -- | No Status | | Jul-04 |
| 7702-1 | True Temper Corp. | T-Core | Structual crossing - RR Crossings. | -- | Complete | -- | No Status | | Jun-04 |
| 7701-1 | Republic Steel Corp. | High Strength Quick Setting Concrete | Repairs for bridges and concrete pavement. | -- | Complete | -- | No Status | | May-04 |
| | W.R. Grace & Co. | Darex 240 | Darex 240 (No Scanned NPE) | -- | Complete | -- | No Status | | Apr-03 |
| | Industrial Acoustics | FANWALL | FANWALL (No Scanned NPE) | -- | Complete | -- | No Status | | Mar-03 |
| | U.S. Grout | Iron-Crete | Shrink grout - Grout repairing. | -- | Complete | -- | No Status | | Feb-02 |
| | | | | | Complete | -- | | | |