

### SUMMARY REPORT FOR




#### **OVERVIEW**

The Georgia Department of Transportation, Aviation Programs Office, has recently completed an update to the Georgia Statewide Aviation System Plan (GSASP). This report provides a summary of information from the GSASP and highlights important information from the study as it pertains specifically to Gwinnett County Airport-Briscoe Field (LZU). This report provides the following:

- » System Planning Process and Uses for the Plan
- » Georgia Airport Levels
- » Background Information for the Airport
- » Recommended Level for the Airport
- » Comparative Performance for the Airport
- » Outlook for Aviation Demand

- » Other GSASP Efforts
- » Local Governments Adjacent to the Airport with Land Use Controls
- » Airport Control of Runway Protection Zones
- » Airport Report Card and Recommendations

#### **EXISTING GEORGIA AIRPORT SYSTEM 2017**




More information on the Georgia Statewide Aviation System Plan can be obtained from the GDOT Aviation website at <a href="https://www.dot.ga.gov/IS/AirportAid/AviationSystemPlan">www.dot.ga.gov/IS/AirportAid/AviationSystemPlan</a>. In addition to the complete Technical Report, a statewide Executive Summary and Summary Video were also produced to support the GSASP. More information on all GSASP-related products can be obtained from GDOT Aviation by emailing <a href="mailto:aviationprograms@dot.ga.gov">aviationprograms@dot.ga.gov</a>.


#### THE SYSTEM PLANNING PROCESS AND USES FOR THE PLAN


The process used to update the GSASP was consistent with FAA's Advisory Circular 150/5070-7 - *The Airport System Planning Process*. Ultimately, the GSASP recommendations for Gwinnett County Airport-Briscoe Field are a blend of projects/actions identified by the system plan and projects related to pavement maintenance and rehabilitation from Georgia's 2012 Statewide Airfield Pavement Management Study. An update to the Statewide Airfield Pavement Management Study began in 2018; when that analysis is completed, additional projects in the pavement management and maintenance categories will likely be identified for the Airport.


The GSASP is important because it gathers information on current activity, facilities, and services at the 103 study airports. One objective for this update was to provide information showing how the system has changed since the 2002 GSASP was published. As shown in the graphics below, GDOT, FAA, and local investments at system airports have significantly elevated statewide system performance for the measures shown here.


#### CHANGES IN GEORGIA AIRPORT SYSTEM PERFORMANCE














#### **GEORGIA AIRPORT LEVELS**


The Statewide Aviation System Plan was last published in 2002. Since that time, Georgia airports have made significant progress toward meeting the GSASP performance measures. This update to the GSASP reset the bar for future system performance. This included identifying projects for individual airports that are needed to improve system performance in the coming years. It also included evaluating current state system planning levels for all system airports and determining if airport assigned levels should change to improve overall system accessibility and performance. The GSASP update also addressed the need for additional or replacement system airports. Each of the 103 airports was assigned to one of the following levels:

#### **AIRPORT LEVELS**

LEVEL I	<b>Minimum Standard General Aviation Airport</b> : Level I facilities support a reasonable percentage of the general aviation fleet, including small business aircraft. Level I is recognized as the minimum to which airports in the system are recommended to develop. Objectives recommend a minimum runway length of 4,000 feet.
LEVEL II	<b>Business Airport of Local Impact</b> : Level II airports should be capable of accommodating all business and personnel use single- and twin-engine general aviation aircraft and 85% of business jet aircraft. The minimum runway length objective for Level II airports is 5,000 feet.
LEVEL III	<b>Business Airports of Regional Impact</b> : Level III airports are defined as the existing air carrier airports and general aviation airports that have a regional business impact. These airports are recommended to have at least 5,500 feet of runway and precision-like approaches to accommodate 95% of business jet aircraft.

A map of the recommended levels for airports in the Georgia system is shown on the next page. For the most part, after a thorough review of the existing system, current roles are unchanged. System plan recommendations include one new Level III airport, one airport upgraded from Level II to Level III, and two new Level II replacement airports. It is important to note that the identified level for each airport is the airport's minimum recommendation; an airport's actual facilities are determined by the airport owner or owners.

#### RECOMMENDED LEVELS FOR GEORGIA AIRPORTS




Source: Jviation

# BACKGROUND INFORMATION FOR GWINNETT COUNTY AIRPORT-BRISCOE FIELD


Gwinnett County Airport-Briscoe Field is located in Gwinnett County in the Atlanta metro area and is approximately 32 miles northeast of Atlanta and 40 miles west of Athens. The primary highway access to the Airport from the east and west is via Georgia Highway 316 and from the north and south via Interstate 85. Other highways in the vicinity include U.S. Highway 29 and Georgia Highways 20 and 120.

The Airport, situated on 472 acres, is owned and operated by Gwinnett County. The Airport accommodates a variety of aviation-related activities that include corporate/business jets, recreational flying, shipping of just-in-time, experimental aircraft, police/law enforcement, aerial photography/surveying, and flight training.

### **AIRPORT DIAGRAM**



#### 30-MINUTE DRIVE TIME SERVICE AREA AND POPULATION




Source: Moffatt & Nichol

Assigned levels for Georgia airports consider the characteristics of the area the airport serves. Analysis for the GSASP was conducted using a geographic information system (GIS) and a 30-minute drive time for each airport. The county's population growth rate is expected to be just above average, while employment growth is expected to be high compared to the state average. Georgia's projected average annual rate of growth for population is between 0.5% and 1.49%; for employment, the average is between 0.998% and 1.39%.

Gwinnett County				
Projected Population Growth				
2013*	859,304			
2035	1,275,637			
2013-2035	1.81%			
Projected Employment Growth				
2015*	513,071			
2035	804,941			
2015-2035	2.28%			


<sup>\*</sup>Reported as current

#### PROJECTED POPULATION GROWTH



Source: Georgia Governor's Office of Planning and Budget, 2015 Series

### PROJECTED EMPLOYMENT GROWTH



Source: Woods & Poole, 2017

# RECOMMENDED LEVEL FOR GWINNETT COUNTY AIRPORT-BRISCOE FIELD

Gwinnett County Airport-Briscoe Field has been assigned to Level III within the Georgia airport system. As a Level III airport, the GSASP has identified certain facilities and services that should ideally be in place at the Airport. These objectives are considered the "minimums" to which the Airport should be developed. Based on local needs/justification, it is quite possible that the Airport could exceed its minimum development objectives established in the GSASP. Gwinnett County Airport-Briscoe Field's specific objectives, as they pertain to the Airport's Level III role in the state airport system, are listed below.

#### OBJECTIVES FOR LEVEL III – BUSINESS AIRPORTS OF REGIONAL IMPACT

#### Airside Facilities

» Runway Length: Minimum 5,500 feet

» Runway Width: 100 feet

» Taxiway: Full parallel

» Lighting Systems: HIRL for precision approaches and commercial service airports; MITL and approach lights

» Approach: Precision

» NAVAIDS/Visual aids: Rotating beacon, segmented circle and wind cone, PAPIs, others as required for non-precision/precision approach

» Weather Reporting: AWOS or ASOS

» Runway Pavement Strength: 30,000 pounds singlewheel/120,000 pounds dual-wheel

» Airfield Signage: Runway hold position, location, and guidance signs

» Fencing: Entire airport

#### **General Aviation Facilities**

- » Hangared Aircraft Storage: 70% of based aircraft fleet
- » Apron Parking/Storage: 30% of based aircraft fleet plus an additional 75% for transient aircraft
- » Terminal/Administration: 2,500 square feet minimum of public use space including restrooms, conference area, and pilots' lounge
- » Auto Parking: One space for each based aircraft plus an additional 50% for visitors/employees

#### **Services**

» Fuel: AvGas and/or Jet fuel

» FBO: Full service

» Maintenance: Full service

» Rental Cars: Available

# COMPARATIVE PERFORMANCE GWINNETT COUNTY AIRPORT-BRISCOE FIELD

One objective for the system plan update was to show how airports in the state have changed since the plan was last prepared in 2002. The following chart shows how facilities and services at Gwinnett County Airport-Briscoe Field performed against system plan objectives between 2002 and 2017. Objectives are listed on the previous page and in the Report Card. It is worth noting that in some instances data collection efforts in 2002 versus 2017 were not identical, making it difficult to compare changes.

#### FACILITY/SERVICE COMPARISON - 2002 VS 2017

Facility or Service	2002 Actual	2017 Actual
Runway Length	6,000 feet	6,000 Feet
Runway Width	100 feet	100 Feet
Taxiway	Parallel	Full Parallel
Primary Runway PCI	71	73
Primary Runway Safety Area	1,000 Feet x 500 Feet	1,000 Feet x 500 Feet
Runway to Taxiway Separation	Met Standards	400 Feet
Lighting System		
– Runway	HIRL	HIRL
– Taxiway	MITL	MITL
Approach Lighting System	Yes	MALSR
Approach Type	Precision	Precision (ILS)
Weather Reporting	Yes	AWOS
Navigational Aids		
<ul> <li>Rotating Beacon</li> </ul>	Rotating Beacon	Rotating Beacon
– VGSI	PAPI	PAPIs/PAPIs
<ul> <li>Segmented Circle</li> </ul>	Segmented Circle	Segmented Circle
– Wind Cone	Not Collected in 2002	Wind Cone
Airfield Signage	Not Collected in 2002	Hold Position, Location, Guidance
Fencing	Not Collected in 2002	Full Perimeter
Hangared Aircraft Storage	180	206
Apron Parking/Storage	277	227
General Aviation Terminal/Administration	2,400 Sq Ft	16,000 Sq Ft w/Restrooms, Conference Area, Pilots' Lounge
General Aviation Auto Parking	529	529
Fuel	AvGas and JetA	AvGas and JetA
FBO	Yes	Full Service
Maintenance	Not Collected in 2002	Full Service
Rental Cars	Not Collected in 2002	Available

#### **OUTLOOK FOR AVIATION DEMAND**

While most development objectives for Gwinnett County Airport-Briscoe Field are driven by role rather than demand, it is still important to have a general sense of how activity (based aircraft and annual operations) at the Airport could change in the coming years. The following table shows projections for the Airport developed as part of the GSASP. Forecast methodologies used in the GSASP included analysis of historic growth, FAA trends, and county-specific projections of population and employment. It is worth noting that demand projections developed as part of a state aviation system plan tend to be far more conservative than demand projections developed as part of an individual airport master plan or Airport Layout Plan (ALP) report. Statewide, the average annual compound rate of growth for both based aircraft and annual general aviation operations is expected to be 0.54%.

## GWINNETT COUNTY AIRPORT-BRISCOE FIELD PROJECTIONS OF AVIATION DEMAND

	Based Aircraft	Annual General Aviation Operations
2016 Actual	213	84,476
2020	217	86,300
2025	223	88,600
2035	236	93,500

Following the completion of Georgia's last statewide aviation system plan, the cost of acquiring and maintaining a general aviation plane, the cost to secure a private pilot's license, competing opportunities for allocation of disposable income, along with increases in the cost of aviation fuel, have all contributed to a contraction in general aviation demand.

Recent economic recovery and increased use of general aviation as a tool to improve business efficiency have helped to stabilize the general aviation industry. For most airports in Georgia, however, anticipated growth in general aviation demand will be modest at best. The graph below shows statewide projections of based aircraft and annual general aviation operations for the 103 study airports as they were developed in the GSASP update.

## STATEWIDE PROJECTIONS OF BASED AIRCRAFT AND ANNUAL GENERAL AVIATION OPERATIONS



#### OTHER GSASP EFFORTS

As part of the GSASP, additional efforts were included to determine how well the existing system is currently performing. This additional research included the following:

- » A land use and zoning inventory
- » Investigation to determine airport control of runway protection zones (RPZs)
- » An inventory of through-the-fence operators

A summary of statewide findings for each of these studies is below, followed by airport-specific results for each of these three areas of analysis.

- » Land Use and Zoning: According to FAA grant assurance #21, airports in the federal system should take appropriate steps to promote compatible land use in the airport environs. Study research indicates that there are at least 196 local governments in Georgia that border one of the system airports. According to study findings, only 40 of these municipalities currently have airport-specific land use zoning in place.
- » RPZ Control: The FAA encourages all airports in the federal airport system to have control through acquisition or land use planning/zoning over their RPZs; the RPZ is the area designated off each airport runway end to help promote safety. There are 280 RPZs for all study runways. While most of these RPZs are under partial airport control, study research determined that only 84 out of the 280 RPZs are under control. An estimated \$332 million is needed to bring all RPZs at system airports under control.
- Through-the-Fence Operations: The FAA discourages airports in the federal system from allowing off-airport businesses to have access to an airport's runway facilities. When an off-airport business does have access to an airport's airfield facilities, these businesses are typically referred to as through-the-fence operators. Only 17 of 103 airports in the Georgia system have any type of through-the-fence operator.

Airport-specific findings for these tasks, as applicable, follow.

# LOCAL GOVERNMENTS ADJACENT TO GWINNETT COUNTY AIRPORT-BRISCOE FIELD WITH LAND USE CONTROLS

Having land use and activities around airports that are compatible with aircraft operations is imperative from a safety standpoint. Airports that accept state and/or federal grants are obligated to take steps to promote compatible land use and activities in the environs of their airport. For the GSASP analysis, airports identified local governments in the environs of their airport. It is likely that the local governments identified by the Airport are the primary local governments adjacent to the Airport, but it is possible that if the Airport's extended safety and control surfaces designated by the FAA were considered, there could be additional local governments (beyond those reported here) that are in the airport environs.

Research was undertaken for local governments identified during the GSASP to determine if the local governments are taking steps to establish compatible land use and protect the operating environments for airports throughout the state. Local governments adjacent to Georgia airports were investigated to determine the following:

- » Has the local government adopted land use zoning controls?
- » Does the local government have an airport specific overlay zone or district?
- » Does the local government have a land use map that shows the location of the airport?
- » Has the local government adopted height restriction zoning around the airport?

The following table shows local governments adjacent to Gwinnett County Airport-Briscoe Field and summarizes the status of land use controls for each. Local governments and airports throughout Georgia need to work together to help ensure airports are protected from incompatible land uses and from the encroachment of obstacles that pose a height hazard to safe airport operations.

# LAND USE CONTROL SUMMARY FOR GWINNETT COUNTY AIRPORT-BRISCOE FIELD

Time of Control	Local Governments Adjacent to the Airport		
Type of Control	City of Lawrenceville	<b>Gwinnett County</b>	
Adopted Land Use Ordinance	No	Yes	
Adopted Height Zoning Ordinance	No	Yes	
Land Use Map	No	Yes	
Airport Overlay Zone/District	No	No	

Model ordinances to control land use and the height of objects in the airport environs are available on the GDOT website: www.dot.ga.gov/IS/AirportAid/AviationSystemPlan.

#### AIRPORT CONTROL OF RUNWAY PROTECTION ZONES

A review of all RPZs was undertaken as part of the GSASP update. The RPZ is an FAA-designated safety zone off the end of each active runway; the size of the RPZ for each runway end is established by FAA guidelines and varies by the type of approach (visual, non-precision, precision) to the runway end. FAA standards indicate that all airports should have control over each RPZ either through fee simple ownership of the land within the RPZ or through avigation easements. Statewide, 84 (30%) of the 280 RPZs at all study airports are reported as under airport control.

As part of the GSASP analysis, categories were established for types of use within the RPZs at Georgia airports. Once these categories were identified, additional analysis was undertaken to identify potential costs by category that could be incurred to bring all RPZs under airport control. The analysis included the following:

- » Areas of the Airport's RPZ that are not fully under Airport control.
- » Types of use(s) and/or development in the uncontrolled portions of the Airport's RPZs.
- » Estimated cost to bring uncontrolled RPZ areas under Airport control.

As indicated through the GSASP analysis, the cost to bring all portions of the Airport's RPZs under Airport control is estimated to be \$18,125,024. Airports are highly encouraged to gain control over RPZs to prevent incompatible land uses.

## GWINNETT COUNTY AIRPORT-BRISCOE FIELD RPZ CONTROL


	Runway	
	7	25
Identified Land/Property Acquisitions		
Total Acres Outside Airport Control	15	25
– Urban Acres	15	25
– Rural Acres	0	0
Associated Costs		
Property Acquisition Costs		
– Urban Land Acquisition Costs*	\$3,750,000	\$6,250,000
– Rural Land Acquisition Costs*	-	-
– Residential Property Acquisition Costs	-	-
– Commercial Property Acquisition Costs	\$5,000,000	\$1,000,000
Relocation Costs		
– Paved Road Relocation Costs	\$367,258	\$1,171,212
– Unpaved Road Relocation Costs	-	-
- Railroad Relocation Costs	-	\$586,554
Subtotal	\$9,117,258	\$9,007,765
Total	\$18,12	25,024

Note: \* The urban vs. rural classification for property acquisition costs generally followed the Georgia Urbanized Areas as presented in GDOT's "Statewide Functional Classification and Urban Area Boundary Update" from February 2014. The land use definitions were further defined by observations of characteristics around each airport.

### GWINNETT COUNTY AIRPORT-BRISCOE FIELD RPZ – RUNWAY 7 APPROACH END



### GWINNETT COUNTY AIRPORT-BRISCOE FIELD RPZ – RUNWAY 25 APPROACH END



#### AIRPORT REPORT CARD AND RECOMMENDATIONS


This report provides information on GSASP facility/service objectives associated with a Level III airport in the state airport system. The Report Card on the following pages shows Gwinnett County Airport-Briscoe Field's ability to meet its objectives. If the Airport does not meet an objective, an estimated cost to enable the Airport to meet the objective was developed. The GSASP also reviewed the Airport's current capital improvement plan (CIP), as submitted to GDOT; while the GSASP identified costs to meet system plan objectives, CIP costs to meet local airport development goals are also included in the Report Card.

Pavement projects identified for the Airport in the 2012 Statewide Airfield Pavement Management Study that have not yet been completed are also shown in the Airport's Report Card. The Airport's pavement projects were compared to the projects from the system plan and the Airport's CIP to avoid duplication. An update to GDOT's Statewide Airfield Pavement Management Study is underway and expected to be complete in early 2019.

The GSASP identified that over the next five years, an estimated \$1.34 billion will be needed to maintain and improve all commercial and general aviation airports in Georgia to their system plan recommendations; an additional \$710.6 million will be needed to meet the additional goals of local communities. Sources for the total financial need of \$2.05 billion are shown in the pie chart below.

## AREAS OF FINANCIAL NEED TO MAINTAIN AND IMPROVE THE GEORGIA AIRPORT SYSTEM

The GSASP focuses on recommendations and costs to implement needs identified in the study. The Report Cards also include airport CIPs to enable airports to understand the potential costs to meet both GSASP and local development objectives. Of the \$2.05 billion financial need, 35% is related to locally developed CIPs.



When the Airport's system plan projects are considered, no additional costs are anticipated at this time. When the Airport's CIP is included, the total need is estimated at \$58,586,993. On average over the next five years, \$11,717,399 will be needed on an annual basis to maintain and improve the Airport. GDOT's last statewide economic impact study, completed in 2012, shows that the Airport is responsible for an estimated \$85,371,200 in annual economic impact. When the Airport's annual need (\$11,717,399) is compared to its annual benefit (\$85,371,200), it is clear that the Airport is well worth the investment.

The Report Card for Gwinnett County Airport-Briscoe Field, developed as part of the system plan, is shown on the following pages.

### **Gwinnett County Airport-Briscoe Field Report Card**

AIRPORT NAME: Gwinnett County Airport-Briscoe Field CITY: Lawrenceville, Georgia

COUNTY: Gwinnett County

AIRPORT CODE: LZU

Gwinnett County Airport-Briscoe Field Report Card					
Actions Needed to Meet Facility and Service Objectives					
	Actual	Minimum Objective	Objective Met	Improvement Needed	Estimated Cost
Runway Length	6,000 Feet	5,500 Feet	Yes	-	-
Runway Width	100 Feet	100 Feet	Yes	-	-
Taxiway	Full Parallel	Full Parallel	Yes	-	-
Primary Runway PCI	73	70 or Greater	Yes	-	-
Primary Runway Safety Area	1,000 Feet x 500 Feet	1,000 Feet x 500 Feet	Yes	-	-
Runway to Taxiway Separation	400 Feet	400 Feet	Yes	-	-
Lighting System					
– Runway	HIRL	HIRL (for precision Approaches) or MIRL	Yes	-	-
- Taxiway	MITL	MITL	Yes	-	-
<ul><li>Approach Lighting System</li></ul>	MALSR	ALS	Yes	-	-
Approach Type	Precision (ILS)	Near-Precision	Yes	-	-
Weather Reporting	AWOS	AWOS or ASOS	AWOS or ASOS Yes		-
Navigational Aids					
<ul> <li>Rotating Beacon</li> </ul>	Rotating Beacon	Rotating Beacon Yes		-	-
- VGSI	PAPIs/PAPIs	PAPIs	Yes	-	-
<ul> <li>Segmented Circle</li> </ul>	Segmented Circle	Segmented Circle Yes		-	-
<ul><li>Wind Cone</li></ul>	Wind Cone	Wind Cone	Yes	-	-
Airfield Signage	Hold Position, Location, Guidance	Hold Position, Location, and Guidance	Yes -		-
Fencing	Full Perimeter	Full Perimeter	Yes	-	-
Hangared Aircraft Storage	206	70% of Based Aircraft Fleet	Yes	-	-
Apron Parking/Storage	227	30% of Based Aircraft Fleet Plus an Add'l 75% for Transient Aircraft	Yes	-	-
General Aviation Terminal/Administration	16,000 Sq Ft w/Restrooms, Conference Area, Pilots' Lounge	2,500 Square Feet of Public Use Space Including Restrooms, Conference Area, and Pilots' Lounge	Yes	-	-
General Aviation Auto Parking	529	1 Space for Each Based Aircraft Plus an Add'l 50% for Visitors/Employees	Yes	-	-
Fuel	AvGas and Jet A	AvGas and/or Jet Fuel	Yes	-	-
FBO	Full Service	Full Service	Yes	-	-
Maintenance	Full Service	Full Service Yes -		-	-
Rental Cars	Available	Available Yes -		-	
	Estimated SASP Facility/Service Project Cost \$0				\$0

	Gwinnett Coun	ty Airport-Briscoe Field Report Car	d		
		tection Zone Mitigation Projects			
Runway End	Estimated Land Cost	Estimated Residential/Commercial Property Cost	Estimated Road Cost	Estimated Railroad Cost	Total Estimated Cost
- RW 07	\$3,750,000	\$5,000,000	\$367,258	No Action	\$9,117,258
- RW 25	\$6,250,000	\$1,000,000	\$1,171,212	\$586,554	\$9,007,766
			d RPZ Mitigation	on Project Costs	\$18,125,024
	Major Pavemo	ent Maintenance Projects Planned			
		Project Description			Estimated Cost
Runway 07/25		habilitation (e.g. Mill & Overlay, Ov			\$6,575,000
Taxiways		ehabilitation (e.g. Mill & Overlay, Ov	•		\$3,043,939
Taxiways		tative (e.g. Surface Treatment to En		)	\$31,154
Taxiways		reventative (e.g. Crack Sealing or Pa			\$20,320
Apron		ehabilitation (e.g. Mill & Overlay, Ov		nstruction)	\$6,666,911
Apron	Local P	reventative (e.g. Crack Sealing or Pa	-		\$300,000
	Constitution and a		•	nt Project Costs	\$16,637,324
Program Year	Project Type	nt Plan (CIP) Projects Planned 2018  Project Des			Estimated
2018	Taxiways	Construct Central Rasing Are	a Sita Dran and	d Drainage	<b>Cost</b> \$1,200,000
2018	Taxiways	Construct Central Basing Area Site Prep and Drainage			\$1,200,000
2018	Safety	Design Central Basing Area Primary Taxiway Obstruction Survey - Runway Approaches			\$75,000
2018	Plans & Studies	Pavement Weight Bearing Capacity Study of Runway			\$25,000
2018	Lighting, NAVAIDs & Signage		Relocation AWOS and Upgrade to ASOS		
2018	Taxiways	Reimburse Taxiw			\$365,000 \$89,645
2019	Plans & Studies	Airport Master	Plan Update		\$300,000
2019	Taxiways	Construct Central Basing Area	Core Taxiway	& Access Rd	\$1,600,000
2019	Lighting, NAVAIDs & Signage	Design Ramp	Lighting		\$45,000
2020	Fuel	Design Fuel Storag	Design Fuel Storage Tank Barriers		
2020	Plans & Studies	Environmental Assessment - N Northwest Ba		asing Area &	\$275,000
2020	Lighting, NAVAIDs & Signage	Install Ramp	Lighting		\$75,000
2021	Taxiways	Design - North Central Basing Are	a Core Taxiway	& Access Road	\$125,000
2021	Taxiways	Design North Central B	asing Area Site	Prep	\$225,000
2021	Fuel	Install Barriers Around	Fuel Storage T	anks	\$150,000
2021	Land Acquisition & Easements	Land Acquisition -	North Central		\$4,500,000
2021	Land Acquisition & Easements	Land Acquisition For Cedars Storm water Handling Area			\$3,450,000
2022	Taxiways	Construct North Central Basing Area Core Taxiway & Access Road \$475			\$475,000
2022	Taxiways	Construct North Central Basing Area Site Prep \$1,10			\$1,100,000
2022	Land Acquisition & Easements	Northwest Basing Are			\$9,500,000
			Estimated C	CIP Project Costs	\$23,824,645
			<b>Total Estimate</b>	ed Project Costs	\$58,586,993

 $<sup>\</sup>ensuremath{^{*}}$  Estimated project cost is derived from the Airport's recent 5-year CIP.

#### **GLOSSARY OF ACRONYMS**

ALP: Airport Layout Plan

ALS: Approach Lighting System

ALSF: ALS with Sequenced Flashers

ASOS: Automatic Surface Observation System

ATCT: Air Traffic Control Tower

AvGas: Aviation Gasoline

AWOS: Automated Weather Observation System

CAGR: Compound Annual Growth Rate

CATEX: Categorical Exclusion

CIP: Capital Improvement Plan

DBE: Disadvantaged Business Enterprise

DME: Distance Measuring Equipment

FBO: Fixed Base Operator

FIDS: Flight Information Display System

GA: General Aviation

GIS: Geographic Information System

GSASP: Georgia Statewide Aviation System Plan

HIRL: High-Intensity Runway Lighting

HITL: High-Intensity Taxiway Lighting

ILS: Instrument Landing System

Jet A: Jet Fuel

LF: Linear Feet

LIRL: Low-Intensity Runway Lighting

LITL: Low-Intensity Taxiway Lighting

LPV: Lateral Precision Performance with Vertical

Guidance

MALS: Medium-Intensity Approach Lighting System

MALSF: MALS with Sequenced Flashers

MALSR: MALS with Runway Alignment Indicator Lights

MIRL: Medium-Intensity Runway Lighting

MITL: Medium-Intensity Taxiway Lighting

MoGas: Motor Gasoline

**NAVAIDs:** Navigational Aids

PAPI: Precision Approach Path Indicator

PCI: Pavement Condition Index

PFC: Passenger Facility Charge

**REIL: Runway End Indication Lights** 

RNAV: Area Navigation

RPZ: Runway Protection Zone

RSA: Runway Safety Area

sqmi: Square Miles

VASI: Visual Approach Slope Indicator

VGSI: Visual Glideslope Indicator

VOR: Very High Frequency (VHF) Omni-Directional Range

WHMP: Wildlife Hazard Management Plan

This page is intentionally blank.

PREPARED BY:

JVIATION®



#### FOR MORE INFORMATION CONTACT:

GEORGIA DEPARTMENT OF TRANSPORTATION, AVIATION PROGRAMS 600 W. PEACHTREE ST. | ATLANTA, GA 30303