



Office of Materials and Testing
Qualified Products List

The following is a list of **Work Zone Traffic Control Devices** that have been evaluated by the Office of Materials and Testing and have satisfied the requirements of Standard Specification Section 150 and SOP-17, “Acceptance of Miscellaneous Construction Items.” These products have been certified in accordance with MASH or NCHRP 350 and approved for use on the National Highway System by the Federal Highway Administration..

QPL-34
Work Zone Traffic Control Devices
(Drums, Type III Barricades, Vertical Panels, and Portable Sign Systems)

Physical / Chemical Branch
15 Kennedy Dr.
Forest Park, GA 30297
Office Phone: 404-608-4810
Office Fax: 404-608-4752

Note: All Trade Names are Registered Trademarks of the appropriate company.
Ending Source # is 015

BA Preference designation of compliant, non-compliant or exempt for the Build America, Buy America Act, Pub. L. No. 117-58, §§ 70901-52

Drums

The Department does not maintain an approved list of Drums at this time. Drums used on Department projects must be NCHRP 350 compliant or MASH certified if manufactured after December 31, 2019 and meet Georgia Department of Transportation Subsection 150.05.A.1.a.1. In addition Drums shall meet the minimum requirements of the MUTCD Section 6F.62 and shall be reflectorized as required in Subsection 150.01.C.

The upper edge of the stripe on the drum shall be located a minimum of 33 inches above the surface of the roadway. A minimum drum diameter of 18 inches shall be maintained at a minimum of 34 inches above the roadway. Drums should be round providing a minimum of 270 square inches of specified sheeting facing the traffic at all times, with an allowance for one flat side, tab or flange to keep them from rolling into traffic. Drum tops may be rounded to prevent water and debris from collecting.

SEE NOTES AT END OF DOCUMENT

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
Cortina Safety Products	19/ USA	10706 West Grand Avenue Franklin Park, IL 60131 www.cortinaco.com	847-455-2800 800-225-5206	07-819-1 QuadraFlex No Spring Screwlock	Roll-Up 4'x4' Total Height: 83"	Portable Sign System	MISC15003	Exempt
				07-816-1 QuadraFlex Single Spring Screwlock	Roll-Up 4'x4' Total Height: 83"	Portable Sign System	MISC15003	Exempt
				07-822 Economy Tri-Pod	Roll-Up 4'x4' Total Height: 79"	Portable Sign System	MISC15003	Exempt
				TrailBlazer XL		Vertical Panel	MISC15002	Exempt
				Cortina Type III Barricade 4'-12'		Type III Barricade	MISC15001	Exempt
Bone Safety	16/ USA	6450 Industrial Way Alpharetta, GA 30004	800-873-2399	SZ-412-S	Roll-Up 4'x4'	Portable Sign System	MISC15003	Exempt

QPL-34

Page 1 of 13

OMAT-Work Zone Traffic Control Devices



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
		www.bonesafety.com			Fiberglass supported, Mounting Height 18"			
				SZ-412-X	Roll-Up 4'x4' Rigid: 10mm or 16mm Steel Component	Portable Sign System	MISC15003	Exempt
				SZ-412	Roll-Up 4'x4' Mounting Height 12" Steel Component	Portable Sign System	MISC15003	Exempt
				SZ-412-2S	Roll-Up 4'x5' Mounting Height 12" Steel Component	Portable Sign System	MISC15003	Exempt
				SZ-484-2S	Roll-Up 4'x5' Minimum Height 7' Steel Component	Portable Sign System	MISC15003	Exempt
OrangeGear	20/ USA	3115 W Tambay Ave. Tampa, FL 33611 www.orangegear.com	863-816-3402	36" & 48" signs with aluminum non-spring stand OGAL412	Roll-Up 4'x4' Mounting Height 11" Aluminum, non-spring	Portable Sign System	MISC15003	Exempt
				36" & 48" signs with steel single-spring stand OGSSAL412	Roll-Up 4'x4' Mounting Height 15"	Portable Sign System	MISC15003	Exempt
				36" & 48" signs with steel double-spring stand OGDSFL157	Roll-Up 4'x4' Mounting Height 12"	Portable Sign System	MISC15003	Exempt
Pexco, Davidson Traffic Control Products	02/ USA	3110 70 th Avenue East Tacoma, WA 98424 www.pexco.com/traffic	253-284-8000 877-335-4638	T3B Barricade – PSST Feet Plastic		Type III Barricade	MISC15001	Exempt

QPL-34

Page 2 of 13

OMAT-Work Zone Traffic Control Devices



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
				T3B Barricade – X-Tube		Type III Barricade	MISC15001	Exempt
				FG 300 Vertical Panel		Vertical Panel	MISC15002	Exempt
Eastern Metal of Elmira, Inc.	04/ USA	1430 Sullivan St. Elmira, NY 14901 easternmetalsignsandsafety.com	607-734-2295	BC-3000 Series		Type III Barricade	MISC15001	Exempt
				C-102/132 Sign Stand	Roll-Up 4'x4'**, Height 15"	Portable Sign System	MISC15003	Exempt
				C-202/232 Sign Stand	Roll-Up 4'x4'**, Height 18"	Portable Sign System	MISC15003	Exempt
				C-222 Sign Stand	Roll-Up 4'x4'**, Height 32"	Portable Sign System	MISC15003	Exempt
				X-550 Sign Stand Including X-551, X-552, X-553	Roll-Up 4'x4'**, Height 18" Rigid: 10mm Corrugated Plastic, 4'x4', Height 18"	Portable Sign System	MISC15003	Exempt
				X-550b Sign Stand Including X-551b, X-552b, X-553b	Roll-Up 4'x4'**, Mounting Height 18" Rigid: 10mm Corrugated Plastic, 4'x4', Height 18" HDPE, 4'x4', Height 18". 2mm Aluminum Laminate, 4'x4' or 4'x5'. Height 18"	Portable Sign System	MISC15003	Exempt
				X-600 Sign Stand including X-601, X-602, X-603	Roll-Up 4'x4'**, Height 5' Rigid: 10mm Corrugated Plastic, 4'x4' or 4'x5', Height 5' HDPE, 4'x4', Height 5'. 2mm Aluminum Laminate,	Portable Sign System	MISC15003	Exempt

QPL-34

Page 3 of 13

OMAT-Work Zone Traffic Control Devices



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
					4'x4' or 4'x5', Height 5'			
Eastern Metal of Elmira, Inc.	04/ USA	1430 Sullivan St. Elmira, NY 14901 easternmetalsignsandsafety.com	607-734-2295	350 Econo Stand Heavy Duty (Tripod Style)	Rigid: 10mm Corrugated Plastic, 4'x4', Height 18" HDPE, 4'x4', Height 18" 2mm Aluminum Laminate, 4'x4' or 4'x5'. Height 18"	Portable Sign System	MISC15003	Exempt
				X-840 Series Sign Stand, Wind-Deflectable	Roll-Up 4'x4'**, Height 7' Rigid: 10mm Corrugated Plastic, 4'x4' or 4'x5', Height 7' HDPE, 4'x4', Height 7'. 2mm Aluminum Laminate, 4'x4' or 4'x5', Height 7' 0.080 Aluminum, 4'x4', Height 7'	Portable Sign System	MISC15003	Exempt
				Apex Sign Stand	Roll-Up 4'x4'**, Height 13" Galvanized steel aluminum	Portable Sign System	MISC15003	Exempt
				Apex Recoil Sign Stand	Roll-Up 4'x4'**, Height 14" Galvanized steel aluminum	Portable Sign System	MISC15003	Exempt
				Apex Dual Recoil Max Sign Stand	Roll-Up** & Rigid 40"x80", Height 18"-84" Steel Coil Springs Aluminum	Portable Sign System	MISC15003	Exempt
				Apex Summit Sign Stand	Rigid 14"x120", Height 18"-84" Aluminum	Portable Sign System	MISC15003	Exempt
				Apex Tri-Pod Sign Stand	Roll-Up** & Rigid 14"x120", Height 14" Aluminum	Portable Sign System	MISC15003	Exempt

QPL-34

Page 4 of 13

OMAT-Work Zone Traffic Control Devices



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
JBC Safety Plastic, Inc.	18/ USA	16750 Chestnut Street Industry, CA 91748 www.JBCSafetyPlastic.com	866-742-5522	GA-ULTRA PANEL-ORG-6"		Vertical Panel	MISC15002	Exempt
Impact Recovery Systems	11/ USA	4955 Stout Drive San Antonio, TX 78219 www.impactrecovery.com	210-736-4477	Single Vertical Panel Double Vertical Panel		Vertical Panel Vertical Panel	MISC15002	Exempt
Korman Signs, Inc.	06/ USA	3029 Lincoln Avenue Henrico, VA 23230 www.kormansigns.com	800-296-6050	KSIBTIII-SW 4 ft. to 8 ft.	2mm Aluminum Laminate: Any combination of signs up to 25 ft ² 4'x4' or 4'x5' and smaller.	Type III Barricade	MISC15001	Exempt
				KSIBTIII-133Z 4 ft. to 8 ft.				Exempt
				WBT3SW and WBT3SWH 4 ft. to 12 ft.	2mm Aluminum Laminate: Any combination of signs up to 33 ft ² 4'x4' or 4'x5' and smaller.	Type III Barricade	MISC15001	Exempt
				WBT3BR and WBT3BRH 4 ft. to 12 ft.		Type III Barricade	MISC15001	Exempt
				EZ-Kade WBT3BT and WBT3BTH 4 ft. to 12 ft.		Type III Barricade		Exempt
				SS548 and SS548A Flexible Sign Stands	Roll-Up 4'x4'**, Height 19- 21" Rigid: 10mm Corrugated Plastic, 4'x4' or 4'x5', Height 19- 21". HDPE, 4'x4', Height 19- 21". 2mm, 3mm, 4mm Aluminum Laminate 4'x4' or 4'x5', Height 19- 21".	Portable Sign System	MISC15003	Exempt
				SS548C and SS548CA Compact Flexible Sign Stands		Portable Sign System	MISC15003	Exempt
			800-296-6050	SS548E and SS548AE Flexible Sign Stands	Roll-Up 4'x4'**, Height 21 or 60"	Portable Sign System	MISC15003	Exempt

QPL-34

Page 5 of 13

OMAT-Work Zone Traffic Control Devices



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
				SS548ETL and SS548AETL Flexible Sign Stands	Rigid: 10mm Corrugated Plastic, 4'x4' or 4'x5', Height 19-21". HDPE, 4'x4', Height 19-21". 2mm, 3mm, 4mm Aluminum Laminate 4'x4' or 4'x5', Height 19-21".	Portable Sign System	MISC15003	Exempt
				SS548EE and SS548AEE Flexible Sign Stands	Roll-Up 4'x4'**, Height 19", 21" or 60" Rigid:10mm Corrugated Plastic, 4'x4' Height 19", 21" or 60" 4'x5' Height 22" or 63" HDPE, 4'x4', Height 19", 21" or 60" 2mm, 3mm, 4mm Aluminum Laminate 4'x4' Height 19", 21" or 60" 4'x5' Height 22" or 63"	Portable Sign System	MISC15003	Exempt
				SS548UC and SS548 UCA Ultra Compact Sign Stands	Roll-Up 4'x4'**, Height 21". 2mm Aluminum Laminate 4'x4' or 4'x5', Height 21"	Portable Sign System	MISC15003	Exempt
				SS548UCR and SS548 UCRA Ultra Compact Sign Stands	Roll-Up 4'x4'**, Height 13". 2mm Aluminum Laminate 4'x4' or 4'x5', Height 13"	Portable Sign System	MISC15003	Exempt
				SS560 and SS560A Heavy Duty Flexible Sign Stand	Roll-Up 4'x4'**, Height 5' or 7'. Rigid : 10mm Corrugated Plastic: 4'x4', Height 60", 4'x5', Height 63" HDPE, 4'x4', Height 60".	Portable Sign System	MISC15003	Exempt



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
					2mm, 3mm &4mm Aluminum Laminate 4'x4', Height 60", 4'x5', Height 63".			
Korman Signs, Inc.	06/ USA	3029 Lincoln Avenue Henrico, VA 23230 www.kormansigns.com	800-296-6050 804-262-6050	SS560EE and SS560AEE Heavy Duty Flexible Sign Stand	Roll-Up 4'x4'**, Height 5' or 7'. Rigid : 10mm Corrugated Plastic: 4'x4', 4'x5', Height 5' or 7'. HDPE, 4'x4', Height 5' or 7'. 2mm, 3mm & 4mm Aluminum Laminate 4'x4', 4'x5', Height 5' or 7'.	Portable Sign System	MISC15003	Exempt
				SS560UC and SS560UCA Ultra Compact Heavy Duty	Roll-Up 4'x4'**, Height 5'	Portable Sign System	MISC15003	Exempt
				SS-1 Tripod Portable Sign Stand	Roll-Up 4'x4'**, Height 14" Rigid 10mm Corrugated Plastic: 4'x4', Height 14", 4'x5', Height 24" HDPE, 4'x4', Height 14" 2mm, 3mm &4mm Aluminum Laminate 4'x4', Height 14", 4'x5', Height 24"	Portable Sign System	MISC15003	Exempt
PSS (Plastic Safety Systems)	08/ USA	2444 Baldwin Road Cleveland, OH 44104 www.pss-innovations.com	800-662-6338	Anchor Type PST III Barricade 4 ft. to 8 ft.	Corrugated Plastic 4'x4'	Type III Barricade	MISC15001	Exempt
				LaneGard 3 Folding Type III Barricade		Type III Barricade	MISC15001	Exempt
Plasticade	07/ USA	100 Howard Avenue Des Plaines, IL 60018 www.plasticade.com	800-772-0355	Break-Away Type III Barricade		Type III Barricade	MISC15001	Exempt



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
				Gemstone Vertical Panel		Vertical Panel	MISC15002	Exempt
				Sentinel Type III Barricade		Type III Barricade	MISC15001	Exempt
				Telespar Type III Barricade		Type III Barricade	MISC15001	Exempt
				Angle Iron Type III Barricade		Type III Barricade	MISC15001	Exempt
				SS100 Tripod Sign Stand	36" to 48", Height 14" Galvanized	Portable Sign System		Exempt
				SS105 Tripod Sign Stand	36" to 48", Height 14" Powder Coated	Portable Sign System		Exempt
				SS300 Sign Stand	Roll-Up** 36" and 48" Height 13" Steel Powder Coated	Portable Sign System		Exempt
				SS300A Sign Stand	Roll-Up** 36" and 48" Height 13" Aluminum	Portable Sign System		Exempt
				SS310 Sign Stand	Roll-Up** 36" and 48" Height 13", 84" max Steel Powder Coated	Portable Sign System		Exempt
				SS310A Sign Stand	Roll-Up** 36" and 48" Height 13", 84" max Aluminum	Portable Sign System		Exempt
				SS340A Sign Stand	Roll-Up** 36" and 48" Height 16", 84" max Aluminum	Portable Sign System		Exempt
				SS410A Sign Stand	Roll-Up** 36" and 48" Height 60", 128" max Aluminum	Portable Sign System		Exempt
Plasticade	07/ USA	100 Howard Avenue Des Plaines, IL 60018 www.plasticade.com	800-772-0355	SS420A Sign Stand	36" and 48" Height 18", 86" max Aluminum	Portable Sign System		Exempt
				SS520A Sign Stand	Roll-Up** 36" and 48" Height 84", 152" max Aluminum	Portable Sign System		Exempt



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
				SS620A Sign Stand w/ corrugated sign 60"	36" and 48" Height 60" Aluminum	Portable Sign System		Exempt
				SSRB800 Sign Stand	Roll-Up** 36" and 48" Height 13", 81" max Aluminum Base: Recycled Rubber and powder coated steel	Portable Sign System		Exempt
				SS620A Sign Stand w/ corrugated sign 84"	36" and 48" Height 84" Aluminum	Portable Sign System		Exempt
				SS620A Sign Stand w/ Rollup 84"	Roll-Up** 36" and 48" Height 84" Aluminum	Portable Sign System		Exempt
Traffix Devices, Inc.	10/ USA	160 Avenida La Plata San Clemente, CA 92673 www.traffixdevices.com	949-361-5663	Traffix Type III Barricade 4 ft. to 12 ft.		Type III Barricade	MISC15001	Exempt
				Traffix Step-N Lock Two Piece Vertical Panel		Vertical Panel	MISC15002	Exempt
				Traffix Stand 22000	Roll-Up 4'x4**, Height 12" Rigid: 10mm Corrugated Plastic, 4'x4', Height 12"	Portable Sign System	MISC15003	Exempt
				Zephyr Portable Sign Stand	Roll-Up 4'x4**, Height 12"	Portable Sign System	MISC15003	Exempt
				Aluminum Buster Sign Stand	Roll-Up 4'x4**, Height 12"	Portable Sign System	MISC15003	Exempt
				Little Buster - Dual Spring Folding Sign Stand	Roll-Up 4'x4**, Height 15" & 5' Rigid: 10mm Corrugated Plastic, 4'x4', Height 15" 2mm Aluminum Laminate 4'x4', Height 15"	Portable Sign System	MISC15003	Exempt



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
Traffix Devices, Inc.	10/ USA	160 Avenida La Plata San Clemente, CA 92673 www.traffixdevices.com	949-361-5663	Econo Buster - Folding Leg Stand	Roll-Up 4'x4'**, Height 4' Rigid: 10mm Corrugated Plastic, 4'x4', Height 15" 2mm Aluminum Laminate 4'x4', Height 15"	Portable Sign System	MISC15003	Exempt
				Big Buster Dual Spring Folding Sign Stand	Roll-Up 4'x4'**, Height 5' Rigid: 10mm Corrugated Plastic, 4'x4', Height 5' 2mm Aluminum Laminate 4'x4', Height 5'	Portable Sign System	MISC15003	Exempt
Three D Traffic Works	14/ USA	420 N. Varney Street Burbank, CA 91502 www.trafficwks.com	323-849-1316 877-843-9757	TD 2500 Type III Barricade 4 ft. to 12 ft.		Type III Barricade	MISC15001	Exempt
				TD 2600 Type III Barricade 4 ft. to 12 ft.		Type III Barricade	MISC15001	Exempt
				TD6500		Universal Vertical Panel	MISC15002	Exempt
Valtir, LLC	13/ USA	15601 Dallas Parkway, Suite 525 Addison, TX 75001 www.valtir.com	888-496-3625	Yodock Model 2001 with T-3 Kit 6 ft. Yodock Model 2001M with T-3 Kit 6 ft.		Type III Barricade	MISC15001	Exempt
						Type III Barricade	MISC15001	Exempt
Dicke Safety Products	03/ USA	1202 Warren Avenue Downers Grove, IL 60515 www.dicketool.com	877-891-0050	DL 1003W	Roll-Up 4'x4'**, Height 12"	Portable Sign System	MISC15003	Exempt
				DF 3003W	Roll-Up 4'x4'**, Height 12"	Portable Sign System	MISC15003	Exempt
				DF3003S	Roll-Up 4'x4'**, Height 12"	Portable Sign System	MISC15003	Exempt



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
				TF12C	Roll-Up 4'x4'**, Height 12"	Portable Sign System	MISC15003	Exempt
				TF12W	Roll-Up 4'x4'**, Height 12"	Portable Sign System	MISC15003	Exempt
				UF2000W	Roll-Up 4'x4'**, Height 84" Rigid: 10mm Corrugated Plastic, 4'x4', Height 84". 2mm, Aluminum Laminate, 4'x4', Height 84".	Portable Sign System	MISC15003	Exempt
MDI Traffic Control Products	15/ USA	38271 W. 12 Mile Road Farmington Hills, MI 48331 www.mditrafficcontrol.com	800-521-6776	Wind Master Model 4814 M-DL	Roll-Up 4'x4'**, Height 12"	Portable Sign System	MISC15003	Exempt
				Wind Master Model 4814 HDK			MISC15003	Exempt
				Wind Master Model 4814M-SL			MISC15003	Exempt
				Wind Master Model 5012 NS			MISC15003	Exempt
				Wind Master Model 5012 M-SS			MISC15003	Exempt
				Wind Master Model 5012M-NCAM	Roll-Up 4'x4'**, Height 12.75"	Portable Sign System	MISC15003	Exempt
				Wind Master Model 40 CAM			MISC15003	Exempt
				Wind Master Model 4818K	Roll-Up 4'x4'**, Height 18" Rigid: HDPE, 4'x4', Height 18" 2mm Aluminum Laminate 4'x4', Height 18"	Portable Sign System	MISC15003	Exempt
				Wind Master Model 5018K			MISC15003	Exempt
				Wind Master Model 4845 RBK-60	Roll-Up 4'x4'**, Height 60" Rigid: HDPE, 4'x4', Height 60" 2mm Aluminum Laminate 4'x4',	Portable Sign System	MISC15003	Exempt



Office of Materials and Testing
Qualified Products List

Source	Source# /Location	Address	Contact	Trade Name	Approved Signs	Device Type	Material Code	BA Preference
					Height 60"			
				Wind Master Model 4860K	Roll-Up 4'x4'**, Height 72" Rigid: HDPE, 4'x4', Height 60" 2mm Aluminum Laminate 4'x4', Height 60"	Portable Sign System	MISC15003	Exempt
				Steel Master Model 50SM-NS	Roll-Up** Sign Height 12" – 54" Rigid Sign Height 12" – 54"	Portable Sign System	MISC15003	Exempt
				Steel Master Model 50SM-2S	Roll-Up** Sign Height 12" – 60" Rigid Sign Height 12" – 60"	Portable Sign System	MISC15003	Exempt
				Wind Master Model 4818M	48" Roll-Up** Sign Height: 12" - 60" 48" Rigid Sign Height: 12" – 24"	Portable Sign System	MISC15003	Exempt
				Wind Master Model 4860M-84	48" Roll-Up** Sign Height: 12" - 84" 48" Rigid Sign Height: 12" – 84"	Portable Sign System	MISC15003	Exempt
Middle Georgia Signs – Designeffex Inc.	12/ USA	296 Westside Rd Cochran, GA 31014 www.middlegeorgiasigns.com	478-934-1094	MGS 48A Sign Stand	Rigid: 2mm & 3mm Aluminum Laminate 4'x4', Height 12"	Portable Sign System	MISC15003	Exempt
Brimar Industries	17/ USA	64 Outwater Lane Garfield, NJ 07026 www.Brimar.com	800-274-6271	Brimar Vertical Panel 93009DG		Vertical Panel	MISC15002	Exempt

- 1.) All Trade Names are Registered Trademarks of the appropriate company.
- 2.) All products on QPL-34 must be crash tested under NCHRP Report 350 or MASH certified if manufactured after December 31, 2019 and approved for use on the National Highway System by the United States Department of Transportation Federal Highway Administration.
- 3.) Type III Barricades, Vertical Panels, and Portable Sign Stands not listed on QPL-34 shall not be used for traffic control without Department approval.
- 4.) All products listed on QPL - 34 must be used according manufacturers recommendations. Including; attachments, bolts, brackets, hardware, signs, nuts, washers, etc.
- 5.) All products on QPL-34 must be labeled as meeting NCHRP-350 or MASH crash testing.

- 6.) **Type III Barricades** shall meet the minimum requirements of the MUTCD and shall be reflectorized as required in Subsection 150.01.C. Signs can only be attached to barricade rails and may only extend above the top rail.
Approved Sign Substrates for Type III Barricades.
Roll-up Sign sheeting shall be Fluorescent Orange and meet Subsection 150.01.C
10 mm Corrugated Plastic: Coroplast and Intecell “IntePro”
2 mm Aluminum Laminate: Aluuisse “Diobond”, Reynolds Aluminum “Reynolite”, Mitsubishi “Alpolic 350” (ACS) Aluminum Composite Substrate.



Office of Materials and Testing Qualified Products List

Reflective Sheeting for rigid sign shall meet Subsection 150.01.C. Approved Reflective Sheeting is listed on QPL-29.

- 7.) Vertical Panels shall meet the minimum requirements of the MUTCD and shall have a minimum of 270 square inches of reflective area facing the traffic and shall be mounted with the top of the reflective panel a minimum of 36" above the roadway, 8" to 12" wide.
- 8.) Portable Sign Systems with Rigid Signs are approved as separate systems and are not interchangeable with other Portable Sign Stands unless approved by the Office of Materials and Research. Two flags may be used on Portable Sign Systems less than 7 feet in height.

Approved Roll-Up and Rigid Sign Substrates for Portable Sign Systems:

Roll-up Sign sheeting shall be Fluorescent Orange and meet Subsection 150.01.C. Rollup Signs are approved for use on all approved Portable Sign Systems.

10mm Corrugated Plastic: Coroplast and Intecell "IntePro".

HDPE: 5/8 in. blow molded HD Polyethylene Substrate with waffle pattern tack-offs, and radius corners by Stabler Companies.

2mm Aluminum Laminate: Aluisse "Diobond", Reynolds Aluminum "Reynolite",

Mitsubishi "Alpolic 350" (ACS) Aluminum Composite Substrate.

3mm Aluminum Laminate: Reynolds Aluminum "Reynobond",

Mitsubishi "Alpolic 350" (ACS) Aluminum Composite Substrate.

4mm Aluminum Laminate: Mitsubishi "Alpolic 350" (ACS) Aluminum Composite Substrate.

0.080 Aluminum

Reflective Sheeting for rigid signs shall meet Subsection 150.01.C. Approved Reflective Sheeting is listed on QPL-29.

- 9.) The Department prohibits the use of peripheral equipment that is not necessary to the function of the products listed in QPL-34 unless otherwise specified, in which case the equipment shall be certified NCHRP-350/MASH compliant by the manufacturer. (Example: Flashing Lights, Supplementary Signs, Flags, etc., are not allowed on Vertical Panels and Type III Barricades)