



Office of Materials and Testing Qualified Products List

The following is a list of **Pavement Reinforcement Fabrics** that has been evaluated by the Office of Materials and Testing. These fabrics have proven their capability of meeting the requirements of Standard Specification Sections: 881.2.06, Type I & II and 881.2.06, Type High Strength Pavement Reinforcement Fabrics, and have satisfied the requirements of SOP-17, "Acceptance of Miscellaneous Construction Items".

QPL-40 Pavement Reinforcement Fabric

Physical / Chemical Branch
15 Kennedy Dr.
Forest Park, GA 30297
Office Phone: 404-608-4810
Office Fax: 404-608-4752

BA Preference designation of compliant, non-compliant or exempt for the Build America, Buy America Act, Pub. L. No. 117-58, §§ 70901-52

Note: All Trade Names are Registered Trademarks of the appropriate company.
Ending Source # is 009

SEE NOTES AT END OF DOCUMENT

Source	Source # / Location	Address	Contact	Product	Type	Material Code	BA Preference
Hanes Geo Components	10 / USA	815 Buxton Street Winston Salem, NC 27101 www.hanesgeo.com	888-239-4539 336-747-1600	TerraTex OL TerraTex OL-I TerraTex OL HD	I I II	FABR88161 FABR88161 FABR88162	Compliant Compliant Compliant
Advanced Drainage Systems, Inc.	17/ USA	4640 Trueman Blvd. Hillard, OH 43026 ADSpire.com	800-733-9987	ADS 4598	I	FABR88161	Compliant
Thrace Nonwovens & Geosynthetics S.A.	07/ USA	Magiko 01 Xanthi, Greece 671 00 www.thracegroup.com	+30 2541045600	G125EX G130EX G140EX G150EX	I I II II	FABR88161 FABR88161 FABR88162 FABR88162	Non-compliant Non-compliant Non-compliant Non-compliant
Polyguard Products, Inc.	03/ USA	P.O. Box 755 Ennis, TX 75120 3801 South I-45 Ennis, TX 75119 www.polyguard.com	214-515-5000	ColdFlex 2000 SA ColdFlex 2000 (Hot Applied) Polyguard NW75 Membrane	High Strength High Strength II	FABR88163 FABR88163 FABR88162	Compliant Compliant Compliant
Propex Fabrics, Inc.	01/ USA	4019 Industry Dr. Chattanooga, TN 37416 www.propexglobal.com	706-693-2226	Petromat® 4599 (Formerly: Geotex 381) Petromat® 4597 Petrotac® 4591	I II	FABR88161 FABR88162	Compliant Compliant

QPL-40

Page 1 of 3

OMR-Pavement Reinforcement Fabric



Office of Materials and Testing Qualified Products List

Source	Source # / Location	Address	Contact	Product	Type	Material Code	BA Preference
				(Adhesive Backing)	II	FABR88162	Compliant
				Petromat 4598	I	FABR88161	Compliant
Skaps Industries	09/ USA	335 Athena Dr. Athens, GA 30601 www.skaps.com	706-354-3700	GC-140	I	FABR88161	Compliant
Tencate Geosynthetics	05/ USA	365 South Holland Drive Pendergrass, GA 30567 www.tencategeo.us	706-693-2226	Mirafi MTK	II	FABR88162	Compliant
				Mirafi MPV 600	II	FABR88162	Compliant
				Mirafi MPV 700	II	FABR88162	Compliant
				Mirafi PGM – G4	I	FABR88161	Compliant
				Mirafi MPV 400	I	FABR88161	Compliant
				Mirafi MPV 500	I	FABR88161	Compliant
US Fabrics, Inc.	15/USA	3904 Virginia Avenue Cincinnati, OH 45227 www.usfabrics.com	513-271-6000 800-518-2290	US100P	I	FABR88161	Compliant
Willacoochee Industrial Fabrics	16/ USA	1 Nashville Mills Rd Nashville, GA 31639 www.winfabusa.com	912-534-5757	WINFAB400NP	I	FABR88161	Compliant

Note #1: Type **I**: Heat resistant non-woven polypropylene or polyester fabric capable of being placed smooth without wrinkles and being saturated with asphalt cement.

Type **II**: Heat resistant non-woven polypropylene or polyester fabric capable of being placed smooth without wrinkles and being saturated with asphalt cement. May have self-adhesive backing adhered to a film release liner.

Type **High Strength**: A flexible water resistant high density asphaltic membrane laminated between two layers of high strength, heat resistant polypropylene or polyester geo-textile and be capable of being placed smoothed without wrinkles with mechanical device. May have self-adhesive backing adhered to a film release liner.

Note #2: Pavement Reinforcement Fabrics found on this QPL may be accepted by Manufacturer Certification as described in Section 881. Pavement Reinforcement Fabrics not found on this list require a Manufacturer Certification as described in Section 881 and shall be sampled and tested by the Office of Materials and Research before being allowed for project use.

QPL-40

Page 2 of 3

OMR-Pavement Reinforcement Fabric



Office of Materials and Testing
Qualified Products List