



Office of Materials and Research Qualified Products List

This is a listing of approved Traffic Pavement Markings prepared in accordance with the GDOT Standard Specifications and Office of Materials and Testing Standard Operating Procedures. Paint Traffic Markings are approved through the Standard Operating Procedure 17- PHYSCHEM (SOP-17). Please refer to Section 652 and Section 870.2.02 of the GDOT Standard Specifications for material requirements. Thermoplastic is approved through the Standard Operating Procedure 17- PHYSCHEM (SOP-17). Please refer to Section 653 of the GDOT Standard Specifications for material requirements. Profile thermoplastic must qualify as Thermoplastic under Section 653 of the GDOT Standard Specifications. For more information, please refer to Subsection 653.3.05.A.9 for measurement of bumps. Polyurea are approved through the Standard Operating Procedure 17- PHYSCHEM (SOP-17). Please refer to Section 658 of the GDOT Standard Specifications for material requirements. Tape is approved through the Standard Operating Procedure 17- PHYSCHEM (SOP-17). Please refer to Section 657 of the GDOT Standard Specifications for material requirements. Preformed Thermo is approved through the Standard Operating Procedure 17- PHYSCHEM (SOP-17). Please refer to Section 659 of the GDOT Standard Specifications for material requirements.	QPL-46 Traffic Pavement Markings	Physical / Chemical Branch 15 Kennedy Dr. Forest Park, GA 30297 Office Phone: 404-608-4810 Office Fax: 404-608-4752
a*Traffic Pavement Markings manufacturers shall provide a letter of certification to the Engineer for approval prior to construction indicating that each batch / lot meets all the requirements of the State of Georgia Standard Specifications.		
BA Preference designation of compliant, non-compliant or exempt for the Build America, Buy America Act, Pub. L. No. 117-58, §§ 70901-52 Note: All Trade Names are Registered Trademarks of the appropriate company. Note : TR – Temporary Removable TN – Temporary Non-Removable PA – Permanent		



Office of Materials and Testing Qualified Products List

PB – Permanent Patterned
PB-WR – Permanent Patterned Wet Reflective
HB – High Build

Source	Source # / Location	Address	Contact	Product	Acceptance for Dry (ASTM E 1710) / Wet (ASTM E 2177)	Trade Name	Color	C.T.T. No.	Material Code	BA Preference
3M Company, Commercial Branding and Transportation Division	74-01/ USA	3M Center 223-3S-33 St. Paul, MN 55144 www.3m.com	651-733-1100 888-364-3577	Tape (PB) Tape (PB) Tape (PB-WR) Tape (PB-WR) Tape (TR) Tape (TR) Tape (TR)	Dry Dry Dry & Wet Dry & Wet Dry Dry & Wet Dry & Wet	Stamark Series 380 IES Stamark Series 380 IES Stamark Series 380 AW WR Stamark Series 380 AW WR Stamark Series 710 Stamark 710IR Stamark 711IR	Y W Y W W W Y	----- ----- ----- ----- -----	TRAF65706 TRAF65702 TRAF65708 TRAF65707 TRAF65704 TRAF65704 TRAF65710	Compliant Compliant Compliant Compliant Compliant Compliant Compliant
Advance Traffic Markings	74-02/ USA	100 Patch Rubber Rd Weldon, NC 27890 www.trafficmarkings.com	252- 529-8963	Tape (TR) Tape (TR) Tape (PA) Tape (PA) Tape (PA) Tape (PA)	Dry Dry Dry Dry Dry Dry	ATM-200 ATM200 ATM-300 ATM-300 ATM-400 ATM-400	Y W Y W Y W		TRAF65710 TRAF65704 TRAF65705 TRAF65701 TRAF65705 TRAF65701	Compliant Compliant Compliant Compliant Compliant Compliant

QPL-46

Page 2 of 8

OMAT-Traffic Pavement Markings



Office of Materials and Testing Qualified Products List

Source	Source # / Location	Address	Contact	Product	Acceptance for Dry (ASTM E 1710) / Wet (ASTM E 2177)	Trade Name	Color	C.T.T. No.	Material Code	BA Preference
Brite-Line Technologies LLC	74-06/ USA	10390 E. 48 th Ave. Denver, CO 80238 www.brite-line.com	303-375-1293 888-201-6448	Tape (TR) Tape (TR)	Dry Dry	Series 100 Series 100	Y W		TRAF65710 TRAF65704	Compliant Compliant
				Tape (PB) Tape (PB)	Dry Dry	Deltaline XPR-R Deltaline XPR-R	Y W		TRAF65706 TRAF65702	Compliant Compliant
Crown USA, Inc. (fmr. Crown Technology, LLC)	05/ Woodbury, GA	35 Industrial Park Dr. Woodbury, GA 30293 www.crownusa.com	706-553-9500 706-553-9501 fax	Thermoplastic	Dry	Tuffline Black	B	CTT-2 CTT-2	TRAF65304	Compliant
				Thermoplastic	Dry	N/A	Y		TRAF65302	Compliant
				Thermoplastic	Dry	N/A	W		TRAF65301	Compliant
				Preformed Thermo	Dry	Tuff-Mark	W		TRAF65901	Compliant
				Preformed Thermo	Dry	Tuff-Mark w/Tuff-Grip	W		TRAF65901	Compliant
				Preformed Thermo	Dry	Tuff Mark	Y		TRAF65902	Compliant
				Paint	Dry	LFY-271 Ga No. 5B	Y		TRAF87052	Compliant
				Paint	Dry	LFW-270 Ga No. 5A	W		TRAF87051	Compliant
				Paint	Dry	LFB-273 Ga FDWB	B		TRAF87041	Compliant
				High Build Paint (HB)	Dry	GHB-226 Ga No. 6A	W		TRAF87061	Compliant
				High Build Paint (HB)	Dry	GHB-227 Ga No. 6B	Y		TRAF87062	Compliant
Ennis - Flint	74-09/ Thomasville, NC	115 Todd Court Thomasville, NC 27360 www.ennisflintamericas.com	336-308-3789 800-331-8118	Preformed Thermo	Dry	Hot Tape™	Y		TRAF65902	Compliant
				Preformed Thermo	Dry	Hot Tape™	W		TRAF65901	Compliant
				Preformed Thermo	Dry	PreMark® Plus	Y		TRAF65902	Compliant

QPL-46

Page 3 of 8

OMAT-Traffic Pavement Markings



Office of Materials and Testing Qualified Products List

Source	Source # / Location	Address	Contact	Product	Acceptance for Dry (ASTM E 1710) / Wet (ASTM E 2177)	Trade Name	Color	C.T.T. No.	Material Code	BA Preference
				Preformed Thermo Performed Thermo	Dry	PreMark® Plus TrafficPatternXD™	W		TRAF65901	Compliant
Ennis - Flint	17/ Thomasville , NC	505 County Line Road, Bldg. C Thomasville, NC 27360 www.ennisflintamericas.com	800-331-8118 336-475-7900 fax	Thermoplastic Thermoplastic	Dry Dry	GA Thermoplastic GA Thermoplastic	Y W	CTT-8 CTT-10	TRAF65302 TRAF65301	Compliant Compliant
Ennis-Flint, Inc., dba PPG Traffic Solutions	41/ USA	1509 S Kaufman Ennis, TX 75119 https://www.ennisflint.com/	800-331-8118	Integrated Multipolymer Pavement Marking		HPS-8* HPS-8* HPS-8*	Y W B		TRAF65711 TRAF65712 TRAF65713	Compliant Compliant Compliant
Ennis - Flint	39/ Richmond, VA	4400 Vawter Ave Richmond, VA 23222 www.ennisflintamericas.com	214-874-7202 800-331-8118	High Build Paint (PB)	Dry	Paint – GA Spec High Build	W		TRAF87061	Compliant
				High Build Paint (PB)	Dry	Paint – GA Spec High Build	Y		TRAF87062	Compliant
				Paint	Dry	Paint – FED Spec Fast Dry	B		TRAF87041	Compliant
				Paint	Dry	Paint – FED Spec Fast Dry	W		TRAF87051	Compliant
				Paint	Dry	Paint – FED Spec Fast Dry	Y		TRAF87052	Compliant



Office of Materials and Testing Qualified Products List

Source	Source # / Location	Address	Contact	Product	Acceptance for Dry (ASTM E 1710) / Wet (ASTM E 2177)	Trade Name	Color	C.T.T. No.	Material Code	BA Preference
Ennis – Flint	09/ Ennis, TX	2803 Spur 469 (old Hwy 75) Ennis, TX 75119 www.ennisflintamericas.com	800-331-8118 336-475-7900 fax	Paint	Dry	Paint – FED Spec Fast Dry	B		TRAF87041	Compliant
				Thermoplastic	Dry	ThermoDrop Alkyd Thermoplastic	W Y		TRAF65302	Compliant
				Thermoplastic	Dry	ThermoDrop Alkyd Thermoplastic	Y		TRAF65301	Compliant
							W			
EPOPLEX	25/ Maple Shade, NJ	7 Esterbrook Lane Cherry Hill, NJ 08003 www.epoplex.com	800-822-6920 856-667-8399	Polyurea	Dry	LS 90	W		TRAF65801	Compliant
				Polyurea	Dry	LS 90	Y		TRAF65802	Compliant
				Polyurea	Dry	Glomarc 90**	W		TRAF65801	Non-compliant
				Polyurea	Dry	Glomarc 90**	Y		TRAF65802	Non-compliant
FOL Tape, LLC	74-10/ USA	2025 Hitzert Court Fenton, MO 63026 www.foltape.com	636-343-9422 x 201 888-365-8273x1	Tape (TN)	Dry	FOL 300	Y		TRAF65709	Compliant
				Tape (TN)	Dry	FOL 300	W		TRAF65703	Compliant
				Tape (TN)	Dry	FOL 200 (Construction Grade)	Y		TRAF65709	Compliant
				Tape (TN)	Dry	FOL 200 (Construction Grade)	W		TRAF65703	Compliant
Tape 4 LLC	74-11/ USA	2925 N Market St. St. Louis, MO 63114 www.tape-4.com	314-968-04904	Tape (TN)	Dry	Aztec Construction Grade Type I	Y		TRAF65709	Non-compliant
				Tape (TR)	Dry	Aztec Engineering Grade Type I	W		TRAF65703	Non-compliant
				Tape (TR)	Dry	Aztec Engineering Grade Type II	Y		TRAF65710	Non-compliant
				Tape (TR)	Dry	Aztec Engineering Grade Type II	W		TRAF65704	Non-compliant
				Tape (TR)	Dry	Aztec Removable Grade Type I	Y		TRAF65710	Non-compliant
				Tape (TR)	Dry	Aztec Removable Grade Type III	W		TRAF65704	Non-compliant

QPL-46

Page 5 of 8

OMAT-Traffic Pavement Markings



Office of Materials and Testing Qualified Products List

Source	Source # / Location	Address	Contact	Product	Acceptance for Dry (ASTM E 1710) / Wet (ASTM E 2177)	Trade Name	Color	C.T.T. No.	Material Code	BA Preference
Ingevity	31/ Greenville, AL	591 Glendale Ave. Greenville, AL 36037 www.ingevity.com	334-213-2995 334-371-2300	Thermoplastic	Dry	N/A	Y	CTT	TRAF65302	Compliant
				Thermoplastic	Dry	N/A	W	CTT	TRAF65301	Compliant
				Thermoplastic	Dry	ThermoAccel	Y		TRAF65302	Compliant
				Thermoplastic	Dry	ThermoAccel	W		TRAF65301	Compliant
				Thermoplastic	Dry	Profile Baseline	Y		TRAF65302	Compliant
				Thermoplastic	Dry	Profile Baseline	W		TRAF65301	Compliant
				Thermoplastic	Dry	Black Thermoplastic	B		TRAF65304	Compliant
				High Build Paint (HB)	Dry	N/A	Y		TRAF87061	Compliant
				High Build Paint (HB)	Dry	N/A	W		TRAF87062	Compliant
				Paint	Dry	N/A	B		TRAF87041	Compliant
				Paint	Dry	N/A	W		TRAF87051	Compliant
				Paint	Dry	N/A	Y		TRAF87052	Compliant
				Preformed Thermo	Dry	CHOICE Preformed	Y		TRAF65902	Compliant
				Preformed Thermo	Dry	Thermoplastic Yellow	W		TRAF65901	Compliant
				Preformed Thermo	Dry	CHOICE Preformed	W		TRAF65901	Compliant
				Preformed Thermo	Dry	Thermoplastic White	W		TRAF65901	Compliant
The Sherwin Williams Company	20/ Memphis, TN	101 W Prospect Ave. NW Cleveland, OH 44115	800-368-2026	High Build Paint (HB)	Dry	TM2560	W		TRAF87061	Non-compliant
				High Build Paint (HB) **Methyl-Methacrylate (MMA)**		TM2561 N/A**	Y		TRAF87062	Non-compliant
Swarco Industries, Inc.	15/ Columbia, TN	270 Rutherford Ln. Columbia, TN 38401 www.swarco.com	800-216-8781 931-388-5900	Tape (TR)	Dry	Director 2	Y		TRAF65710	Compliant
				Tape (TR)	Dry	Director 2	W		TRAF65704	Compliant
				Tape (TN)	Dry	VISA-LINE Construction	Y		TRAF65709	Compliant
				Tape (TN)	Dry	VISA-LINE Construction	W		TRAF65703	Compliant
				Preformed Thermo	Dry	N/A	W		TRAF65901	Compliant

QPL-46

Page 6 of 8

OMAT-Traffic Pavement Markings



Office of Materials and Testing
Qualified Products List

Source	Source # / Location	Address	Contact	Product	Acceptance for Dry (ASTM E 1710) / Wet (ASTM E 2177)	Trade Name	Color	C.T.T. No.	Material Code	BA Preference
				Preformed Thermo Thermoplastic Thermoplastic Thermoplastic	Dry Dry Dry Dry	N/A N/A N/A SwarcoTherm Black Thermoplastic	Y Y W B	CTT-6 CTT-6	TRAF65902 TRAF65302 TRAF65301 TRAF65304	Compliant Compliant Compliant Compliant
Geveko Markings, Inc.	35/ Suwanee, GA	1883 New Harvest Rd. Gainesville, GA 30507 www.geveko-markings.us	770-847-9410	Hot Applied Preformed Thermoplastic Marking (HA) Thermoplastic **Methyl Methacrylate (MMA)**	Dry Dry Dry	Optamark Optamark ViaTherm ViaTherm** PlastiRoute**	W Y W Y**		TRAF65901 TRAF65902 TRAF65301 TRAF65302	Compliant Compliant Compliant Compliant
Pride Enterprises Baker Paint	37/ USA	20706 US HWY 90 Sanderson, FL 32087 http://Pride-Enterprises.org	386-758-0667	Paint Paint High Build Paint (HB) High Build Paint (HB)		BP 300 GA DOT Traffic Paint BP 310 GA DOT Traffic Paint BP 600 High Build GA DOT Traffic Paint BP 610 High Build GA DOT Traffic Paint	W Y W Y		TRAF87051 TRAF87052 TRAF87061 TRAF87062	Compliant Compliant Compliant Compliant
Preform, LLC	38/USA	3845 Deerpark Blvd. Elkton, FL 32033 https://preform.us	888-826-5161	Preformed Thermo	Dry	PREFORM™ PREFORM™	W Y		TRAF65901 TRAF65902	Compliant Compliant



Office of Materials and Testing Qualified Products List

Source	Source # / Location	Address	Contact	Product	Acceptance for Dry (ASTM E 1710) / Wet (ASTM E 2177)	Trade Name	Color	C.T.T. No.	Material Code	BA Preference
Traffic Materials Supplier	40/USA	390 Industrial Drive St. Augustine, FL 32092 https://trafficmaterials.com	904-372-3336	Thermoplastic Thermoplastic		GA Alkyd Thermoplastic GA Alkyd Thermoplastic	Y W		TRAF65302 TRAF65301	Compliant Compliant

****Interim
Approval****

Interim approval is allowed on an evaluation basis. Permission must be requested from the State Materials Engineer prior to use and may be on a limited basis on the status of the overall evaluation.

Note #1: Product must be installed with a 45-mil wet thickness.